



US010339222B2

(12) **United States Patent**
Henmi et al.

(10) **Patent No.:** **US 10,339,222 B2**

(45) **Date of Patent:** **Jul. 2, 2019**

(54) **INFORMATION PROVIDING SYSTEM,
INFORMATION PROVIDING METHOD,
NON-TRANSITORY RECORDING MEDIUM,
AND DATA STRUCTURE**

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,669,147 B1 *	2/2010	Molander	G06F 3/0482 707/693
8,370,380 B1 *	2/2013	Kuraoka	G06F 17/30675 707/767
8,868,570 B1 *	10/2014	Skut	G06F 17/30864 706/45
2004/0267735 A1 *	12/2004	Melham	G06Q 30/02
2009/0099840 A1	4/2009	Ishikawa et al.	
2009/0304228 A1 *	12/2009	Ishikawa	H04N 1/0084 382/100
2010/0036829 A1 *	2/2010	Leyba	G06F 17/30684 707/739
2012/0054185 A1 *	3/2012	Johnson	G06F 17/30705 707/739

(71) Applicant: **UNIVERSAL ENTERTAINMENT CORPORATION**, Koto-Ku, Tokyo (JP)

(72) Inventors: **Takuo Henmi**, Tokyo (JP); **Shigefumi Iinuma**, Tokyo (JP)

(73) Assignee: **Universal Entertainment Corporation**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 538 days.

(Continued)

(21) Appl. No.: **14/950,857**

Primary Examiner — Etienne P Leroux

(22) Filed: **Nov. 24, 2015**

(74) *Attorney, Agent, or Firm* — Simpson & Simpson, PLLC; S. Peter Konzel

(65) **Prior Publication Data**

US 2016/0147873 A1 May 26, 2016

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Nov. 26, 2014 (JP) 2014-239222

Provided is an information providing system capable of changing a response to an input from a user based on a predetermined response condition and further making a user terminal to perform a specified behavior (action) in outputting the response. An information providing server selects a reference text semantically closest to the input sentence from a user from knowledge data to determine a response text associated with the reference text. If a plurality of response texts are associated with the reference text, the information providing server determines the response in accordance with the response condition. Furthermore, the information providing server controls the user terminal to perform the behavior registered with the reference text.

(51) **Int. Cl.**

G06F 16/9032 (2019.01)
G06F 16/9535 (2019.01)
G06F 17/27 (2006.01)


(52) **U.S. Cl.**

CPC **G06F 17/2785** (2013.01); **G06F 16/90332** (2019.01); **G06F 16/9535** (2019.01)

(58) **Field of Classification Search**

CPC combination set(s) only.
See application file for complete search history.

17 Claims, 38 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS

2012/0265746	A1*	10/2012	Srivastava	G06F 17/30528 707/706
2013/0246413	A1*	9/2013	Lee	G06F 17/30864 707/731
2014/0201231	A1*	7/2014	Smith	G06F 17/30864 707/769
2015/0026106	A1	1/2015	Oh et al.	
2015/0052120	A1*	2/2015	Bhatia	G06F 17/30336 707/723

* cited by examiner

FIG. 1








FIG. 3




FIG. 4

USER TERMINAL 100




FIG. 5




FIG. 6




FIG. 7





FIG. 8

KNOWLEDGE DATA 310






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

QA CONFIGURATION SCREEN 800




FIG. 16

NEW QA ADDITION SCREEN 810

Q (REQUIRED)

I WANT A BOOK ABOUT PSYCHOLOGY.

I AM LOOKING FOR A BOOK ABOUT PSYCHOLOGY.

812 ADD SYNONYMOUS SENTENCE

A

No.	A	REORDER	DELETE
1	YOU WILL FIND IT ON THE THIRD FLOOR. ◇ RESPONSE CONDITION <input type="checkbox"/> SIMPLE CONFIGURATION <input type="checkbox"/> CUSTOM CONFIGURATION		
2	TAKE THE ESCALATOR TO THE THIRD FLOOR. DISCOUNT IS AVAILABLE ON TUESDAYS! ◇ RESPONSE CONDITION <input type="checkbox"/> SIMPLE CONFIGURATION <input type="checkbox"/> CUSTOM CONFIGURATION	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>

813

815 814 ADD RESPONSE SENTENCE

RESPONSE ACTION

NOT APPLICABLE

817 REGISTER 816

FIG. 17

SIMPLE CONFIGURATION SCREEN 830

The interface is titled "SIMPLE CONFIGURATION SETTINGS" and includes a back arrow and a search bar at the top. It features a configuration item "A" with a table of details, a selection mode, and a list of conditions.

SIMPLE CONFIGURATION SETTINGS	
▼ A	
No.	A
2	TAKE THE ESCALATOR TO THE THIRD FLOOR. DISCOUNT IS AVAILABLE ON TUESDAYS!

TO INCLUDE ALL OF THE FOLLOWING CONDITIONS
TO INCLUDE ANY ONE

1. DATE	- <input checked="" type="checkbox"/> YR - <input checked="" type="checkbox"/> MO - <input checked="" type="checkbox"/> DAY ~ - <input checked="" type="checkbox"/> YR - <input checked="" type="checkbox"/> MO - <input checked="" type="checkbox"/> DAY
2. DAY OF THE WEEK	<input type="checkbox"/> MON <input checked="" type="checkbox"/> TUE <input type="checkbox"/> WED <input type="checkbox"/> THU <input type="checkbox"/> FRI <input type="checkbox"/> SAT <input type="checkbox"/> SUN
3. TIME	- <input checked="" type="checkbox"/> TO - <input checked="" type="checkbox"/>
4. REVISIT	<input type="checkbox"/> REVISIT

SET 834

831, 832, 833 are indicated by brackets on the right side of the screen.

FIG. 18

NEW QA ADDITION SCREEN 810

The screenshot displays a mobile application interface for adding new QA pairs. At the top, there is a navigation bar with a back arrow and a search bar. Below this, the 'Q (REQUIRED)' section contains two text input fields: 'I WANT A BOOK ABOUT PSYCHOLOGY.' and 'I AM LOOKING FOR A BOOK ABOUT PSYCHOLOGY.' with a close button (X). A button labeled '812' with a plus sign and 'ADD SYNONYMOUS SENTENCE' is positioned to the right. The 'A' section is a table with columns 'No.', 'A', 'REORDER', and 'DELETE'. It contains two rows of answers. Row 1 (No. 1) has the answer 'YOU WILL FIND IT ON THE THIRD FLOOR.' and a 'RESPONSE CONDITION' section with 'SIMPLE CONFIGURATION' and 'CUSTOM CONFIGURATION' buttons. Row 2 (No. 2) has the answer 'TAKE THE ESCALATOR TO THE THIRD FLOOR. DISCOUNT IS AVAILABLE ON TUESDAYS!' and a 'RESPONSE CONDITION' section with a 'TUE' checkbox (labeled 818), a 'RESET' button (labeled 819), and 'SIMPLE CONFIGURATION' and 'CUSTOM CONFIGURATION' buttons. Below the table, a button labeled '814' with a plus sign and 'ADD RESPONSE SENTENCE' is shown. The 'RESPONSE ACTION' section contains a dropdown menu with 'NOT APPLICABLE' selected. At the bottom, a 'REGISTER' button (labeled 817) is centered, and a button labeled '816' is located to its right.

FIG 19

NEW QA ADDITION SCREEN 810

The screenshot displays a mobile application interface for adding a new QA pair. At the top, there is a navigation bar with a back arrow and a search bar. Below this, a section labeled 'Q (REQUIRED)' contains two text input fields: 'I WANT A BOOK ABOUT PSYCHOLOGY.' and 'I AM LOOKING FOR A BOOK ABOUT PSYCHOLOGY.' with a close button (X). A button labeled '812' with a plus sign and the text 'ADD SYNONYMOUS SENTENCE' is positioned to the right of the second input field. Below the question section is a section labeled 'A' containing a table with three rows of answer configurations. The table has columns for 'No.', 'A', 'REORDER', and 'DELETE'. Row 1: '1', 'YOU WILL FIND IT ON THE THIRD FLOOR.', empty 'REORDER' and 'DELETE' cells. Below the text is a 'RESPONSE CONDITION' section with two buttons: '+ SIMPLE CONFIGURATION' and '+ CUSTOM CONFIGURATION'. Row 2: '2', 'TAKE THE ESCALATOR TO THE THIRD FLOOR. DISCOUNT IS AVAILABLE ON TUESDAYS!', 'REORDER' cell with up/down arrows, and 'DELETE' cell with an 'X'. Below the text is a 'RESPONSE CONDITION' section with a checkbox labeled '818' and 'TUE', a 'RESET' button labeled '819', and two configuration buttons. Row 3: '3', 'VISIT THE THIRD FLOOR. SPECIAL SALE IS GOING ON!', 'REORDER' cell with up/down arrows, and 'DELETE' cell with an 'X'. Below the text is a 'RESPONSE CONDITION' section with two configuration buttons. Below the table is a button labeled '815' with a plus sign and 'ADD RESPONSE SENTENCE'. At the bottom, there are two sections: 'RESPONSE ACTION' and 'NOT APPLICABLE'. A 'REGISTER' button labeled '817' is at the very bottom, with a '816' label pointing to the bottom right area of the screen.

No.	A	REORDER	DELETE
1	YOU WILL FIND IT ON THE THIRD FLOOR. ◇ RESPONSE CONDITION + SIMPLE CONFIGURATION + CUSTOM CONFIGURATION		
2	TAKE THE ESCALATOR TO THE THIRD FLOOR. DISCOUNT IS AVAILABLE ON TUESDAYS! ◇ RESPONSE CONDITION <input type="checkbox"/> TUE 818 819 RESET + SIMPLE CONFIGURATION + CUSTOM CONFIGURATION	↑ ↓	X
3	VISIT THE THIRD FLOOR. SPECIAL SALE IS GOING ON! ◇ RESPONSE CONDITION + SIMPLE CONFIGURATION + CUSTOM CONFIGURATION	↑ ↓	X

FIG. 20

CUSTOM CONFIGURATION SCREEN 840

The screenshot shows a window titled "CUSTOM CONFIGURATION SCREEN 840". At the top left is a back arrow icon. Below it is a header bar labeled "CONDITIONAL EXPRESSIONS".

Under the header, there is a dropdown menu showing "A". Below the dropdown is a table with two columns: "No." and a text field. The first row contains "3" and "VISIT THE THIRD FLOOR. SPECIAL SALE IS GOING ON!". This entire section is bracketed on the right as 841.

Below the table is a "BATCH OPERATION" section with a checked checkbox and three buttons: "EDIT" and "DELETE". This section is bracketed on the right as 842.

Below that is a table with three rows. The first row has a checked checkbox, the text "CONDITIONAL EXPRESSION", and an "APPLY" button. The second row has a checked checkbox, the text "device=D0001", and an "APPLY" button. The third row has a checked checkbox, the text "version>2.41", and an "APPLY" button. This table is bracketed on the right as 843.

At the bottom right of the main content area is an "ADD" button with a plus icon, labeled 844.

At the bottom center is a "SET" button, labeled 845.

FIG. 21

NEW QA ADDITION SCREEN 810

Q (REQUIRED)

I WANT A BOOK ABOUT PSYCHOLOGY.

I AM LOOKING FOR A BOOK ABOUT PSYCHOLOGY.

812 ADD SYNONYMOUS SENTENCE

A

No.	A	REORDER	DELETE
1	YOU WILL FIND IT ON THE THIRD FLOOR. ◇ RESPONSE CONDITION <input type="checkbox"/> SIMPLE CONFIGURATION <input type="checkbox"/> CUSTOM CONFIGURATION		
2	VISIT THE THIRD FLOOR. SPECIAL SALE IS GOING ON! ◇ RESPONSE CONDITION 820 device=D0001,version>2.41 821 <input type="checkbox"/> RESET <input type="checkbox"/> SIMPLE CONFIGURATION <input type="checkbox"/> CUSTOM CONFIGURATION	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>
3	TAKE THE ESCALATOR TO THE THIRD FLOOR. DISCOUNT IS AVAILABLE ON TUESDAYS! ◇ RESPONSE CONDITION <input type="checkbox"/> TUE 818 819 <input type="checkbox"/> RESET <input type="checkbox"/> SIMPLE CONFIGURATION <input type="checkbox"/> CUSTOM CONFIGURATION	<input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>

813

815 ADD RESPONSE SENTENCE 814

RESPONSE ACTION

NOT APPLICABLE

817 REGISTER 816

FIG. 22

NEW QA ADDITION SCREEN 810

Q (REQUIRED)

I WANT A BOOK ABOUT PSYCHOLOGY.

I AM LOOKING FOR A BOOK ABOUT PSYCHOLOGY.

ADD SYNONYMOUS SENTENCE

RESPONSE ACTION

CHANGE CHARACTER IMAGE

CHARACTER IMAGE		SET	RESET
		<input type="button" value="SET"/>	<input type="button" value="RESET"/>

JUMP/OPEN PAGE

PAGE NAME	URL	NEW WINDOW	SET	RESET
FLOOR MAP	http://www.z.co.jp/map.html	<input type="checkbox"/>	<input type="button" value="SET"/>	<input type="button" value="RESET"/>

DISPLAY VIDEO/IMAGE

TITLE	URL	SET	RESET
STORE VIDEO	http://www.z.co.jp/store-movie.html	<input type="button" value="SET"/>	<input type="button" value="RESET"/>

NOT APPLICABLE

FIG. 23

NEW QA ADDITION SCREEN 810

Q (REQUIRED)

I WANT A BOOK ABOUT PSYCHOLOGY.

I AM LOOKING FOR A BOOK ABOUT PSYCHOLOGY.

ADD SYNONYMOUS SENTENCE

RESPONSE ACTION

CHANGE CHARACTER IMAGE

CHARACTER IMAGE

DISPLAY INFORMATION IN INFORMATION DISPLAY AREA

TIME	DISPLAY AFTER <input type="checkbox"/> SEC
COMMENT IN RESPONSE DISPLAY AREA	ALSO REFER TO THE INFORMATION BELOW.

SELECT	INFORMATION	INDICATION (INFORMATION DISPLAY AREA)	SET
<input checked="" type="radio"/>	RELATED TEXT	FEATURES OF ITEM A SIZE OF ITEM A PRICE OF ITEM A	SET
<input type="radio"/>	AUTOMATIC CANDIDATE Q		
<input type="radio"/>	API		
<input type="radio"/>	NO INDICATION		

NOT APPLICABLE

REGISTER

FIG. 24

NEW QA ADDITION SCREEN 810

Q (REQUIRED)

HELLO

812 ADD SYNONYMOUS SENTENCE

A

No.	A	REORDER	DELETE
1	HOW ARE YOU?		

813

◇ RESPONSE CONDITION

+ SIMPLE CONFIGURATION + CUSTOM CONFIGURATION

816

NOT APPLICABLE

<input checked="" type="checkbox"/>	IF YOU CHECK HERE, THIS Q IS EXCLUDED FROM SUGGESTIONS.
<input type="checkbox"/>	IF YOU CHECK HERE, HIT ON THIS Q IS NOT RECORDED IN LOG.

828

817 REGISTER

FIG. 25A

INPUT AND RESPONSE SCREEN 110




FIG. 25B

INPUT AND RESPONSE SCREEN 110




FIG. 26

NEW RELATED-TEXT ADDITION SCREEN 850

RELATED TEXTS

BATCH OPERATION

EDIT

DELETE

<input checked="" type="checkbox"/>	TEXTS TO BE INDICATED	TEXTS TO BE SENT	APPLY
<input checked="" type="checkbox"/>	FEATURES OF ITEM A	WHAT ARE THE FEATURES OF ITEM A?	APPLY
	SIZE OF ITEM A	I WANT TO KNOW THE SIZE OF ITEM A.	
	PRICE OF ITEM A	HOW MUCH IS ITEM A?	

853 ADD

854 SAVE

FIG. 27

SPECIFIC EVENT MESSAGE CONFIGURATION SCREEN 860




FIG. 28

SPECIFIC EVENT MESSAGE CONFIGURATION SCREEN 860




FIG. 29
TEST SCREEN 880

TEST (QA TEST/INTERNAL DICTIONARY TEST)

QA TEST
INTERNAL DICTIONARY TEST

◆ QA FREE TEST

INPUT SENTENCE RESPONSE CONDITION (OPTIONAL)

<TEST RESULT>

INPUT SENTENCE	A	HIT	HIT Q	CANDIDATE Q
I CANNOT HEAR THE SOUND.	CONTACT YOUR DEALER.	HIT (HIGH)	SOMETIMES I CANNOT HEAR THE SOUND.	- I CANNOT HEAR. - I CANNOT SEE THE SCREEN. - I CANNOT HEAR THE OTHER END OF THE CALL.

◆ QA FILE TEST

IMPORT FILE

<TEST RESULT>

HIT LEVEL CANDIDATE Q STATUS

page: 1 1 - 3 OF 3

INPUT SENTENCE	A	HIT	HIT Q	CANDIDATE Q
I CANNOT HEAR THE SOUND.	CONTACT YOUR DEALER.	HIT (HIGH)	SOMETIMES I CANNOT HEAR THE SOUND.	- I CANNOT HEAR. - I CANNOT SEE THE SCREEN. - I CANNOT HEAR THE OTHER END OF THE CALL.
IT'S COLD TODAY	MORE DETAILS, PLEASE.	x		
HOW ARE YOU?	MORE DETAILS, PLEASE.	x		

FIG. 30

KNOWLEDGE MAINTENANCE SCREEN 890

KNOWLEDGE MAINTENANCE

<LOG PERIOD>
 YR MO DAY ~ YR MO DAY

HIT LEVEL SHOW ALL CANDIDATE SHOW ALL STATUS SHOW ALL

page: 1 1 - 4 OF 4

ORDER: TIME AND DATE OF INPUT (FROM NEWEST) INPUT SENTENCE TEST

EXCLUDE	INPUT SENTENCE	HIT	HIT Q	CANDIDATE Q	TIME AND DATE OF INPUT	COUNT
<input type="checkbox"/>	I CANNOT HEAR THE SOUND.	HIT (HIGH)	SOMETIMES I CANNOT HEAR THE SOUND.	- I CANNOT HEAR. - I CANNOT SEE THE SCREEN. - I CANNOT HEAR THE OTHER END OF THE CALL.	2014/11/3	1
<input type="checkbox"/>	I CANNOT LISTEN TO THE OTHER END.	x		- I CANNOT HEAR THE OTHER END OF THE CALL. - THE CALL IS DISCONNECTED.	2014/11/3	1
<input type="checkbox"/>	I CANNOT SEE THE SCREEN.	HIT (HIGH)	I CANNOT SEE THE SCREEN.		2014/11/1	1
<input type="checkbox"/>	I CANNOT TALK WITH THE OTHER END.	x		- I CANNOT HEAR THE OTHER END OF THE CALL. - THE CALL IS DISCONNECTED.	2014/10/9	1

FIG. 31

NEW QA QUICK ADDITION SCREEN 900

NEW QA QUICK ADDITION

← ADVANCED SETTING

QA TYPE	Q (INPUT SENTENCE)	A
<input checked="" type="radio"/> NORMAL QA <input type="radio"/> PARTIAL QA	<input type="checkbox"/> EXCLUDE FROM SUGGESTION I CANNOT LISTEN TO THE OTHER END.	CHECK WHETHER OTHER APP OUTPUTS SOUND.

902 REGISTER

901

FIG. 32A




FIG. 32B




FIG 33

KNOWLEDGE MAINTENANCE SCREEN 890

KNOWLEDGE MAINTENANCE

<LOG PERIOD>

YR MO DAY ~ YR MO DAY

HIT LEVEL SHOW ALL CANDIDATE Q SHOW ALL STATUS SHOW ALL

page: 1 1 - 4 OF 4

ORDER: TIME AND DATE OF INPUT (FROM NEWEST) INPUT SENTENCE TEST

EXCLUDE	INPUT SENTENCE	HIT	HIT Q	CANDIDATE Q	TIME AND DATE OF INPUT	COUNT
<input type="checkbox"/>	I CANNOT HEAR THE SOUND.	HIT (HIGH)	SOMETIMES I CANNOT HEAR THE SOUND.	- I CANNOT HEAR. - I CANNOT SEE THE SCREEN. - I CANNOT HEAR THE OTHER END OF THE CALL.	2014/11/3	1
<input type="checkbox"/>	I CANNOT LISTEN TO THE OTHER END.	x		- I CANNOT HEAR THE OTHER END OF THE CALL. - THE CALL IS DISCONNECTED.	2014/11/3	1
<input type="checkbox"/>	I CANNOT SEE THE SCREEN.	HIT (HIGH)	I CANNOT SEE THE SCREEN.		2014/11/1	1
<input type="checkbox"/>	I CANNOT TALK WITH THE OTHER END.	x		- I CANNOT HEAR THE OTHER END OF THE CALL. - THE CALL IS DISCONNECTED.	2014/10/9	1

DETAILED INFORMATION

FIND OTHER CANDIDATE

891

892

893

FIG. 34

CANDIDATE Q DETAILED INFORMATION SCREEN 910




FIG. 35

SYNONYMOUS SENTENCE QUICK ADDITION SCREEN 930




FIG. 36A




FIG. 36B




FIG. 37

KNOWLEDGE MAINTENANCE SCREEN 890

KNOWLEDGE MAINTENANCE

<LOG PERIOD>
 YR MO DAY ~ YR MO DAY

HIT LEVEL SHOW ALL CANDIDATE Q SHOW ALL STATUS SHOW ALL


page: 1 1 - 4 OF 4

ORDER: TIME AND DATE OF INPUT (FROM NEWEST)

EXCLUDE	INPUT SENTENCE	HIT	HIT Q	CANDIDATE Q	TIME AND DATE OF INPUT	COUNT
<input type="checkbox"/>	I CANNOT HEAR THE SOUND.	HIT (HIGH)	SOMETIMES I CANNOT HEAR THE SOUND.	- I CANNOT HEAR. - I CANNOT SEE THE SCREEN. - I CANNOT HEAR THE OTHER END OF THE CALL.	2014/11/3	1
<input type="checkbox"/>	I CANNOT LISTEN TO THE OTHER END.	HIT (HIGH)	CHECK WHETHER OTHER APP OUTPUTS SOUND.	- I CANNOT HEAR THE OTHER END OF THE CALL. - THE CALL IS DISCONNECTED.	2014/11/3	1
<input type="checkbox"/>	I CANNOT SEE THE SCREEN.	HIT (HIGH)	I CANNOT SEE THE SCREEN.		2014/11/1	1
<input type="checkbox"/>	I CANNOT TALK WITH THE OTHER END.	HIT (HIGH)	I CANNOT HEAR THE OTHER END OF CALL.	- THE CALL IS DISCONNECTED.	2014/10/9	1

FIG. 38

INFORMATION PROVIDING SERVER 200



1

**INFORMATION PROVIDING SYSTEM,
INFORMATION PROVIDING METHOD,
NON-TRANSITORY RECORDING MEDIUM,
AND DATA STRUCTURE**

CROSS-REFERENCE TO RELATED
APPLICATIONS

This application claims the benefit of Japanese Patent Application No. 2014-239222 filed on Nov. 26, 2014, which application is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

The present invention relates to an information providing system for providing information in response to input of a user.

BACKGROUND OF THE INVENTION

In recent years, systems for retrieving and providing an optimum solution to an inquiry from a user have been studied eagerly. Furthermore, in connection with development of such systems, technologies of natural language processing and artificial intelligence have been studied in order to analyze the syntax and the meaning of the inquiry entered by the user or to retrieve a solution to the inquiry.

For example, a question answering system has been proposed that outputs a candidate answer evaluated as the optimum to a question (refer to US patent application publication No. US 2015/0026106 A1). This question answering system retrieves candidate answers to a question, calculates a score representing the extent that the candidate answer is right to the question using a learning function for each of the combinations of a question and a candidate answer, and outputs the candidate answer which is most likely to be a right answer based on the calculated scores.

In the meanwhile, a requested matter identification system that analyzes an input sentence of a user's request described in natural language, determines whether the requested matter in the input sentence matches any of the predefined requests, and identifies and outputs the requested matter in the input sentence (refer to US patent application publication No. US 2009/0099840 A1).

BRIEF SUMMARY OF THE INVENTION

However, the foregoing system does not convey an idea of providing variations in manner of outputting an answer to a question or request from a user in accordance with predetermined conditions.

Accordingly, an object of the present invention is to provide an information providing system, an information providing method, a non-transitory recording medium, and a data structure that enable the response to an input of a user to have variations in accordance with predetermined response conditions.

The first aspect of the present invention is an information providing system (e.g., the information providing system 1) comprising:

an input reception module (e.g., the input reception module 211 of the information providing server 200) for receiving an input text (e.g., a question entered by the user 10) input from a user terminal (e.g., the user terminal 100) operated by a user (e.g., the user 10);

a response determination module (e.g., the response determination module 212 of the information providing server

2

200) for determining a response (e.g., an answer to the question of the user 10) to the input text based on knowledge data (e.g., the knowledge data 310); and

a response data generation module (e.g., the response data generation module 213 and the web access control module 250 of the information providing server 200) for generating response data including the response determined by the response determination module and sending the generated response data to the user terminal.

In the information providing system, the knowledge data is composed of units each including a reference text to be compared with the input text (e.g., a Q stored in the knowledge data 310) and a response text associated with the reference text (e.g., an A stored in the knowledge data 310);

the reference text is associated with auxiliary information (e.g., information including response conditions, response behavior setting information, and applicability setting information shown in FIG. 8); and

the response determination module is configured to determine data to be included in the response data based on auxiliary information associated with a reference text determined to be semantically closest to the input text with a semantic closeness level higher than a predetermined level (e.g., determined that the hit level is hit (high) or hit (low)) as a result of comparison of the input text with the reference texts.

The foregoing configuration enables the response to an input of a user to have variations in accordance with predetermined conditions. Hence, when a user enters an input sentence, the information providing system returns various responses to the user terminal; more flexible and sophisticated responding to an input from the user is available.

The second aspect of the present invention is the information providing system of the first aspect, in which,

the auxiliary information includes a response condition (e.g., a condition as shown in FIG. 8, FIG. 17, and FIG. 20); each of the units of the knowledge data includes a plurality of response texts as necessary (e.g., a state where a plurality of As are registered as shown in FIG. 8 and FIG. 16) and at least one of the plurality of response texts is associated with the response condition; and

the response determination module is configured to determine a response text to be the response from the plurality of response texts based on the response condition in a case where the reference text determined to be semantically closest to the input text with a semantic closeness level higher than a predetermined level (e.g., determined that the hit level is hit (high) or hit (low)) as a result of comparison of the input text with the reference texts is associated with a plurality of response texts.

The foregoing configuration of the present invention enables changing the response to an input from the user based on the predetermined conditions. Accordingly, even if the same input text is entered by the user, the user terminal can display different responses; more flexible and sophisticated responding to an input from the user is available.

The third aspect of the present invention is the information providing system of the second aspect, in which the response condition includes a condition on information input from the user terminal but other than the input text (e.g., information on "device" or "version" as shown in FIG. 20).

The foregoing configuration of the present invention enables changing the response to an input from the user based on the information acquired from the user terminal other than the input sentence. Accordingly, even if the same

input text is entered by the user, the user terminal can display different responses depending on the device type of the user terminal, for example; more flexible and sophisticated responding to an input from the user is available.

The fourth aspect of the present invention is the information providing system of the second or the third aspect, in which,

the response condition is registered by a system administrator (e.g., the system administrator **20**) in advance; and in registering the response condition into a unit already including one or more response conditions, a priority in evaluating the response condition is determined (e.g., operation of an arrow button to “reorder” shown in FIG. **19**).

The foregoing configuration of the present invention enables changing the response to an input from the user based on the predetermined response conditions. The system administrator can set the response conditions in advance and further, can individually set the response conditions to different responses. Accordingly, the system administrator can control and manage which response is to be displayed on the user terminal even in the case of the same input text entered by the user.

The fifth aspect of the present invention is the information providing system of the first aspect, in which,

the auxiliary information includes response behavior setting information (e.g., information for specifying a response behavior (response action) as shown in FIG. **8**, FIG. **22**, and FIG. **23**);

each of the units of the knowledge data includes response behavior setting information associated with a reference text as necessary; and

the response determination module includes data for the user terminal to behave in accordance with the response behavior setting information (e.g., setting data to change the character image as shown in FIG. **22**) in the response data in a case where the reference text determined to be semantically closest to the input text with a semantic closeness level higher than a predetermined level as a result of comparison of the input text with the reference texts is associated with the response behavior setting information.

The foregoing configuration of the present invention enables the user terminal to perform a predetermined behavior (action) in outputting a response to an input from the user. The behavior may include, for example, displaying a web page, displaying a video like an animation, and displaying a text related to the input sentence. Accordingly, the exchange of inputs and responses between the user and the information providing system can progress in accordance with a predetermined scenario, so that an effective answer can be provided to the user.

The sixth aspect of the present invention is the information providing system of the fifth aspect, in which,

the response behavior setting information is registered by a system administrator in advance; and

in registering the response behavior setting information, a behavior of displaying specified information (e.g., a related text or automatic candidate Q shown in FIG. **23**) in a second display area of the user terminal (e.g., the information display area **116** of the input and response screen **110**) different from a first display area for displaying the response (e.g., the response display area **112** of the input and response display screen **110**) is defined as the response behavior setting information.

The foregoing configuration of the present invention enables displaying predetermined information based on the response behavior setting information in the display area of the user terminal other than the answer area. The system

administrator can set such response behavior setting information in advance and can individually set response behaviors to different reference texts (or combinations of a reference text and a response text). Accordingly, the exchange of inputs and responses between the user and the information providing system can progress in accordance with a predetermined scenario, so that an effective answer can be provided to the user.

The seventh aspect of the present invention is the information providing system of the sixth aspect, in which,

the specified information is displayed in the second display area to be selectable by the user; and

in response of selection of the specified information by the user, information related to the specified information is sent from the user terminal as an input text and the input reception module receives the information as the input text.

The foregoing configuration of the present invention enables the user to select predetermined information based on response behavior setting information through the display area of the user terminal. The selected information is provided to the information providing system as another input text. Accordingly, the exchange of inputs and responses between the user and the information providing system can progress in accordance with a predetermined scenario, so that an effective answer can be provided to the user.

The eighth aspect of the present invention is the information providing system of the seventh aspect, in which the specified information is a text related to an input text entered previously (e.g., an automatic candidate Q shown in FIG. **23** provided by the suggest server **400**).

The foregoing configuration of the present invention enables the user to select a text related to a previous input text based on the response behavior setting information through the display area of the user terminal. The selected text is provided to the information providing system as another input text. Accordingly, the exchange of inputs and responses between the user and the information providing system can progress in accordance with a predetermined scenario, so that an effective answer can be provided to the user.

The ninth aspect of the present invention is the information providing system of the fifth aspect, in which,

the response behavior setting information is registered by a system administrator in advance; and

in registering the response behavior setting information, a behavior of starting a specified program (e.g., the API shown in FIG. **23**) is defined as the response behavior setting information.

The foregoing configuration of the present invention enables the system administrator to configure response behavior setting information with reference to an input from the user. Accordingly, the system administrator can flexibly control and manage the exchange of inputs and responses between the user and the information providing system.

The tenth aspect of the present invention is an information providing method to be performed by an information providing system. The information providing method comprises:

an input reception step for receiving an input text input from a user terminal operated by a user;

a response determination step for determining a response to the input text based on knowledge data; and

a response data generation step for generating response data including the response determined in the response determination step and sending the generated response data to the user terminal.

5

In the information providing method, the knowledge data is composed of units each including a reference text to be compared with the input text and a response text associated with the reference text;

the reference text is associated with auxiliary information; and

the response determination step determines data to be included in the response data based on auxiliary information associated with a reference text determined to be semantically closest to the input text with a semantic closeness level higher than a predetermined level as a result of comparison of the input text with the reference texts.

The foregoing configuration enables the response to an input of a user to have variations in accordance with predetermined conditions. Hence, when a user enters an input sentence, the information providing method returns various responses to the user terminal; more flexible and sophisticated responding to an input from the user is available.

The eleventh aspect of the present invention is the information providing method of the tenth aspect, in which,

the auxiliary information includes a response condition;

each of the units of the knowledge data includes a plurality of response texts as necessary and at least one of the plurality of response texts is associated with the response condition; and

the response determination step determines a response text to be the response from the plurality of response texts based on the response condition in a case where the reference text determined to be semantically closest to the input text with a semantic closeness level higher than a predetermined level as a result of comparison of the input text with the reference texts is associated with a plurality of response texts.

The foregoing configuration of the present invention enables changing the response to an input from the user based on the predetermined conditions. Accordingly, even if the same input text is entered by the user, the user terminal can display different responses; more flexible and sophisticated responding to an input from the user is available.

The twelfth aspect of the present invention is the information providing method of the tenth aspect, in which,

the auxiliary information includes response behavior setting information;

each of the units of the knowledge data includes response behavior setting information associated with a reference text as necessary; and

the response determination step includes data for the user terminal to behave in accordance with the response behavior setting information in the response data in a case where the reference text determined to be semantically closest to the input text with a semantic closeness level higher than a predetermined level as a result of comparison of the input text with the reference texts is associated with the response behavior setting information.

The foregoing configuration of the present invention enables a user terminal to act a predetermined behavior when outputting a response to an input of the user. Accordingly, the exchange of inputs and responses between the user and the information providing system can progress in accordance with a predetermined scenario, so that an effective answer can be provided to the user.

The thirteenth aspect of the present invention is a non-transitory recording medium for storing a program for making a computer (e.g., the information providing server 200 shown in FIG. 38) function as:

6

an input reception module for receiving an input text input from a user terminal operated by a user;

a response determination module for determining a response to the input text based on knowledge data; and

a response data generation module for generating response data including the response determined by the response determination module and sending the generated response data to the user terminal.

With respect to the non-transitory recording medium, the knowledge data is composed of units each including a reference text to be compared with the input text and a response text associated with the reference text;

the reference text is associated with auxiliary information; and

the response determination module is configured to determine data to be included in the response data based on auxiliary information associated with a reference text determined to be semantically closest to the input text with a semantic closeness level higher than a predetermined level as a result of comparison of the input text with the reference texts.

The foregoing configuration enables the response to an input of a user to have variations in accordance with predetermined conditions. Hence, when a user enters an input sentence, the non-transitory recording medium storing the program enables returning various responses to the user terminal; more flexible and sophisticated responding to an input from the user is available.

The fourteenth aspect of the present invention is the non-transitory recording medium of the thirteenth aspect. With respect to the non-transitory recording medium,

the auxiliary information includes a response condition;

each of the units of the knowledge data includes a plurality of response texts as necessary and at least one of the plurality of response texts is associated with the response condition; and

the response determination module is configured to determine a response text to be the response from the plurality of response texts based on the response condition in a case where the reference text determined to be semantically closest to the input text with a semantic closeness level higher than a predetermined level as a result of comparison of the input text with the reference texts is associated with a plurality of response texts.

The foregoing configuration of the present invention enables changing the response to an input from the user based on the predetermined conditions. Accordingly, even if the same input text is entered by the user, the user terminal can display different responses; more flexible and sophisticated responding to an input from the user is available.

The fifteenth aspect of the present invention is the non-transitory recording medium of the thirteenth aspect. With respect to the non-transitory recording medium,

the auxiliary information includes response behavior setting information;

each of the units of the knowledge data includes response behavior setting information associated with a reference text as necessary; and

the response determination step includes data for the user terminal to behave in accordance with the response behavior setting information in the response data in a case where the reference text determined to be semantically closest to the input text with a semantic closeness level higher than a predetermined level as a result of comparison of the input text with the reference texts is associated with the response behavior setting information.

The foregoing configuration of the present invention enables a user terminal to act a predetermined behavior when outputting a response to an input of the user. Accordingly, the exchange of inputs and responses between the user and the information providing system can progress in accordance with a predetermined scenario, so that an effective answer can be provided to the user.

The sixteenth aspect of the present invention is a data structure (e.g., the data structure of the knowledge data **310**) composed of units. Each of the units comprises:

- a reference text to be compared with an input text input from a user terminal operated by a user;

- a response text associated with the reference text; and
- auxiliary information associated with the reference text.

With respect to the data structure, data to be included in response data to be sent to the user terminal is determined as a result of comparison of the input text with the reference texts and matching with the auxiliary information.

The foregoing configuration enables the response to an input of a user to have variations in accordance with predetermined conditions. Hence, when a user enters an input sentence, the data structure enables returning various responses to the user terminal; more flexible and sophisticated responding to an input from the user is available.

The seventeenth aspect of the present invention is the data structure of the sixteenth aspect, in which,

- the auxiliary information includes at least one of a response condition and response behavior setting information;

- each of the units includes another reference text synonymous with the reference text as necessary;

- each of the units includes a plurality of response texts as necessary and at least one of the plurality of response texts is associated with the response condition;

- each of the units includes response behavior setting information associated with each of the reference texts as necessary;

- the response condition is a condition for selecting a response text to be sent to the user terminal from the plurality of response texts; and

- the response behavior setting information is information for defining a behavior of the user terminal when the selected response text is received by the user terminal.

The foregoing configuration of the present invention enables defining a response text to be sent as a response to an input, defining a condition to select the response text, and defining response behavior setting information in sending the response text when the input from the user hits (is determined to be semantically close to) a prepared reference text. Accordingly, more flexible and sophisticated responding to an input from the user is available and further, an effective answer can be provided.

The information providing system of the present invention enables a response to an input from the user to have variations in accordance with predetermined conditions. Accordingly, even if the same input text is entered by the user, the user terminal can display different responses; more flexible and sophisticated responding to an input from the user is available.

Furthermore, the information providing system of the present invention enables the user terminal to perform a predetermined behavior (action) in outputting the response to an input from the user. For example, the user terminal can display predetermined information in response to an input from the user; exchange of inputs and responses between the user and the information providing system can progress in

accordance with a predetermined scenario, so that an effective answer can be provided to the user.

These and other aspects, features and advantages of the present invention will become readily apparent to those having ordinary skill in the art upon a reading of the following detailed description of the invention in view of the drawings and claims.

BRIEF DESCRIPTION OF THE DRAWINGS

The nature and mode of operation of the present invention will now be more fully described in the following detailed description of the invention taken with the accompanying drawing figures, in which:

FIG. 1 is a diagram for illustrating an overview of an information providing system;

FIGS. 2A to 2C provide diagrams for illustrating a way of exchanging inputs and responses in the information providing system;

FIG. 3 is a diagram for illustrating an example of a case where the information providing system provides a plurality of input and response services each utilizing a different set of knowledge data;

FIG. 4 is a functional block diagram of a user terminal;

FIG. 5 is a functional block diagram of an information providing server;

FIG. 6 is a functional block diagram of a suggest server;

FIG. 7 is a diagram for illustrating an API between a user terminal and an information providing server;

FIG. 8 is a diagram for illustrating an example of knowledge data to be used in the information providing system;

FIGS. 9A to 9D are diagrams for schematically illustrating ways of determining a response to an input sentence;

FIG. 10 is a diagram for schematically illustrating how to determine a response using knowledge data including a plurality of units;

FIG. 11 is a flowchart of response determination processing performed by a response determination module;

FIG. 12 is a diagram for conceptually illustrating a cycle of test, maintenance, and operation of the information providing system;

FIG. 13 is a diagram for illustrating handling of knowledge data in an installation/maintenance phase and in an operation phase;

FIG. 14 is a diagram for illustrating functions of the information providing system;

FIG. 15 is a diagram for illustrating a QA configuration screen;

FIG. 16 is a diagram for illustrating a new QA addition screen;

FIG. 17 is a diagram for illustrating a simple configuration screen;

FIG. 18 is a diagram for illustrating a new QA addition screen;

FIG. 19 is a diagram for illustrating a new QA addition screen;

FIG. 20 is a diagram for illustrating a custom configuration screen;

FIG. 21 is a diagram for illustrating a new QA addition screen;

FIG. 22 is a diagram for illustrating a new QA addition screen;

FIG. 23 is a diagram for illustrating a new QA addition screen;

FIG. 24 is a diagram for illustrating a new QA addition screen;

FIGS. 25A and 25B provide diagrams for illustrating how the behaviors of suggesting an input sentence are different between in the cases where the checkbox about the suggestions is checked and unchecked;

FIG. 26 is a diagram for illustrating a new related-text addition screen;

FIG. 27 is a diagram for illustrating a specific event message configuration screen;

FIG. 28 is a diagram for illustrating a specific event message configuration screen;

FIG. 29 is a diagram for illustrating a test screen;

FIG. 30 is a diagram for illustrating a knowledge maintenance screen;

FIG. 31 is a diagram for illustrating a new QA quick addition screen;

FIGS. 32A and 32B are diagrams for illustrating how a response to an input changes through knowledge maintenance;

FIG. 33 is a diagram for illustrating a knowledge maintenance screen;

FIG. 34 is a diagram for illustrating a candidate Q detailed information screen;

FIG. 35 is a diagram for illustrating a synonymous sentence quick addition screen;

FIGS. 36A and 36B are diagrams for illustrating how a response to an input changes through knowledge maintenance;

FIG. 37 is a diagram for illustrating a knowledge maintenance screen; and

FIG. 38 is a diagram for illustrating an example of a hardware configuration of a computer for implementing an information providing server included in the information providing system of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Hereinafter, an information providing system 1 of an embodiment of the present invention is described with reference to the drawings.

FIG. 1 is a diagram for illustrating an overview of a system including the information providing system 1 for providing knowledge data by making a response to an input.

A user 10 enters a text to an entry area of a specific web page displayed by a web browser run on a user terminal 100, for example, by using a keyboard or a touch panel (see the upper part of FIG. 1). The text entered by the user is usually in the form of a sentence (input sentence) in a natural language. The text may be a question about a product of the company providing the website including the web page. An input from the user is hereinafter referred to as input sentence for convenience; however, the input does not need to be a sentence and may be various types of texts, including a word or an incomplete sentence.

The text entered by the user is provided by the web browser on the user terminal 100 to the information providing system 1 via a network 700. The network 700 is a network including the Internet.

Upon receipt of the text from the user terminal 100, the information providing system 1 determines a text (usually, a response sentence) to be a response to the received text and sends the text to the user terminal 100 via the network 700. Hence, when the user enters a text to the entry area of a web page, a response (text) answering the text is displayed in the response display area of the web page. For example, when a user 10 enters a question about a product to the entry area

of the web page, an answer to the question is displayed in the response display area of the web page.

The information providing system 1 includes an information providing server 200 and a suggest server 400. The information providing server 200 has an input and response management DB 300 including knowledge data. The information providing server 200 determines a text appropriate for a response to an input received from a user terminal 100 with the input and response management DB 300 and sends response data to the user terminal 100 so as to display the response text in the response display area (the response display area of the web page shown by the web browser run on the user terminal 100). The functions of the information providing server 200 and the input and response management DB 300 will be described later in detail.

The suggest server 400 has a suggest DB 500. When the user 10 enters a text with the user terminal 100, the suggest server 400 predicts the text being entered by the user 10 based on the texts entered by various users 10 with reference to the suggest DB 500 and sends data to the user terminal 100 so as to display candidates for the text under the entry area (the entry area of the web page displayed by the web browser run on the user terminal 100). In addition, the suggest server 400 selects some texts previously entered by the user 10 based on specified conditions and displays the texts on the web page. The functions of the suggest server 400 and the suggest DB 500 will be described later in detail.

The system administrator 20 (20-1 and 20-2) conducts maintenance and test of the information providing system 1 with a system management terminal 600 (see the lower part of FIG. 1). For example, the system administrator 20-1 conducts maintenance of the information providing system 1 (including newly creating knowledge, adding new knowledge, and correcting the knowledge) by performing predetermined operations on a web page for maintenance displayed by the web browser run on the system management terminal 600-1. The system administrator 20-2 tests the knowledge configured or reconfigured through the maintenance by the system administrator 20-1 by performing predetermined operations on a web page for testing displayed by the web browser run on the system management terminal 600-2 to check whether an appropriate response is made to an input (that is to say, the system administrator 20-2 simulates the operations of a user 10 of entering a text with the user terminal 100 and operations of the information providing system 1 of providing a response to the input on the user terminal 100).

Although FIG. 1 can be seen as the system administrator 20-1 conducts the maintenance and the system administrator 20-2 conducts the test with their system management terminals (600-1 and 600-2), the same system administrator may conduct these operations with the same system management terminal. The operations of the maintenance and the test may be further divided and assigned to sections or persons, so that more system administrators can share the operations. It is preferable that the system administrator 20 who conducts the maintenance and the test of the knowledge data be a knowledge configurator skilled in handling knowledge data.

If the information providing system 1 is provided to be used by unspecified users, the user 10 is expected to be an ordinary user who asks questions to the company or organization providing the website (about their products or services) and the user terminal 100 could be the user's PC (personal computer) connectable to the Internet. The information providing system 1 can be also used as a system for a limited range (for example, as an intra-company knowl-

11

edge sharing system); in this case, the user **10** is a specified user authorized to access the information providing system **1**.

The system administrator **20** is a person to manage the knowledge data to be handled by the information providing system **1**; if the information providing system **1** is used as a system to receive questions about the products and services of a company or organization, the system administrator should be an employee of the company or organization. In place of the company or organization, an agent or an entrusted company can be the system administrator.

In FIG. **1**, the user **10** places a question to the information providing system **1** by entering a text to an entry area of a website with an input device such as a keyboard; however, the information providing system **1** accepts a text entered in any way or via any route. For example, the user **10** may issue a question in speech; the speech can be converted into a text by speech recognition processing and the obtained text can be provided to the information providing system **1**. For another example, a printed question can be converted into a text by OCR (Optical Character Recognition) and the obtained text can be provided to the information providing system **1**.

It should be noted that the information providing server **200** in the present embodiment has a function of a web server that communicates data with the web browsers run on the user terminal **100** and the system management terminal **600** using some protocol such as HTTP to display a predetermined web page on the web browsers.

Although FIG. **1** shows the information providing server **200** as a single computer, the information providing server **200** can be implemented by distributing the processing to a plurality of computers having the same functions. As to the input and response management DB **300**, the stored data can also be divided in accordance with various policies and distributed to a plurality of sites or computers.

FIGS. **2A** to **2C** provide diagrams for illustrating a way of exchanging inputs and responses with a user **10** by the information providing system **1** of the present embodiment.

The input and response screen **110** in FIG. **2A** is a web page (or a part of a web page) displayed by the web browser run on the user terminal **100**. The input and response screen **110** may be displayed in the form of an independent window page or a part of a web page.

The input and response screen **110** includes a character image display area **111**, an input and response display area **112**, an entry area **113**, a Send button **114**, a page change button **115**, and an information display area **116**.

The character image display area **111** is an area for displaying a character image; the character can be changed in accordance with the context of the input or response. For example, even if the same character is displayed, the displayed character can be controlled to have different looks depending on the context of the response. The response display area **112** displays a response output from the information providing system **1**.

The entry area **113** is an area for the user **10** to enter a text of a question. The Send button **114** is a button for the user **10** to press after the user **10** completes entering the text to the entry area **113** (The present embodiment assumes that buttons and links are pressed (clicked) with a mouse. The same applies to the following). In response to press of the Send button **114**, the entered text is sent to the information providing system **1** via the network **700** using a protocol such as HTTP.

The page change button **115** is displayed in the case where the page change (jump to/open a page) is set in a response

12

action, which will be described later; in response to press of the page change button **115**, the display changes to the specified web page.

The information display area **116** is an area to display additional information supplemented to the response output by the information providing system **1**.

In FIG. **2A**, the user **10** first accesses the web page of this input and response screen **110**. Then, the information providing server **200** of the information providing system **1** sends HTML data to the user terminal **100** to display a text such as "Welcome to our web shop." in the response display area **112** on the input and response screen **110** and to display link texts such as "About features of items" or "About prices of items" in the information display area **116**.

The texts such as "About features of items" and "About prices of items" are provided by the suggest server **400** of the information providing system **1**. These texts are inputs that are frequently provided and the responses thereto are successful (hit) in the past ("popular Qs" to be described later). In response to selection of a text displayed in the information display area **116** (in the example of FIG. **2A**, either "About features of items" or "About prices of items") with a mouse, the selected text is automatically sent to the information providing system **1** as an input and a response to the text is displayed in the response display area **112**.

After the input and response screen **110** as shown in FIG. **2A** is displayed, the user **10** enters a question "What is a recommendation?" in the entry area **113** as shown in FIG. **2B** and presses the Send button **114**. Note that the input and response screens **110** in FIG. **2B** and FIG. **2C** show only the portions relevant to the description.

In response, the information providing server **200** of the information providing system **1** displays an answer "Today's hot-selling item is:" in the response display area **112**.

Subsequently, the user **10** enters a question "When can I receive the item?" in the entry area **113** as shown in FIG. **2C** and presses the Send button **114**. In response, the information providing server **200** of the information providing system **1** displays an answer "The delivery schedule depends on the 'shipping type' indicated in the details of the item. Select the indicated type from the following." in the response display area **112**. Furthermore, the information providing server **200** displays link texts "Type 1" and "Type 2" in the information display area **116**.

When the user **10** selects a text (in the example of FIG. **2C**, either "Type 1" or "Type 2") displayed in the information display area **116**, the selected text is automatically entered to the entry area **113** and subsequently, the text is forwarded to the information providing system **1** as an input upon press of the Send button **114**. Then, specific information about Type 1 or Type 2 is displayed in the response display area **112** as a response from the information providing system **1**.

In this way, the user **10** can have a "dialogue" with the information providing system **1** (or the information providing server **200** thereof) through the input and response screen **110** displayed on the web browser of the user terminal **100** to direct the information providing system **1** to provide necessary information.

The system administrator **20** improves the knowledge data of the information providing system **1** so that the information providing system **1** can appropriately select information to be displayed in the response display area **112** and the information display area **116**. The information providing system **1** guides the user **10** with a predetermined scenario by providing information step by step so that the user **10** can acquire desired information.

FIG. 3 is a diagram for illustrating an example of a case where the information providing system 1 provides a plurality of input and response services each utilizing a different set of knowledge data.

In this example, it is assumed that Company A and Company B use the information providing system 1 to provide knowledge data. Company A runs a Q & A corner about a product A-1 on a website A-1 and a support corner about a service A-2 on a website A-2.

When a user 10 accesses the website A-1, opens a web page of the Q & A corner about the product A-1, and enters and sends a question through the web page, the HTTP request is sent to the information providing server 200. The information providing server 200 generates response data based on the input text with an input and response management DB 300A-1, sends the response data to the user terminal 100 of the user 10, and displays the response on the web page. In these operations, the HTTP request is addressed to <host-name1> and is identified as a question in the Q & A corner about the product A-1 with <ServiceID1>.

In similar, when a user 10 accesses the website A-2, opens a web page of the support corner about the service A-2, and enters and sends a question through the web page, the HTTP request is sent to the information providing server 200. The information providing server 200 generates response data based on the input text with an input and response management DB 300A-2, sends the response data to the user terminal 100 of the user 10, and displays the response on the web page. In these operations, the HTTP request is addressed to <host-name1> and is identified as a question in the support corner about the service A-2 with <ServiceID2>.

In the meanwhile, Company B runs a Q & A corner about a product B-1 on a website B-1.

When a user 10 accesses the website B-1, opens a web page of the Q & A corner about the product B-1, and enters and sends a question through the web page, the HTTP request is sent to the information providing server 200. The information providing server 200 generates response data based on the input text with an input and response management DB 300B-1, sends the response data to the user terminal 100 of the user 10, and displays the response on the web page. In these operations, the HTTP request is addressed to <host-name1> and is identified as a question in the Q & A corner about the product B-1 with <ServiceID3>.

As noted from above, in the example of FIG. 3, input and response services utilizing the knowledge data of two companies A and B are operated by one information providing server 200; different knowledge data (input and response management DB) is used depending on the website (namely, the subject of the question). If the user 10 accesses one of the websites through searching the Internet and inputs a question on the website, the user 10 can receive a response appropriate for the input. The user 10 does not recognize to which host the HTTP request is sent and which knowledge data is used.

For example, if a user 10-6 inputs a question about the service A-2 on the website A-2, the answer to the question is obtained using the input and response management DB 300A-2; if the user 10-6 inputs a question about the product B-1 on the website B-1, the answer to the question is obtained using the input and response management DB 300B-1.

Although the example of FIG. 3 uses a single information providing server 200, a plurality of information providing servers 200 may be used. In such a case, the system should be configured to select a host ID depending on the website. The system can also be configured to use the same input and

response management DB 300 in making responses to questions about different websites, different products, or different services by assigning the same service ID.

In the example of FIG. 3, the website A-1, the website A-2, the input and response management DB 300A-1 (and the suggest DB 500A-1), and the input and response management DB 300A-2 (and the suggest DB 500A-2) are managed by Company A; the maintenance and the test are conducted by the system administrator 20-A of Company A. On the other hand, the website B-1 and the input and response management DB 300B-1 (and the suggest DB 500B-1) are managed by Company B; the maintenance and the test are conducted by the system administrator 20-B of Company B. The information providing server 200 has functions of a web server and an artificial intelligence engine; the specifications and configuration of the web server functions and the artificial intelligence engine are managed by the company that develops and provides the information providing system.

Next, with reference to FIGS. 4 to 6, configurations of a user terminal 100 and apparatuses included in the information providing system 1 are described. FIG. 4 is a functional block diagram of a user terminal 100.

The user terminal 100 in FIG. 4 includes an input control module 101, a web browser 102, and a network I/F (interface) module 103.

The input control module 101 receives input information in the form of a signal generated in accordance with the user's operation of an input device connected with the user terminal 100. The input device includes a mouse, a keyboard, and a touch panel. The web browser 102 displays a specified web page and sends the input information received by the input control module 101 to the entry area of the web page. Furthermore, in response to the user's operation (press of the Send button), the web browser 102 sends an HTTP request to the web server through the network I/F module 103.

Still further, upon receipt of HTML data including response data from the information providing server 200 of the information providing system 1 through the network I/F module 103, the web browser 102 displays a web page based on the data (updates the display of the web browser).

The network I/F module 103 connects to the network 700 and controls data transmission with apparatuses such as the information providing server 200 of the information providing system 1.

FIG. 5 is a functional block diagram of the information providing server 200 of the information providing system 1.

The information providing server 200 in FIG. 5 includes an input and response control module 210, a knowledge data management module 220, a configuration control module 230, a log management module 240, a web access control module 250, and a network I/F (interface) module 260.

The input and response control module 210 includes an input reception module 211, a response determination module 212, and a response data generation module 213. The knowledge data management module 220 includes a knowledge configuration control module 221, a knowledge maintenance control module 222, and a test control module 223.

The information providing server 200 further has an input and response management DB 300. The input and response management DB 300 includes knowledge data 310, test data 320, log data 330, configuration data 340, dictionary data 350, HTML data 360, and image data 370.

The input reception module 211 of the input and response control module 210 receives a text entered by a user 10 to

a user terminal **100** through the network **700** and the network I/F module **260** using a protocol such as HTTP.

The response determination module **212** of the input and response control module **210** determines a response appropriate for the text received at the input reception module **211** with reference to data such as the knowledge data **310** and the dictionary data **350** in the input and response management DB **300**.

The response data generation module **213** of the input and response control module **210** generates response data to display the response determined by the response determination module **212** on the web page displayed on the web browser of the user terminal **100** and sends the response data to the user terminal **100** with the web access control module **250** and the network I/F module **260** via the network **700**.

The knowledge configuration control module **221** of the knowledge data management module **220** configures knowledge data in accordance with the operation of the system administrator. The knowledge data is basically data specified with a combination of a text (input sentence) to be entered by the user with high probability and a text of the response thereto. The configured knowledge data is stored in the knowledge data **310** of the input and response management DB **300**.

The knowledge maintenance control module **222** of the knowledge data management module **220** carries out maintenance of the knowledge data in accordance with the operation of the system administrator. The maintenance corrects or adds knowledge data effectively and easily using the log data **330** of the input and response management DB **300**.

The test control module **223** of the knowledge data management module **220** tests the knowledge data updated through maintenance by the system administrator. The test simulates the operations of a user terminal **100** to determine whether the information providing server **200** can output an appropriate response for an input. The knowledge data for this test is stored in the test data **320** of the input and response management DB **300** and the test is conducted under the condition. If no problem is found in the knowledge data, the knowledge data is compiled to rebuild the knowledge data **310**, and the knowledge data **310** is released to practical use.

The configuration control module **230** configures the input and response screen **110** illustrated in FIGS. **2A** to **2C** and responses in specific events in accordance with the operation of the system administrator.

The log management module **240** records how the information providing server **200** responds to inputs from users **10** to user terminals **100** as a log and analyzes the log to display a predetermined form of report on the system management terminal **600** in accordance with the operation of the system administrator. The log is stored in the log data **330** of the input and response management DB **300**.

The web access control module **250** receives and analyzes an HTTP request sent from the web browser of a user terminal **100** in accordance with the operation of a user **10**, prepares data responding to this request, and sends the data in the form of an HTTP response to the web browser of the user terminal **100**. The data to be sent in the HTTP response includes response data generated by the response data generation module **213** of the input and response control module **210** and further, data selected from the HTML data **360** and the image data **370** of the input and response management DB **300**. The HTML data **360** is HTML data to display a web page and the image data **370** is image data and/or video data to be displayed on the web page.

The network I/F (interface) module **260** connects to the network **700** and controls data transmission to and from apparatuses such as a user terminal **100**.

FIG. **6** is a functional block diagram of the suggest server **400** in the information providing system **1**.

The suggest server **400** illustrated in FIG. **6** includes an input reception module **410**, a suggest control module **420**, a web access control module **430**, and a network I/F (interface) module **440**.

The suggest control module **420** includes an input sentence suggest module **421**, a popular Q search control module **422**, and an automatic candidate Q providing module **423**.

The suggest server **400** has a suggest DB **500**. The suggest DB **500** includes suggestion data **510** and hit count management data **520**.

The input reception module **410** receives a text entered by a user **10** to a user terminal **100** through the network **700** and the network I/F module **440** using a protocol such as HTTP.

The input sentence suggest module **421** of the suggest control module **420** acquires characters entered by the user **10** to the user terminal **100** with the input reception module **410** each time the user enters a character. Subsequently, the input sentence suggest module **421** acquires a list of input sentences including the character from the suggestion data **510** of the suggest DB **500** and sends the list to the user terminal **100** via the network **700** using the web access control module **430** and the network I/F **440**. The suggestion data **510** includes input sentences specified as suggestions among the input sentences included in the knowledge data **310** in the input and response management DB **300**.

As a result, every time the user enters a character to the entry area of the user terminal **100**, the user terminal **100** displays a list of input sentences including the character under the entry area. The input sentences in the list are input sentences of various users **10** in the past and input sentences specified by the system administrator **20**.

The popular Q search control module **422** of the suggest control module **420** acquires a list of input sentences frequently hit in the past with reference to the suggestion data **510** and the hit count management data **520** of the suggest DB **500**. The hit count management data **520** stores hit counts of individual input sentences included in the suggestion data **510** (how many times the individual input sentences are selected as a response to an input of a user **10**).

For example, the popular Q search control module **422** is invoked by the response determination module **212** of the information providing server **200** in determining a response and a list of input sentences acquired by the popular Q search control module **422** is included in the response data.

The automatic candidate Q providing module **423** of the suggest control module **420** acquires a list of input sentences semantically close to the input sentence entered by the user **10** with reference to the suggestion data **510** of the suggest DB **500**.

For example, the automatic candidate Q providing module **423** is invoked by the response determination module **212** of the information providing server **200** in determining a response and a list of input sentences acquired by the automatic candidate Q providing module **423** is included in the response data.

The web access control module **430** receives and analyzes an HTTP request sent from the web browser of a user terminal **100** in accordance with the operation of a user **10**, prepares data responding to this request, and sends the data in the form of an HTTP response to the web browser of the user terminal **100**. The data to be sent in the HTTP response

includes a list of input sentences acquired by the input sentence suggest module 421.

The network I/F (interface) 440 connects to the network 700 and controls data transmission to and from apparatuses such as the user terminal 100.

FIG. 7 is a diagram for illustrating an API between a user terminal 100 and the information providing server 200.

In the user terminal 100, an input from a user 10 is provided to the web browser 102 via the input control module 101. The web browser 102 creates a URI (Uniform Resource Identifier) including the input of the user 10 and sends out the URI using HTTP.

An URI is described as shown in FIG. 7, starting from "http://" and being followed by <host-name>, which is a host name or an IP address of the information providing server 200 including a dialogue engine as illustrated in FIG. 3. The subsequent <ServiceID> is an ID for identifying the service provided by the information providing system 1; for example, the <ServiceID> is an ID for identifying the product or the service to be the subject of the input and response (that is to say, an ID for selecting knowledge data to be used) as illustrated in FIG. 3.

To use the suggest function provided by the suggest server 400, the URI should include a <host-name> corresponding to the suggest server 400 and a <ServiceID> corresponding to the suggest function (one of the function provided by the input sentence suggest module 421, the function provided by the popular Q search control module 422, and the function provided by the automatic candidate Q providing module 423).

Subsequent to the <ServiceID>, request parameters connected by "?" are described. Individual request parameters are separated by "&". In the example of FIG. 7, "format=" is followed by designation of the format of the return value. In the case of designation of "json", a response in JSON format can be received; in the case of designation of "xml", a response in XML format can be received.

Subsequent to "charset=", an encoding format of the return value, such as UTF-8, EUC-JP, or Shift-JIS, is specified. Subsequent to "talk_type=", the type of the input sentence to be sent to the information providing system 1 is specified. For example, a normal input is specified as 0 and the start of communication is specified as 3. Subsequent to "talk=", the input sentence itself entered by the user 10 to the entry area 113 is described.

Subsequent to "talk_option=", predetermined information to be used in matching the response conditions is specified. For example, the information could be "device=D0001" or "device=E0001" in accordance with the model of the accessing user terminal 100. Any keyword can be used in any usage as far as the keyword is common in matching the response conditions. To append some memo to the input sentence, a text can be specified subsequent to "memo=". The employment of such a text enables necessary information to be stored in the log data, for example.

A session is usually held using cookie information in the user terminal 100. However, in the case of a device configured not to use cookie or a mobile phone that does not manage sessions with cookie, the URI can be structured to include session information.

The data included in the URI is sent in the form of an HTTP request to the information providing server 200 in accordance with the <host-name> specified in the URI and the input reception module 211 of the information providing server 200 receives the data. Subsequently, the response determination module 212 determines a response based on the data. The determined response is generated as XML data

(if "format=xml" is described in specifying the return value) at the response data generation module 213.

In the XML data shown in FIG. 7, the response data is defined with a tag <value>.

This XML data is sent by the web access control module 250 of the information providing server 200 to the web browser 102 of the user terminal 100 in the form of an HTTP response and the web browser 102 displays the response data. For example, as shown in FIGS. 2A to 2C, the response data defined with the tag <value> is embedded into the response display area 112 of the input and response screen 110 to be displayed.

To display information in the information display area 116 of the input and response screen 110 shown in FIGS. 2A to 2C, the information to be displayed in the information display area 116 is defined with a specific tag and sent to the web browser 102. The web browser 102 interprets the tag and controls the user terminal 100 to display the information in the information display area 116. In similar, to change the character in the character display area, the image data to be used as the character should be defined with a specific tag.

FIG. 7 illustrates a configuration that the user terminal 100 includes the host name of the information providing server 200, a service provided by the information providing system 1, and request parameters in a URI to send a request to the information providing server 200; however, this configuration is merely an example. The same processing can be performed using various ways, such as by using JavaScript™.

FIG. 8 is a diagram for illustrating an example of the knowledge data 310 of the input and response management DB 300 to be used in the information providing system 1 according to the present embodiment.

To make an effective response to a text input by a user 10 with a user terminal 100, the information providing server 200 of the information providing system 1 uses data stored in the knowledge data 310. The knowledge data 310 includes a plurality of units (FIG. 8 shows only Unit 1 in detail). Each unit includes at least one reference text and at least one response text; the reference text and the response text are associated with each other and constitute a set.

The reference text is a text to be compared with an input sentence of the user 10 received from the user terminal 100; FIG. 8 shows three reference texts Qs (Q1-1, Q1-2, and Q1-3). Although the Q seems to represent the initial letter of question, the denotation is merely for convenience; the reference text does not need to be in the form of a question (interrogative sentence). For example, the reference text can be a text in various forms such as a word, an affirmative sentence, a negative sentence, a greeting, and the like.

If the unit includes a plurality of reference texts, one reference text is a representative reference text (representative Q) and the other reference texts are synonymous sentences. In FIG. 8, the Q1-1 is a representative Q and the Q1-2 and the Q1-3 are the synonymous sentences of Q1-1. That is to say, a unit includes a collection of reference texts having the same meaning (very close meanings that can be referred to as being synonymous).

A response text is a text associated with the reference texts (as a response to the reference texts); FIG. 8 shows two response texts As (A1-1 and A1-2). Although the A seems to represent the initial letter of answer, the denotation is merely for convenience; the response text does not need to be a sentence in the form of an answer to some question. For example, the response text can be a text in various forms such as a word, an interrogative sentence, an affirmative sentence, a negative sentence, a greeting, and the like.

One unit includes one or more reference texts and one or more response texts and the reference texts and the response texts are associated with one another; the correspondence relation between the reference text and the response text can be one to one, one to n, n to one, or n to n.

Furthermore, one unit includes an attribute associated with each response text (attribute of A). The attribute of A represents the attribute of the response text; in FIG. 8, the attribute of A is a response condition. The response condition indicates in what condition the associated response text is appropriate for the response. If the unit does not have a plurality of response texts, the response condition is not necessary because the response can be uniquely determined.

Defining the set of reference texts and response texts associated therewith plus the attributes of the response texts as QA, each QA has an attribute (attribute of QA). The attribute of QA is represented by information including response behavior setting information (B1) or information including applicability setting information (F1). The response behavior setting information is to specify some behavior (action) to be taken by the user terminal 100 of the user 10 if the input sentence of the user 10 is determined to be semantically closest to (hit on) the reference text of the unit. The applicability setting information is to specify whether the reference text Q is to be a suggestion, whether to record a log about this QA, or the like. It should be noted that this attribute of QA can be regarded as attribute associated with the reference text (the group of the reference texts including the representative Q and the synonymous sentences if the unit includes a plurality of reference sentences).

Although FIG. 8 shows that the knowledge data 310 is managed as unified data, at least part of the data can be managed as different data while maintaining the association relations. For example, a collection of QAs can be stored as first data and a collection of the attributes of the QAs can be stored as second data together with the identifiers of the QAs.

FIGS. 9A to 9D are diagrams for schematically illustrating ways of determining a response to an input sentence using the knowledge data 310. It should be noted that the attributes of QA (response behavior setting information and applicability setting information) in each unit of the knowledge data 310 described with FIG. 8 are omitted from FIGS. 9A to 9D.

First, the case in FIG. 9A is described. Assume that a unit 1 (identical to Unit 1 shown in FIG. 8) is provided for the knowledge data 310, that input sentences 1 and 2 are entered by users 10, and that a Q1-1 is hit as the semantically closest text to the input sentence 1 and a Q1-3 is hit as the semantically closest text to the input sentence 2 (assuming that no other unit exists). In the case of FIG. 9A, an A1-2 is displayed for the response to the input sentence 1 and further, the A1-2 is displayed for the response to the input sentence 2 as well. This is because, regarding the response condition or the attribute of A, the response condition for the A1-2 is satisfied by both of the input sentence 1 and the input sentence 2.

Next, the case in FIG. 9B is described. Assume that a unit 2 (in which one reference text (Q2-1) is associated with two response texts (A2-1 and A2-2)) is provided for the knowledge data 310, that input sentences 3 and 4 are entered by users 10, that the Q2-1 is hit as the semantically closest text to the input sentence 3 and also to the input sentence 4 (assuming that no other unit exists). In the case of FIG. 9B, the A2-1 is displayed for the response to the input sentence 3 and the A2-2 is displayed for the response to the input

sentence 4. This is because, regarding the response condition or the attribute of A, the response condition for the A2-1 is satisfied by the input sentence 3 and the response condition for the A2-2 is satisfied by the input sentence 4.

Like this case, even if a plurality of input sentences hit on the same reference text, different responses could be displayed depending on the response condition.

Next, the case in FIG. 9C is described. Assume that a unit 3 (in which three reference texts (Q3-1, Q3-2, and Q3-3) are associated with one response text (A3)) is provided for the knowledge data 310, that an input sentence 5 is entered by a user 10, that the Q3-2 is hit as the semantically closest text to the input sentence 5 (assuming that no other unit exists). In the case of FIG. 9C, the A3 is displayed for the response to the input sentence 5.

FIG. 9D shows the simplest case. Assume that a unit 4 (in which one reference text (Q4) is associated with one response text (A4)) is provided for the knowledge data 310, that an input sentence 6 is entered by a user 10, that the Q4 is hit as the semantically closest text to the input sentence 6 (assuming that no other unit exists). In the case of FIG. 9D, the A4 is displayed for the response to the input sentence 6.

FIG. 10 is a diagram for schematically illustrating how to determine a response, assuming the knowledge data 310 includes eight units.

In this example, one response text is associated with a reference text in each of the eight units. Although the reference texts in the drawing include characters of Q1 to Q8, these characters are reference signs. In similar, the response texts include reference signs of A1 to A8 for convenience of explanation.

In the example of FIG. 10, the input sentence from a user 10 is "I cannot hear the sound". When the information providing server 200 of the information providing system 1 receives this sentence at the input reception module 211, the information providing server 200 compares the received input sentence with each of the eight reference texts (Q1 to Q8) stored in the knowledge data 310 and determines the semantic closeness between them.

The semantic closeness means the degree of similarity between texts or sentences; the semantic distance between two sentences is represented by score using various known methods including morphological analysis and vector space method. The information providing system 1 in the present embodiment can employ various methods to determine the semantic closeness.

As a result of the determination of the semantic closeness, the eight reference texts (Q1 to Q8) are assigned scores. The scores are determined so that a text semantically closer to the input sentence will be assigned a higher score, for example. In accordance with the scores, the reference texts are classified into a plurality of hit levels of groups. For example, if the score is in a predetermined first range, the text is identified as "hit (high)"; if the score is in a second range lower than the first range, the text is identified as "hit (low)"; and if the score is in a range lower than the second range, the text is identified as "no hit". If the text hits on a partial hit Q, the text is classified as "partial hit" and if the text includes a banned word, the text is classified as a group of "banned".

In FIG. 10, the Q1 and the Q4 are classified as "hit (low)", the Q2 and the Q3 are classified as "hit (high)" represented by higher scores than the Q1 and the Q4, and the Q5 to the Q8 are classified as "no hit" represented by lower scores than the Q1 and the Q4 through the determination of semantic closeness.

Eventually, the Q2, which is assigned the highest score among these texts (that is to say, semantically closest to the

21

input sentence), is determined to be a “hit”, so that the A2 associated with this Q2 is selected as the response. That is to say, the input sentence “I cannot hear the sound.” is determined to be semantically closest to “Q2: Sometimes I cannot hear the sound.” and the response text associated with the Q2, “A2: Contact your dealer.” is selected as the response.

If all the reference texts Q1 to Q8 are determined to be “no hit”, the response determination module 212 selects a predetermined response in the event of no hit.

In this example, one input sentence is compared with only eight reference texts; however, in the actual information providing system 1, the input sentence can be compared with reference texts in the order of thousands or tens of thousands included in the knowledge data 310.

FIG. 11 is a flowchart of response determination processing performed by the response determination module 212.

Upon receipt of an input sentence entered by a user 10 from the input reception module 211, the response determination module 212 first acquires a reference text (Q) from the knowledge data 310 at step S11. This example is configured to compare the received input sentence with all the reference texts stored in the knowledge data 310; however, the reference texts can be narrowed down beforehand through preliminary processing or referring to the classifications, indices, or other type of reference marks associated with the reference texts.

Next, the response determination module 212 calculates a score representing the semantic closeness between the input sentence and the acquired reference text (Q) at step S12. Subsequently, the response determination module 212 determines whether the calculated score is a predetermined value or more at step S13.

If the score is the predetermined value or more (YES at step S13), the response determination module 212 associates the reference text (Q) with the score and stores the reference text (Q) to a candidate list (step S14). If the score is less than the predetermined value (NO at step S13), the response determination module 212 performs nothing and proceeds to step S15.

At step S15, the response determination module 212 determines whether any remaining reference text (Q) exists in the knowledge data 310. If some remaining reference text (Q) exists (YES at step S15), the response determination module 212 returns to step S11 and repeats steps S11 to S14. If no remaining reference text (Q) exists (NO at step S15), the response determination module 212 proceeds to step S16.

At step S16, the response determination module 212 determines whether the candidate list includes any reference text (Q). If the candidate list include some reference text (Q) (YES at step S16), the response determination module 212 determines the reference text (Q) having the highest score (or determined to be semantically closest to the input sentence) in the candidate list, acquires the response text (A) associated with the reference text (Q), and determines the response text (A) to be the response (step S17).

Although this flowchart provides a simple example, if a plurality of response texts (A) exist and are assigned response conditions as attributes of As, an A satisfying the response condition is determined to be the response. If response behavior setting information or applicability setting information is assigned as attribute of QA, such information can be included in the response (as necessary).

If the candidate list includes no reference text (Q) (NO at step S16), the response determination module 212 selects

22

one from the messages specified in the settings for the event of no hit and determines the message to be the response (step S18).

FIG. 12 is a diagram for conceptually illustrating a cycle of test, maintenance, and operation of the information providing system 1.

In FIG. 12, the person (system provider) who develops and provides the information providing system 1 configures and provides a server environment for the servers including information providing server 200 and a suggest server 400 (step S31).

Next, the company or organization (system administrator 20) that wants to provide users 10 with some knowledge using the information providing system 1 creates knowledge and builds up a plurality of units in the knowledge data 310 (step S32). The system administrator 20 conducts a test using the created knowledge data 310 (step S33). This test is a simulation performed by the system administrator as if an input and a response are exchanged between a user 10 using a user terminal 100 and the information providing system 1.

If the test reveals that a specific input is responded by an expected response, the system administrator 20 releases the knowledge data 310 for practical use by the users 10 (step S34).

Upon release of the knowledge data 310, practical operation is started. Users 10 exchange inputs and responses with the information providing system 1 (Users 10 have dialogues with the information providing system 1 which responds to inputs of the users 10) (step S35). During the operation, the inputs and the responses are stored in a log (step S36).

After a predetermined time has passed since the start of the operation, the system administrator 20 recreates the knowledge (step S37). This creation of the knowledge is different from the creation of the knowledge at the installation and can be referred to as maintenance for the purpose of improving the responses to inputs in view of the result of actual operation. Accordingly, the creation of the knowledge at this step uses the information in the log collected at step S36.

After creating knowledge and correcting the units in the knowledge data 310 or adding a new unit to the knowledge data 310, the system administrator 20 conducts a test using the corrected knowledge data 310 (step S38). Like the test at step S33, this test is also a simulation performed by the system administrator 20 as if an input and a response are exchanged between a user 10 using a user terminal 100 and the information providing system 1.

If the test reveals that a specific input is responded by an expected response, the system administrator 20 releases the knowledge data 310 for practical use by the users 10 (step S39). The maintenance of steps S37 to S39 is conducted after a predetermined time or with predetermined timing and this cycle is repeated afterwards.

Next, with reference to FIG. 13, handling of the data including the knowledge data 310 in the installation/maintenance phase and in the operation phase is described.

FIG. 13 is a diagram for conceptually illustrating the processing in the installation/maintenance phase and in the operation phase.

The upper section of FIG. 13 shows a configuration related to the information providing system 1 in the installation/maintenance phase. The system administrator 20 accesses the information providing server 200 of the information providing system 1 with the system management terminal 600 and configures and tests the knowledge (at the

installation/maintenance). Configuring the knowledge is usually performed by a specific person such as a knowledge configurator.

As described above, in creating knowledge at the maintenance, log data 330 is used. The knowledge is updated by creation of knowledge at the installation and the maintenance and is stored in the test data 320. The test data 320 can be units including a set of reference texts and response texts stored in the form of text.

Upon completion of creation of the knowledge at the installation or the maintenance, the system administrator 20 conducts a test using the test data 320 and if the test is successful, the system administrator 20 releases the knowledge with the system management terminal 600 (see the middle section of FIG. 13). Upon receipt of an instruction for release from the system management terminal 600, the information providing server 200 compiles the test data 320 to create knowledge data 310 and uploads the knowledge data 310 for the users 10 to be able to commonly use the knowledge data 310 (for example, uploads to the Internet environment (environment for practical use)). In updating the knowledge data 310, only the corrected knowledge may be uploaded to be merged with the knowledge data 310 or otherwise, the entire replacement knowledge data 310 may be uploaded.

The knowledge can be automatically released at a predetermined time with a timer. When the predetermined time comes, the information providing server 200 automatically compiles the test data 320 to create a new knowledge data 310 and uploads the knowledge data 310 to the Internet environment.

The lower section of FIG. 13 shows a configuration related to the information providing system 1 in the operation phase where the users 10 actually use the information providing system 1.

A user 10 accesses the information providing server 200 through the user terminal 100 to hold a dialogue through inputs and responses. In holding a dialogue, the information providing server 200 uses the updated knowledge data 310 in making responses. As described above, while inputs and responses are exchanged between the user 10 and the information providing system 1, information on the inputs and the responses are stored in the log data 330.

In the operation phase, a service time can be set to the knowledge data 310; when the time is out of the service time, the user 10 cannot acquire a response based on the knowledge data 310. Optional control is available: for example, a plurality of versions of knowledge data 310 can be switched or integrated depending on the time zone of the access.

Next, with reference to FIG. 14, more specific functions of the information providing system 1 are described. These functions can be used by the system administrator 20 or an agent with the system management terminal 600. These functions can be configured or tested for each company or organization to be provided with the service or for each robot (QA service) within the company or the organization.

As illustrated in FIG. 14, the information providing system 1 has five major functions: UI configuration, knowledge configuration, test, knowledge maintenance, and report.

The UI configuration is a function to configure a user interface screen (input and response screen 110) as shown in FIGS. 2A to 2C. For the input and response screen 110 to be used on a PC (personal computer), there are two types: a page-resident type which is embedded in the website providing the service and a separate window type which is

popped up with an open button. The input and response screen 110 to be used on a smartphone or a tablet computer is automatically adjusted in size to fit in the screen of the device.

The UI settings configurable by the system administrator 20 include, for example, the screen size (only for the PC use), the overall color, the character image to be displayed on the character image display area 111, the colors of the response display area 112 (for the frame, background, and text), the colors of the entry area 113 (for the frame, background, and text), the colors of the Send button (for the frame, background, and text), and the colors of information display area 116 (for the frame, background, and text). In addition, the input and response screen may have a logo display area and a copyright claim area.

The knowledge configuration includes the following functions: QA configuration, specific event message configuration, master management, user dictionary configuration, and banned word setting. The QA configuration is made with the QA configuration screen 800 in FIG. 15 to be described later; more specifically, the QA configuration includes the functions of QA indication/search, new QA addition, partial hit QA indication, and new partial hit QA addition. A partial hit QA is a set of a partial hit Q and an A (response text); a Q defined as a partial hit Q is a Q to be regarded as a hit if an input sentence includes an independent word (a word having a meaning by itself: mainly, a noun, a verb, and an adjective) in the Q.

The specific event message configuration is made with the specific event message configuration screen 860 in FIG. 27 to be described later. More specifically, the specific event message configuration includes the functions of no-hit event message setting, no-entry event message setting, start event message setting, and banned-word entry event message setting.

The master management is a function to create/edit and see data (master data) about response action settings or response conditions that can be registered in advance for multiple use. An example of the master data is data specified for a response action (specifically, a character image to be used in "change the character image", a URL of a web page to be used in "jump to/open a page", a video or an image to be used in "display a motion picture or image", a related text or API to be used in "display information in information display area", and the like).

The user dictionary configuration is to register a word into the user dictionary. Specifically, the user dictionary is to register a synonym of some word or an unknown word, and further, to delete a relation between words defined as being related with each other in an internal dictionary.

The banned word setting is to register a problematic word to determine a language inappropriate for an input sentence. Some words are registered in advance. The problematic words are generally classified into obscene word, abuse word, and discriminatory word.

The test is executed, for example with the text screen 880 in FIG. 29 to be described later. Specifically, the test includes the functions of QA test and internal dictionary test.

The knowledge maintenance is executed, for example with the knowledge maintenance screen 890 in FIG. 30 to be described later.

The report is to acquire and analyze log data and to report a summary, the access count, the input count, the ranking of input sentences, and the like.

Hereinafter, QA configuration is described specifically with reference to FIGS. 15 to 26. QA configuration is creating knowledge by creating units of knowledge data 310

structured as shown in FIG. 8. Hereinafter, a reference text Q, a response text A, and a set of reference text(s) Q(s) and response text(s) A(s) stored in the knowledge data 310 are abbreviated and referred to as Q, A, and QA, respectively. It should be noted that a reference text is referred to as Q but the Q is not limited to a question and a response text is referred to as A but the A is not limited to a sentence answering some question. These have been mentioned in the foregoing.

FIG. 15 shows a QA configuration screen 800. This screen is displayed when the system administrator 20 selects "QA configuration" in the screen for knowledge configuration displayed on the system management terminal 600.

The QA configuration screen 800 includes a search instruction area 801 for entering an instruction to conduct a search for Qs, As, and/or response conditions stored in the knowledge data 310, a search result jump instruction area 802 for indicating the page position of the displayed search result within the search result list and for entering an instruction to jump to a desired search result, an Add New QA button 803 to display a new QA addition screen 810 for adding a QA, and a QA display area 804 to display a search result of QA.

The search instruction area 801 provides search options for specifying which part is to be searched by including checkboxes to select Qs, As, and response conditions.

The QA configuration screen 800 in FIG. 15 shows one QA in the QA display area 804 as a result of a specified search. This QA includes "Hello" for a Q and "How are you?" for an A of the response to this Q. This example shows the Q, the A, and further, applicabilities as attributes of the QA in the form of checkboxes in a unit stored in the knowledge data 310. The applicabilities provided here are the applicability for suggestion indicating whether this Q is to be a suggestion and the applicability for log record indicating whether to make records about this QA in a log.

If the QA includes a plurality of Qs, the plurality of Qs are indicated side by side with a space therebetween in the QA display area 804. In this case, the leftmost Q is the representative Q. In similar, if the QA includes a plurality of As, the plurality of As are indicated side by side with a space therebetween.

To edit the QA displayed in the QA display area 804, the administrator presses the Edit button 805 disposed in the corresponding QA display area 804. To delete the QA displayed in the QA display area 804, the administrator presses the Delete button 806 disposed in the corresponding QA display area 804.

FIG. 16 is a diagram for illustrating a new QA addition screen 810 to add a new QA to the knowledge data 310. The new QA addition screen 810 is a screen displayed in response to press of the Add New QA button 803 on the QA configuration screen 800 shown in FIG. 15. Furthermore, in response to press of the Edit button 805 to edit an existing QA, the same screen is displayed.

The new QA addition screen 810 includes a Q display area 811, an Add Synonymous Sentence button 812, an A display area 813, an Add Response Sentence button 814, a response action setting button 815, an applicability setting button (Not Applicable button) 816, and a Register button 817.

The Q display area 811 includes an entry area for entering a Q; the system administrator 20 enters a question or other kind of sentence that is expected to be entered by the users 10 to this entry area so that an input sentence of a user 10 will hit on the Q as being determined through comparison that the input sentence is semantically close to this Q. Furthermore, synonymous sentences or semantically similar

sentences and expressions can be registered as a plurality of Qs. For this purpose, an Add Synonymous Sentence button 812 is provided. Upon press of this button, an entry area is added; the system administrator 20 enters a synonymous sentence to the added entry area. In the example of FIG. 16, the second entry area in the Q display area 811 is an area to enter a synonymous sentence (a text "I am looking for a book about psychology." is provided). The Q entered in the first entry area ("I want a book about psychology.") is a requirement and called representative Q.

Synonymous sentences can be added as many as desired in relation to a representative Q. Such configuration can absorb fluctuations in expression among users 10. In other words, inputs in various expressions entered by users 10 can hit one of the Qs including the representative Q and the synonymous sentences, so that an assigned A can be output effectively. The X button provided on the right of the entry area for a synonymous sentence is to delete the synonymous sentence.

Below the Q display area 811, an A display area 813 is provided. An A is a response text and sent to the web browser of the user terminal 100 when the input sentence of a user 10 hits on one of the Qs set as described above; the system administrator 20 enters an A appropriate for the Qs in the first row of the A display area 813.

In the example of FIG. 16, the system administrator 20 enters a response "You will find it on the third floor." as the first response. This A is to guide a user 10 (in a book store, for example) who has entered a sentence like the foregoing Q such as "I want a book about psychology", "I am looking for a book about psychology", or the like, by answering that "You will find it on the third floor."

The first entry area of the A display area 813 is provided with a Simple Configuration button and a Custom Configuration button for setting response conditions; however, the first A cannot be assigned response conditions. Unless a plurality of As are to be set, the system administrator 20 presses the Register button 817 upon completion of entry to the first entry area to complete the new QA addition.

If the system administrator 20 presses the Add Response Sentence button 814 after entering the first A to the A display area 813, the second entry area is displayed in the A display area 813 and the system administrator 20 enters the second A to the area. Such configuration enables different response sentences to be output in accordance with the predetermined conditions in response to input sentences having the same purport.

For the second and subsequent As to be specified in the A display area 813, a Simple Configuration button and a Custom Configuration button are displayed to specify response conditions; the system administrator 20 can press either one. In this example, the response conditions on the first A are evaluated first and if the response conditions are satisfied, the first A is determined to be a response and is sent to the user terminal 100; accordingly, the order of the second and subsequent As can be changed to coordinate the priorities in evaluation. Furthermore, the second and the subsequent As can be deleted together with their response conditions with the X button provided on the right of the entry area for entering the A.

Below the A display area 813, a response action setting button 815 is provided. Upon press of this button, an entry area to specify the response action is displayed. The details thereof are described later.

Below the response action setting button 815, an applicability setting button 816 is provided. Upon press of this

button, an entry area to specify whether the QA should be subject to a suggestion, for example. The details thereof are described later.

On the bottom of the new QA addition screen **810**, a Register button **817** is provided. Upon press of this button, information on the Qs, As, response conditions, and the like entered in the Q display area **811** and the A display area **813** is stored in the knowledge data **310**.

In the description of the foregoing examples of the QA configuration screen **800** and the new QA addition screen **810**, the data to be searched or updated is the knowledge data **310**. However, the data may be the test data **320** including knowledge data to be tested. The knowledge data **310** used in the practical-use environment is updated by compiling and uploading the test data **320**.

FIG. **17** is a diagram for illustrating a simple configuration screen **830** for specifying response conditions for an A. The simple configuration screen **830** is displayed upon press of the Simple Configuration button provided in the A display area **813** of the new QA addition screen **810** shown in FIG. **16**. The simple configuration of response conditions is enabled for the second and subsequent As.

The simple configuration screen **830** includes an A display area **831**, a response condition conditioning area **832**, a response condition setting area **833**, and a Set button **834**.

The A display area **831** shows the A for which response conditions are to be specified with this simple configuration screen **830**. For example, when the system administrator **20** presses the Simple Configuration button to specify the response conditions for the second A in FIG. **16**, the second A (that is, "Take the escalator to the third floor. Discount is available on Tuesdays!") is conveyed to and displayed in the A display area **831**.

The response condition conditioning area **832** displays a pull-down list to select a condition for the response conditions. The system administrator **20** chooses either a condition to determine that, in the case where a plurality of response conditions are specified, the response conditions are satisfied when all the response conditions are satisfied (AND condition) or a condition to determine that the response conditions are satisfied if any one of the conditions is satisfied (OR condition).

The response condition setting area **833** includes areas to specify individual response conditions. In the example of FIG. **17**, conditions on the date (one day or a period), the day of the week, the time (a time or a period), and revisit can be specified. For example, in the case where a period of dates is specified as a response condition, if the entry of an input sentence from a user **10** is within the specified period, the input sentence satisfies the response condition, so that the associated A is output.

If the checkbox of Revisit is checked, the response condition is satisfied when an input sentence of the user **10** hits this Q again. This revisit means revisit in the same HTTP session; if the user **10** inputs the same input sentence again on the website after the user **10** leaves the website, this response condition is not satisfied.

In the example of FIG. **17**, the checkbox of Tuesday is checked for the response condition on the day of the week; when a user **10** enters an input sentence on a Tuesday, the associated A "Take the escalator to the third floor. Discount is available on Tuesdays!" is displayed. As noted from this example, the information providing system **1** of the present invention can flexibly provide different responses depending on the response conditions, rather than provide a fixed response, to input sentences having the same meaning.

The configuration available in FIG. **17** is merely an example and other various response conditions can be set easily. The AND condition and the OR condition specified in the response condition conditioning area **832** can be specified more intricately (for example, by mixing an AND condition and an OR condition).

When the system administrator **20** presses the Set button **834** after completion of configuration of response conditions, these response conditions are associated with the A and stored in the knowledge data **310**.

FIG. **18** is the new QA addition screen **810** displayed upon press of the Set button **834** after configuring the response conditions for the second A with the simple configuration screen **830** as shown in FIG. **17**.

Unlike the new QA addition screen **810** in FIG. **16**, the new QA addition screen **810** in FIG. **18** shows the response condition **818** of "Tue" meaning Tuesday under the second entry area of the A display area **813** and further, a Reset button **819** to be pressed to reset this response condition **818** on the right side of the indication of the response condition **818**.

Under the second entry area of the A display area **813**, the Simple Configuration button is enabled but the Custom Configuration button is disabled. This is because the response condition is configured with simple configuration and can be re-edited only with the simple configuration. If the Reset button **819** is pressed, the response condition is cleared and both of the Simple Configuration button and the Custom Configuration button become selectable.

The new QA addition screen **810** in FIG. **19** shows a state in which another A has been added by pressing the Add Response Sentence button **814** in the QA new addition screen **810** in FIG. **18**. The third entry area in the A display area **813** includes a response text of "Visit the third floor. Special sale is going on!" as the third A.

In response to press of the Custom Configuration button to configure response conditions for the third A, the display changes to the custom configuration screen **840** shown in FIG. **20**.

The custom configuration screen **840** in FIG. **20** includes an A display area **841**, a batch operation setting area **842**, a conditional expression setting area **843**, an Add button **844**, and a Set button **845**.

The A display area **841** shows the A for which response conditions are to be specified with this custom configuration screen **840**. In this example, the Custom Configuration button has been pressed to configure the response conditions for the third A in FIG. **19**; accordingly, the third A (that is, "Visit the third floor. Special sale is going on!") is displayed in the A display area **841**.

The batch operation setting area **842** shows a pull-down list to select a batch operation for the conditional expressions. Selecting Edit enables editing the conditional expressions selected with the checkboxes collectively; selecting Delete enables deleting the conditional expressions selected with the checkboxes collectively.

The conditional expression setting area **843** provides entry areas to enter the response conditions for the third A in the form of conditional expression. In the example of FIG. **20**, two conditional expressions are specified (in this example, the two conditions are connected by AND condition so that the overall response condition is satisfied when the both response conditions are satisfied). Individual conditional expressions can use AND condition or OR condition.

The first conditional expression is "device=D0001". This conditional expression is compared with the data following

29

“talk_option=” included in the request parameter of the URI sent from the user terminal **100** and if the data matches the conditional expression, the data is determined to satisfy the response condition.

The second conditional expression is “version>2.41”. This conditional expression is compared with the data following “talk_option=” included in the request parameter of the URI sent from the user terminal **100** and if the data matches the conditional expression, the data is determined to satisfy the response condition.

These two conditional expressions indicated in the conditional expression setting area **843** are associated with the third A and stored in the knowledge data **310** upon press of the Apply buttons individually provided on the right of the conditional expressions.

The Add button **844** is to add another entry area for a conditional expression in the conditional expression setting area **843** so that a new conditional expression can be specified there. The Set button **845** is to save the conditional expressions in the entry areas displayed in the conditional expression setting area **843**.

As described above, the conditional expressions specified with the custom configuration screen **840** are compared with the parameters appended by the web browser of the user terminal **100** and whether the response conditions are satisfied is determined in accordance with the comparison results. Accordingly, setting various parameters in the user terminal **100** enables creation of wide variation in responses.

For example, a user terminal **100** sends information obtainable by the user terminal **100** to the information providing server **200**; then, the information providing server **200** can select a different response depending on the information on the version of the OS or the web browser, or the model of the user terminal **100**, so that the information providing server **200** can select a response. In addition, if the user terminal **100** can acquire information on the specifics of the input of the user **10** (such as the number of inputs and the time of input) with an imaging device, the information providing server **200** can select a response in accordance with this information.

When returning to the new QA addition screen **810** after associating the individual conditional expressions displayed in the conditional expression setting area **843** with the A by pressing the Apply buttons, the new QA addition screen **810** is as shown in FIG. 21. In FIG. 21, the third A in FIG. 19 has been changed to the second A by pressing a reorder button; this A is displayed in the second entry area in the A display area **813** and as a result, the A used to be the second A has been changed to the third A and is displayed in the third entry area in the A display area **813**.

Under the second entry area in the A display area **813**, the response conditions specified with the custom configuration screen **840** in FIG. 20, i.e., the response conditions **820** of “device=D0001, version>2.41” are displayed and a Reset button **821** to reset these response conditions is displayed on the right of the response conditions **820**.

Furthermore, under the second entry area in the A display area **813**, the Simple Configuration button is disabled but the Custom Configuration button is enabled. This is because the response conditions are configured by custom configuration and can be re-edited only by the custom configuration. If the Reset button **821** is pressed, the response conditions are cleared and both of the Simple Configuration button and the Custom Configuration button are enabled.

Under the conditions of the new QA addition screen **810** shown in FIG. 21, the response conditions displayed in the

30

second entry area of the A display area **813**, “device=D0001, version>2.41”, are evaluated and if these response conditions are satisfied, the response “Visit the third floor. Special sale is going on!” is output.

If the foregoing response conditions are not satisfied, the response condition “Tue” shown in the third entry area of the A display area **813** is evaluated. If this response condition is satisfied, the response “Take the escalator to the third floor. Discount is available on Tuesdays!” is output. If the both response conditions are not satisfied, the response “You will find it on the third floor.” is output.

The new QA addition screen **810** in FIG. 22 shows a character image change setting area **822**, a page jump/open setting area **823**, and a video/image display setting area **824** displayed in response to press of the response action setting button **815**.

These areas are to specify response behaviors (actions) to be performed on the web browser of the user terminal **100** in outputting a response.

The character image change setting area **822** is to change the character image displayed in the character image display area **111** in providing a response. With reference to the example of the character image change setting area **822** in FIG. 22, the leftmost character image (the image surrounded by a solid line) indicated as default is changed to the rightmost character image (the image surrounded by a dotted line) by selecting the rightmost character image and pressing the Register button **817**. Then, the character image display area **111** displays the default character when the user **10** is entering an input sentence but displays the character image (surrounded by a dotted line) selected in the character image change setting area **822** when the user terminal **100** outputs a response.

The Set button in the character image change setting area **822** is to open a sub window for registering an image to be output. The Reset button is to cancel the selected character image (the image surrounded by a dotted line).

This example changes from a default still image to a specified one to produce variation in response; however, control to change a still image to a video or to change a video to another video to show different motion is also available.

The change of character images produces impact on the display of a response. Selecting different character images depending on the response achieves greater expressiveness. For example, when the user enters an input sentence welcoming or appreciating a response, the character image could be changed to an image of a smiling character. For another example, when the user enters a banned word, the character image could be changed to an image of a character which is looking away.

The page jump/open setting area **823** is to specify the address of a web page to jump to or to be opened, in order to show the web page to the user **10** as a part of the response. If the checkbox for a new window is checked, the specified web page is opened in a new window. The Set button is to open a sub window to enter the address of the web page. The Reset button is to cancel the setting. The Register button **817** is to store the specified settings to the knowledge data **310**.

The video/image display setting area **824** is to specify the video or the image (still image) to be displayed for the user **10** as a part of a response. The video or the image can be specified with the address of the video, the image, or a web page. The Set button is to open a sub window to enter the address of the video, image, or web page. The Reset button is to cancel the setting. The Register button **817** is to store the specified settings to the knowledge data **310**.

The new QA addition screen **810** in FIG. **23** is continued from the new QA addition screen **810** in FIG. **22**. FIG. **23** is to explain setting of the information to be indicated in the information display area **116** as a response behavior (action) by the web browser of the user terminal **100** in outputting a response.

The new QA addition screen **810** in FIG. **23** shows an information indication setting area **825** under the character image change setting area **824** shown in FIG. **22**. The information indication setting area **825** is displayed in response to press of the response action setting button **815**. The information indication setting area **825** includes a response display setting area **826** and the indication setting area **827**.

The response display setting area **826** is to specify how many seconds later the specified indication is to be displayed in the information display area **116**. In addition, the comment to be displayed in the response display area **112** can be specified.

The indication setting area **827** is to specify the indication to be displayed in the information display area **116**. In the example of FIG. **23**, related text, automatic candidate Q, API, or “no indication” can be selected with a radio button.

The related text is used to set a topic the system administrator **20** wants to direct the user after outputting the response. The Set button enables entering related texts. The related texts are displayed in the information display area **116**; when the user **10** selects one of them with a mouse and the like, the related text (or the text associated with the related text) is sent to the information providing server **200**. In this way, the information providing system **1** can be configured to direct the user **10** to follow a predetermined scenario by displaying texts desirable to be input and letting the user **10** select one of them.

The automatic candidate Q is a candidate sentence automatically acquired in view of the last input and is displayed in the information display area **116**. Like the above-described related text, when the user **10** selects it with a mouse and the like, a text associated with the automatic candidate Q is sent to the information providing server **200**.

The information display area **116** can display a plurality of candidate sentences; the order of display can be selected from the order of semantic closeness (to the last input), the order of popularity, and the like.

The API is specified when the system administrator **20** wants to use an external API. For example, specifying an API to acquire the weather report in Tokyo tomorrow for an input sentence “How’s the weather tomorrow in Tokyo?” in this API setting enables returning a response using the result to the user **10**.

“No indication” is to terminate the processing without displaying anything in the information display area **116** after outputting a response.

The new QA addition screen **810** in FIG. **24** is continued from the new QA addition screen **810** in FIGS. **22** and **23** (FIG. **24** shows a QA different from the QA in FIGS. **22** and **23**). FIG. **24** is to explain setting of the applicability as an attribute of the QA associated with the QA.

The new QA addition screen **810** in FIG. **24** shows the applicability setting button **816** and the applicability setting area **828** disposed under the A display area **813** and the response action setting button **815**. The applicability setting area **828** is deployed under the applicability setting button **816** in response to press of the applicability setting button **816**.

The applicability setting area **828** in this example includes a checkbox for specifying whether the Q is to be included in

suggestions and a checkbox for specifying whether the Q is to be recorded in the log when some input sentence hits this Q.

In this example, when the checkbox for specifying whether the Q is to be included in suggestions is checked, the Q “Hello” is excluded from the suggestions.

FIGS. **25A** and **25B** are to illustrate how the behaviors of suggesting an input sentence are different between in the cases where the checkbox about the suggestions is checked and unchecked.

FIG. **25A** shows a behavior in the case where the checkbox is unchecked so that the Q “Hello” is included in the suggestions. When the user **10** enters “He” to the entry area **113**, the input sentence suggest function of the information providing system **1** works to display a text “Hello” to the guide area **117** provided under the entry area **113** as a suggestion for the input sentence. Hence, the Q “Hello” previously accepted as an input is used by the input sentence suggest function.

FIG. **25B** shows a behavior in the case where the checkbox is checked so that the Q “Hello” is excluded from the suggestions. When the user **10** enters “He” to the entry area **113**, the input sentence suggest function of the information providing system **1** is working but does not display a text “Hello” under the entry area **113**. This example shows that the Q “Hello” previously accepted as an input is not used by the input sentence suggest function.

FIG. **26** shows a new related-text addition screen **850** to be displayed in response to press of the Set button for the related text displayed in the indication setting area **827** of the new QA addition screen **810** in FIG. **23**.

The system administrator **20** can specify a text to be sent to the information providing server **200** as a response action to a specific Q selected by the user **10**, using the new related-text addition screen **850**.

The new related-text addition screen **850** includes a batch operation setting area **851**, a related text setting area **852**, an Add button **853**, and a Save button **854**.

The batch operation setting area **851** shows a pull-down list to select a batch operation for the related texts. Selecting Edit enables editing the related texts selected with the checkboxes collectively; selecting Delete enables deleting the related texts with the checkboxes collectively.

The related text setting area **852** is to set related texts to be displayed in the information display area **116**; in this example, the texts to be displayed in the information display area **116** and the text actually to be sent to the information providing server **200** in response to selection by the user **10** can be defined separately.

For example, “Size of Item A” can be set to the indication but “I want to know the size of item A.” can be set to the message (for the information providing server **200**). Because of such a configuration of setting, the text to be indicated for the user **10** does not need to be identical to the text to be hit in the knowledge data **310**; more flexible setting is available.

The Add button **853** is to display an entry area to enter a new related text. The Save button **854** is to save the settings configured in the related text setting area **852**.

Next, with reference to FIGS. **27** and **28**, a specific event message configuration screen is described. The specific event message configuration screen is to make specific event message configuration (see FIG. **14**). Through the specific event message configuration screen, no-hit event message setting, no-entry event message setting, start event message setting, and banned-word entry event message setting are available.

The specific event message configuration screen **860** shown in FIG. 27 includes a no-hit event message display area **861**, an Edit Message button **863**, an Add Message button **864**, a response action setting button **865**, an applicability setting button **866**, and a Register button **867**.

The specific event message configuration screen **860** is to set the responses to be output in the response display area **112** in the event of no hit. The no-hit event message display area **861** shows two preset messages. According to the setting on the first message, a text "More details, please." is to be displayed. According to the setting on the second message, a text "Cannot understand. Could you express your question in a different way?" is to be displayed and a condition "word_count >500" (meaning that the input sentence is composed of more than 500 characters) is set to the response condition.

Accordingly, in the case where the user **10** sends an input sentence of more than 500 characters, the second message is responded; in the other cases, the first message is responded. Such settings of a message and response conditions therefor are the same as an A and response conditions therefor set through the new QA addition screen **810**. As to the setting of response conditions, the same screens as the simple configuration screen **830** shown in FIG. 17 and the custom configuration screen **840** shown in FIG. 20 are used and the same configuration is available.

The Edit Message button **863** is to edit the message (response) and the Add Message button **864** is to add a message (under different response conditions).

The response action setting button **865** and the applicability setting button **866** respectively correspond to the response action setting button **815** and the applicability setting button **816** in the new QA addition screen **810**. The Register button **867** is to register the configuration about the messages to the knowledge data **310**.

FIG. 28 is an example of the specific event message configuration screen **860** configured to display candidate Qs for the latest input to suggest a Q in the event where the latest input results in no hit.

In the no-hit event message display area **861**, one message is set. Since the one message is set, no response condition is set. In the event of no hit, a message "Maybe, is this what you wanted to say?" is displayed in the response display area **112**.

As a response action for this message, automatic candidate Q is selected with a radio button in the response display setting area **868**. This setting leads to displaying a plurality of Qs semantically close to the latest input sentence having no hit (or a plurality of frequently hit (popular) Qs) as automatic candidate Qs in the information display area **116**.

Even if the input sentence of the user **10** does not hit any Q in the knowledge data **310**, the foregoing configuration of the no-hit event message presents candidate Qs semantically close to the input sentence to the user **10**, so that the user **10** and the information providing system **1** can continue the dialogue to solve the problem of the user **10**.

With the specific event message configuration screen **860**, configuration of the messages in the events of no entry, start, and entry of a banned word are available as well as the message in the event of no hit.

Next, with reference to FIG. 29, the test function of the information providing system **1** in the present embodiment is described. FIG. 29 shows a test screen **880** to conduct a test using test data. The test screen **880** in FIG. 29 includes a QA free test area **881** and a QA file test area **882**.

The test using the QA free test area **881** is conducted when knowledge is created or corrected at the installation or

maintenance; the test simulates an environment where a user **10** enters a text with a user terminal **100**.

FIG. 29 shows a state where a text is entered under the condition where the data substantially the same as the knowledge data **310** shown in FIG. 10 is stored in the test data **320**. When the system administrator **20** enters a text "I cannot hear the sound." and presses the Send button, a test result is displayed: "I cannot hear the sound." is displayed in the field of input sentence, "Contact your dealer." in the field of A, "hit (high)" in the field of hit, "Sometimes I cannot hear the sound" in the field of hit Q. This is the same as the input and response illustrated in FIG. 10. That is to say, the input sentence "I cannot hear the sound." matches "Q2: Sometimes I cannot hear the sound" with the highest score and "A2: Contact your dealer." associated with Q2 is determined to be the A.

The QA free test area **881** further shows texts "I cannot hear.", "I cannot see the screen.", and "I cannot hear the other end of the call." in the field of candidate Q as a test result. These candidate Qs are Qs except for the hit Q but semantically close to the input sentence among the Qs shown in FIG. 10. Even a Q determined to be no hit could be selected as a candidate Q. The example of FIG. 29 shows the texts "Q3: I cannot hear." hit with the second-highest score next to Q2, and "Q4: I cannot see the screen." and "Q1: I cannot hear the other end of the call." hit with a hit level=hit (low).

The system administrator **20** can determine whether the input sentence hits on the expected Q, whether the candidate Qs are appropriate for the input sentence, whether the hit Q and a candidate Q are to be treated as synonymous sentences, and the like with reference to the test result.

When the system administrator **20** presses the Retest button after correcting knowledge data of the test data **320**, another test is conducted. When the system administrator **20** presses the Release button, the knowledge data of the test data **320** is compiled and uploaded, so that the knowledge data **310** is updated.

The test using the QA file test area **882** is conducted when knowledge is created or corrected at the installation or maintenance; the test simulates an environment where a user **10** enters a text with a user terminal **100**. Unlike the QA free test, the system administrator **20** can test many input sentences altogether by creating a text file including a plurality of input sentences expected to be entered by the user **10** and sending the file.

The QA file test area **882** shows the same test results shown in the QA free test area **881** for a plurality of input sentences. The first input sentence is the same as the input sentence shown in the test result in the QA free test area **881**; the same test result is acquired. The second input sentence is "It's cold today". The field of hit indicates "x" and the field of A indicates "More details, please." which is a response in the event of no hit. Since the input sentence results in no hit, the field of hit Q is blank. The field of candidate Q is also blank in this example; however, some semantically close reference text (but its score does not reach the hit level) may be indicated. The third input sentence is "How are you?" The field of hit indicates "x" and the field of A indicates "More details, please." which is a response in the event of no hit. Since the input sentence results in no hit, the field of hit Q is blank. The field of candidate Q is also blank in this example; however, some semantically close reference text (but its score does not reach the hit level) may be indicated.

When the system administrator **20** presses the Retest button after correcting knowledge data of the test data **320**,

another test is conducted. When the system administrator 20 presses the Release button, the knowledge data of the test data 320 is compiled and uploaded, so that the knowledge data 310 is updated.

Next, with reference to FIGS. 30 to 37, the knowledge maintenance function of the information providing system 1 in the present embodiment is described. FIG. 30 shows a knowledge maintenance screen 890 to carry out maintenance of the test data 320 using search results of log data. The knowledge maintenance screen 890 in FIG. 30 includes a log search area 891 and a log data display area 892.

The log search area 891 is to specify conditions on the log period, the hit level, the candidate Q, and/or the status and to conduct a search. The log data satisfying the search conditions is displayed in the log data display area 892. The hit levels include “hit (high)” representing a high-score hit (score represents the semantic closeness between the input sentence and the Q), “hit (low)” representing a hit scored lower than the “hit (high)”, “no hit” scored lower than a predetermined value, “partial hit” representing a hit on a partial hit Q, and “banned word” identified as a banned word. The hit levels may include “hit (perfect match)” representing a hit where the input sentence perfectly matches a Q.

In the term of “candidate Q”, the search determines whether any candidate Q exists or not. The candidate Q means a Q other than a hit Q among the Qs scored higher than a predetermined value. The term “status” means the status of the inputs in the maintenance function, providing a selection of “show all”, “edited ones”, “unedited ones”, and “not subject to maintenance”.

The log data display area 892 shows log data retrieved under the search conditions specified in the above-described log search area 891. In the example of FIG. 30, four sets of log data are acquired as search results. The log data used in this search is the log data generated when texts are input in using the knowledge data 310 shown in FIG. 10.

The first row of the log data display area 892 shows “I cannot hear the sound.” in the field of input sentence, “hit (high)” in the field of hit, and “Sometimes I cannot hear the sound.” in the field of hit Q. This is the same result as the input and response illustrated in FIG. 10. That is to say, the input sentence “I cannot hear the sound.” hits on “Q2: Sometimes I cannot hear the sound.” with the highest score so that the response sentence to Q2 “A2: Contact your dealer.” is determined to be the A. Furthermore, texts “I cannot hear.”, “I cannot see the screen.”, and “I cannot hear the other end of the call.” are displayed in the field of candidate Q. These are the hits other than the hit Q among the hits in FIG. 10. Specifically, the text hit with a second-highest score next to Q2 for this input sentence “Q3: I cannot hear.” and the texts hit at a hit level=hit (low) “Q4: I cannot see the screen.” and “Q1: I cannot hear the other end of the call.” are displayed.

The second row of the log data display area 892 shows “I cannot listen to the other end.” in the field of input sentence, “x” in the field of hit (meaning no hit), and a blank in the field of hit Q. This means that the input sentence “I cannot listen to the other end.” does not hit any Q in the knowledge data 310 in FIG. 10. The texts having relatively close meaning are selected and displayed as candidate Qs. In the example of FIGS. 30, Q1 and Q8 are displayed out of the knowledge data 310 in FIG. 10.

The third row of the log data display area 892 shows “I cannot see the screen.” in the field of input sentence, “hit (high)” in the field of hit, and “I cannot see the screen.” in

the field of hit Q. This hit Q corresponds to Q4 in the knowledge data 310 in FIG. 10.

The fourth row of the log data display area 892 shows “I cannot talk with the other end.” in the field of input sentence, “x” in the field of hit (meaning no hit), and a blank in the field of hit Q. This means that the input sentence “I cannot talk with the other end.” does not hit any Q in the knowledge data 310 in FIG. 10. The texts having relatively close meaning are selected and displayed as candidate Qs. In the example of FIGS. 30, Q1 and Q8 are displayed out of the knowledge data 310 in FIG. 10.

The gear icon in the field of input sentence in the log data display area 892 is to display detailed information on the input sentence (such as the response (A) to the input sentence).

The input sentence in the field of input sentence in the log data display area 892 can be pressed (the input sentence is a hypertext); in response to press, a new QA quick addition screen 900 to add the entire input sentence as a new Q is displayed as shown in FIG. 31.

The new QA quick addition screen 900 in FIG. 31 includes a QA edit area 901. For example, in response to press of the link “I cannot listen to the other end.” on the second row in the field of input sentence in the log data display area 892 of the knowledge maintenance screen 890 in FIG. 30, the exact text “I cannot listen to the other end.” is entered to the field of Q in the QA edit area 901 in FIG. 31. The system administrator 20 enters an appropriate response text to this Q to the field of A. In the example of FIG. 31, a text “Check whether other app outputs sound.” is entered.

The Advanced Setting button in the QA edit area 901 is to switch the screen to the new QA addition screen 810 as shown in FIG. 16; the QA can be registered with the screen 810. The Register button 902 is to update the knowledge data in the test data 320. After returning to the knowledge maintenance screen 890 in FIG. 30 and pressing the Release button in the log data display area 892, the knowledge data in the test data 320 is compiled and uploaded, so that the knowledge data 310 is updated.

The foregoing configuration of the information providing system 1 of the present invention enables the system administrator 20 to easily add an appropriate response (A) for a no hit Q (an input sentence for which no corresponding QA can be found).

FIGS. 32A and 32B are diagrams for illustrating how a response to an input changes through the knowledge maintenance (new QA quick addition) described with FIGS. 30 and 31. In the test environment, test data 320 substantially including knowledge data is used; however, this section is described assuming that the knowledge data 310 is updated, for the sake of convenience.

FIG. 32A shows a state before applying knowledge maintenance. When an input sentence “I cannot listen to the other end.” is entered, no Q is hit in the knowledge data 310 shown in FIG. 10, so that the response set in the no-hit event message configuration is output in response to this input sentence.

FIG. 32B shows a state after applying knowledge maintenance. When an input sentence “I cannot listen to the other end.” is entered, the Q “Q9: I cannot listen to the other end.” is hit (with hit (high)) since the knowledge data 310 includes the QA added through the new QA quick addition screen 900 in FIG. 31, so that the response associated with this Q, “A9: Check whether other app outputs sound.” is output.

The knowledge maintenance screen 890 shown in FIG. 33 is the same as the knowledge maintenance screen 890 shown

in FIG. 30; in response to placing a mouse cursor on the gear icon in the field of candidate Q, a popup window **893** including a Detailed Information link of a link to the detailed information on the candidate Qs and a Find Other Candidate link of a link to find other candidates are displayed. In response to press of either link, a screen associated therewith is displayed.

The Detailed Information link is to display a candidate Q detailed information screen **910** as shown in FIG. 34. The candidate Q detailed information screen **910** in FIG. 34 includes a candidate Q detailed information display area **911**. The candidate Q detailed information display area **911** shows candidate Qs, responses (A) associated with the candidate Qs, and scores representing the comparison results of the input sentences and the candidate Qs.

Regarding the candidate Q "I cannot hear the other end of the call.", the score is 47%; on the other hand, the candidate Q "The call is disconnected." shows the score 45%. This indicates that the first candidate Q is evaluated as slightly closer to the input sentence.

The system administrator **20** can know whether the response (A) is appropriate for the response to the input sentence and the evaluation of the candidate Q about how semantically close to the input sentence.

Returning to FIG. 33, in response to press of the first candidate Q for the fourth input sentence in the log data display area **892** (each candidate Q is a link), a synonymous sentence quick addition screen **930** as shown in FIG. 35 is displayed, in which the entire candidate Q is set for a master candidate Q and the text of the input sentence is to be added as a synonymous sentence of the master candidate Q.

The synonymous sentence quick addition screen **930** shown in FIG. 35 includes a synonymous sentence addition setting area **931**. For example, in response to press of the link of "I cannot listen to the other end." of the first candidate Q in the field of candidate Q for the fourth input sentence in the log data display area **892** of the knowledge maintenance screen **890** in FIG. 33, the exact text "I cannot listen to the other end." is entered to the field of master candidate Q in the synonymous sentence addition setting area **931** in FIG. 35 (since this text is a constituent of an existing QA, the text cannot be edited).

Further, the exact text of the input sentence in the same entry of the pressed candidate Q is entered in the field of synonymous sentence in the synonymous sentence addition setting area **931** (this text is editable).

The advanced setting button in the synonymous sentence addition setting area **931** is to switch the display to the new QA addition screen **810** as shown in FIG. 16; the QA can be registered with the screen. The Register button **932** is to update the knowledge data of the test data **320**. After returning to the knowledge maintenance screen **890** in FIG. 33 and pressing the Release button in the log data display area **892**, the knowledge data in the test data **320** is compiled and uploaded, so that the knowledge data **310** is updated.

The foregoing configuration of the information providing system **1** of the present invention enables the system administrator **20** to easily find an input sentence and a Q which are semantically close to each other and to be responded in the same way, and further to readily register the input sentence as a synonymous sentence of the Q.

FIGS. 36A and 36B are diagrams for illustrating how a response to an input changes through the knowledge maintenance (synonymous sentence quick addition) described with FIGS. 33 to 35. In the test environment, test data **320** substantially including knowledge data is used; however,

this section is described assuming that the knowledge data **310** is updated, for the sake of convenience.

FIG. 36A shows a state before applying knowledge maintenance. When an input sentence "I cannot talk with the other end." is entered, no Q is hit in the knowledge data **310** shown in FIG. 10, so that the response set in the no-hit event message configuration is output in response to this input sentence.

FIG. 36B shows a state after applying knowledge maintenance. Since a synonymous sentence has been added to a specified QA through the synonymous sentence quick addition screen **930** shown in FIG. 35, when an input sentence "I cannot talk with the other end." is entered, a Q "Q1-2: I cannot talk with the other end." is hit (with hit (high)) and a response associated with this Q "A1: Describe the situation more specifically." is output.

When the system administrator **20** returns to the knowledge maintenance screen **890** in FIG. 33 and presses the Input Sentence Test button in the log data display area **892** after adding a QA through the new QA quick addition screen **900** shown in FIG. 31 and adding a synonymous sentence through the synonymous sentence quick addition screen **930** shown in FIG. 35, the knowledge maintenance screen **890** will be as shown in FIG. 37.

Compared with the knowledge maintenance screen **890** in FIG. 33, the field of hit for the second input sentence in the log data display area **892** has been changed from "x" to "hit (high)" and the field of hit Q has been changed from a blank to "Check whether other app outputs sound". This is because a QA has been added through the new QA quick addition screen **900** shown in FIG. 31 to include a Q "Q9: I cannot listen to the other end." in the knowledge data **310**, so that the input sentence hits the Q (see FIGS. 32A and 32B).

Furthermore, the field of hit for the fourth input sentence in the log data display area **892** has been changed from "x" to "hit (high)" and the field of hit Q has been changed from a blank to "I cannot hear the other end of the call". This is because a synonymous sentence has been added through the synonymous sentence quick addition screen **930** shown in FIG. 35 and a Q "Q1-2: I cannot talk with the other end." has been added to the knowledge data **310**, so that the input sentence hits the Q (see FIGS. 36A and 36B). It should be noted that the candidate Q "I cannot hear the other end of the call." in the field of candidate Q is removed from the candidate Qs since this text has been changed to a hit Q.

Next, with reference to FIG. 38, an example of a hardware configuration of a computer for implementing the information providing server **200** of the information providing system **1** in an embodiment of the present invention is described. It should be noted that the configuration of the information providing server **200** illustrated in FIG. 38 is merely a representative configuration.

The information providing server **200** includes a CPU (Central Processing Unit) **1001**, a RAM (Random Access Memory) **1002**, a ROM (Read Only Memory) **1003**, a network interface **1004**, an audio controller **1005**, a microphone **1006**, a speaker **1007**, a display controller **1008**, a display device **1009**, an input device interface **1010**, a keyboard **1011**, a mouse **1012**, an external storage device **1013**, an external recording medium interface **1014**, and a bus **1015** connecting these components.

The CPU **1001** controls operations of each component of the information providing server **200** and, under the control of an OS, controls the processing of the input and response control module **210**, the knowledge data management module **220**, and other modules according to the present invention.

The RAM **1002** stores programs to execute the processing performed by the CPU **1001** and data to be used by the programs in execution on a temporal basis. The ROM **1003** stores the programs to be executed at the start of the information providing server **200**.

The network interface **1004** is an interface to connect to the network **1020**. The network **1020** is a network of the information providing server **200**, the user terminal **100**, and the system management terminal **600** and corresponds to the network **700** shown in FIG. 1.

The audio controller **1005** controls the microphone **1006** and the speaker **1007** to control the input and output of sound. The display controller **1008** is a dedicated controller for processing graphics instructions issued by the CPU **1001**. The display device **1009** is a device made of an LCD (Liquid Crystal Display) or a CRT (Cathode Ray Tube).

The input device interface **1010** receives signals input from the keyboard **1011** and the mouse **1012** and sends instructions in accordance with the signal patterns to the CPU **1001**.

The external storage device **1013** is a storage device such as a hard disk drive or a semiconductor memory. The aforementioned programs and data are stored in this device and loaded to the RAM **1002** as necessary. For example, the input and response management DB shown in FIG. 1 can be stored in the external storage device **1013**.

The external recording medium interface **1014** accesses an external recording medium **1030** and retrieves data recorded therein. The external recording medium **1030** may be a portable flash memory, a CD (Compact Disc), or a DVD (Digital Versatile Disc). The program to be executed by the CPU **1001** and to implement the functions of the present invention can be provided from the external recording medium **1030** through this external recording medium interface **1014**. Alternatively, the program to implement the functions of the present invention can be distributed by a specific server on the network via the network **1020** and the network interface **1004** and stored in the external storage device **1013** or the RAM **1002**.

Described above is an example of the hardware configuration of the information providing server **200** of the information providing system **1** according to an embodiment of the present invention. It is to be noted that the suggest server **400**, the user terminal **100**, and the system management terminal **600** in the present embodiment are basically the same computers having this configuration. However, the audio controller **1005**, the microphone **1006**, the speaker **1007**, the display controller **1008**, the display device **1009**, the input device interface **1010**, the keyboard **1011**, and the mouser **1012** are not essential for the servers.

As set forth above, the information providing system **1** according to an embodiment of the present invention has been described with specific examples for embodying the present invention; however, the specific examples are merely examples to describe the present invention and do not limit the scope of rights of the present invention. The technical idea of the present invention can be embodied using various methods and configurations other than those examples.

What is claimed is:

1. An information providing system that automatically generates a response, including a response according to a predetermined condition, to a text query input from a user terminal in electronic communication with the information providing system, the information providing system comprising:

an information providing server including a CPU; and
a non-transitory computer readable medium including computer implementable instructions, which when read by the CPU directs the information providing server to:

receive, by an input reception module, the text query input from the user terminal;

determine, by a response determination module, a response to the input text query based on a comparison thereof with knowledge data stored in a database in electronic communication with the information providing server;

generate, by a response data generation module, response data including the response determined as a result of the comparison; and,

send the generated response data to the user terminal, wherein the knowledge data stored in the database is composed of a plurality of units, each including a reference text that is compared with the input text query, and a response text that is associated with the reference text,

wherein the reference text is associated with auxiliary information comprising one or more of:

a predetermined response condition, which is a condition on information input from the user terminal other than the input text query for selecting a response from among a plurality of responses to be sent to the user terminal;

a predetermined response behavior setting, which is information for defining a behavior of the user terminal when a selected response is received by the user terminal; and,

a predetermined applicability setting, which is information for specifying whether the reference text is to be a suggestion and/or whether to record the input text query into a log; and,

wherein data to be included in the generated response data is based on the auxiliary information associated with the reference text and a semantic closeness of the input text query and the reference text being greater than or equal to a predetermined threshold.

2. The information providing system according to claim 1, wherein the auxiliary information is a predetermined response condition,

wherein each of the plurality of units of the knowledge data includes a plurality of response texts and at least one of the plurality of response texts is associated with the predetermined response condition, and

wherein, the response determination module determines a response text to be a response from among the plurality of response texts based on the predetermined response condition in a case where the reference text determined to be semantically closest to the input text query with a semantic closeness level greater than or equal to the predetermined threshold as a result of comparing the input text query with the reference texts is associated with a plurality of response texts.

3. The information providing system according to claim 2, wherein the predetermined response condition includes information input from the user terminal that is other than the input text query.

4. The information providing system according to claim 2, wherein the predetermined response condition is registered by a system administrator in advance, and

wherein, in registering the predetermined response condition into a unit already including one or more response conditions, a priority in evaluating the predetermined response condition is determined.

5. The information providing system according to claim 1, wherein the auxiliary information is a predetermined response behavior setting,

41

wherein each of the units of the knowledge data includes a predetermined response behavior setting associated with a reference text, and wherein the response determination module includes data for the user terminal to behave in accordance with the predetermined response behavior setting in the response data in a case where the reference text determined to be semantically closest to the input text query with a semantic closeness greater than or equal to a predetermined threshold as a result of comparing the input text query with the reference texts is associated with the predetermined response behavior setting.

6. The information providing system according to claim 5, wherein the predetermined response behavior setting is registered by a system administrator in advance, and wherein, in registering the predetermined response behavior setting, a behavior of displaying specified information in a second display area of the user terminal different from a first display area for displaying the response is defined as the predetermined response behavior setting.

7. The information providing system according to claim 6, wherein the specified information is displayed in the second display area and is selectable by the user, and wherein, in response to selection of the specified information by the user, information related to the specified information is sent from the user terminal as an input text query and the input reception module receives the information as the input text query.

8. The information providing system according to claim 7, wherein the specified information is a text related to an input text query entered previously.

9. The information providing system according to claim 5, wherein the predetermined response behavior setting information is registered by a system administrator in advance, and wherein, in registering the predetermined response behavior setting information, a behavior of starting a specified program is defined as the predetermined response behavior setting information.

10. A method of automatically generating a response, including a response according to a predetermined condition, to a text query input from a user terminal in electronic communication with an information providing system including an information providing server having a CPU, the information providing method comprising:
 receiving an input text query input from the user terminal;
 determining a response to the input text query based on a comparison thereof with knowledge data stored in a database in electronic communication with the information providing server; and
 generating response data including the response determined as a result of the comparison and sending the generated response data to the user terminal,
 wherein the knowledge data stored in the database is composed of a plurality of units each including a reference text that is compared with the input text query and a response text that is associated with the reference text,
 wherein the reference text is associated with auxiliary information comprising one or more of:
 a predetermined response condition, which is a condition on information input from the user terminal other than the input text query for selecting a response from among a plurality of responses to be sent to the user terminal;

42

a predetermined response behavior setting, which is information for defining a behavior of the user terminal when a selected response is received by the user terminal; and,
 a predetermined applicability setting, which is information for specifying whether the reference text is to be a suggestion and/or whether to record the input text query into a log; and wherein,
 data to be included in the generated response data is based on the auxiliary information associated with the reference text and a semantic closeness of the input text query and the reference text being greater than or equal to a predetermined threshold.

11. The information providing method according to claim 10,
 wherein the auxiliary information is a predetermined response condition,
 wherein each of the plurality of units of the knowledge data includes a plurality of response texts and at least one of the plurality of response texts is associated with the predetermined response condition, and
 wherein a response text determined to be a response from among the plurality of response texts based on the predetermined response condition in a case where the reference text determined to be semantically closest to the input text query with a semantic closeness greater than or equal to a predetermined threshold as a result of comparing the input text query with the reference texts is associated with a plurality of response texts.

12. The information providing method according to claim 10,
 wherein the auxiliary information is a predetermined response behavior setting,
 wherein each of the units of the knowledge data includes a predetermined response behavior setting associated with a reference text, and
 wherein the response data includes data that causes the user terminal to behave in accordance with the predetermined response behavior setting where the reference text determined to be semantically closest to the input text query with a semantic closeness greater than or equal to a predetermined threshold as a result of comparing the input text with the reference texts is associated with the predetermined response behavior setting.

13. A non-transitory recording medium storing computer implementable instructions, which when read a CPU of an information providing system, causes the system to automatically generate a response to a text query, including a response according to a predetermined condition, the system further caused to:
 receive, by an input reception module, an input text query from a user terminal;
 determine, by a response determination module, a response to the input text query based on a comparison thereof with knowledge data stored in a database in electronic communication with the information providing server;
 generate, by a response data generation module, response data including the response determined as a result of the comparison; and,
 send the generated response data to the user terminal, wherein the knowledge data stored in the database is composed of a plurality of units each including a reference text that is compared with the input text query, and a response text that is associated with the reference text,

wherein the reference text is associated with auxiliary information comprising one or more of:

a predetermined response condition, which is a condition on information input from the user terminal other than the input text query for selecting a response from among a plurality of responses to be sent to the user terminal;

a predetermined response behavior setting, which is information for defining a behavior of the user terminal when a selected response is received by the user terminal; and,

a predetermined applicability setting, which is information for specifying whether the reference text is to be a suggestion and/or whether to record the input text query into a log; and wherein,

data to be included in the generated response data is based on the auxiliary information associated with the reference text and a semantic closeness of the input text query and the reference text being greater than or equal to a predetermined threshold.

14. The non-transitory recording medium according to claim 13,

wherein the auxiliary information is a predetermined response condition,

wherein each of the plurality of units of the knowledge data includes a plurality of response texts and at least one of the plurality of response texts is associated with the predetermined response condition, and

wherein the response determination module determines a response text to be a response from among the plurality of response texts based on the predetermined response condition in a case where the reference text determined to be semantically closest to the input text query with a semantic closeness level greater than or equal to the predetermined threshold as a result of comparing the input text query with the reference texts is associated with a plurality of response texts.

15. The non-transitory recording medium according to claim 13,

wherein the auxiliary information is a predetermined response behavior setting,

wherein each of the units of the knowledge data includes a predetermined response behavior setting associated with a reference text, and

wherein the response determination module includes data for the user terminal to behave in accordance with the predetermined response behavior setting in the response data in a case where the reference text determined to be semantically closest to the input text query with a semantic closeness greater than or equal to a predetermined threshold as a result of comparing the

input text query with the reference texts is associated with the predetermined response behavior setting.

16. A data structure accessed by an information generating system that automatically generates a response, including a response according to a predetermined condition, to a text query input from a user terminal in electronic communication with the information providing system, the data structure composed of units, each of the units comprising:

a reference text to be compared with an input text query input from the user terminal;

a response text associated with the reference text; and predetermined auxiliary information associated with the reference text, comprising one or more of:

a predetermined response condition, which is a condition on information input from the user terminal other than the input text query for selecting a response from among a plurality of responses to be sent to the user terminal;

a predetermined response behavior setting, which is information for defining a behavior of the user terminal when a selected response is received by the user terminal; and,

a predetermined applicability setting, which is information for specifying whether the reference text is to be a suggestion and/or whether to record the input text query into a log; wherein,

data to be included in response data to be sent to the user terminal is determined in accordance with results of comparing the input text query with the reference texts and matching with the predetermined auxiliary information.

17. The data structure according to claim 16, wherein the predetermined auxiliary information is a predetermined response condition and a predetermined response behavior setting,

wherein each of the units includes another reference text synonymous with the reference text,

wherein each of the units includes a plurality of response texts and at least one of the plurality of response texts is associated with the predetermined response condition,

wherein each of the units includes a predetermined response behavior setting associated with each of the reference texts,

wherein the predetermined response condition is a condition for selecting a response text to be sent to the user terminal from the plurality of response texts, and

wherein the predetermined response behavior setting is information for defining a behavior of the user terminal when the selected response text is received by the user terminal.

* * * * *