



US011011021B2

(12) **United States Patent**
Takeda

(10) **Patent No.:** US 11,011,021 B2
(45) **Date of Patent:** *May 18, 2021

(54) **GAME SYSTEM, SERVER, AND DONATION CONTROL METHOD**

(58) **Field of Classification Search**
CPC G07F 17/32; G07F 17/3244; A63F 9/24
See application file for complete search history.

(71) Applicant: **Universal Entertainment Corporation,**
Tokyo (JP)

(56) **References Cited**

(72) Inventor: **Kengo Takeda,** Tokyo (JP)

U.S. PATENT DOCUMENTS

(73) Assignee: **Universal Entertainment Corporation,**
Tokyo (JP)

5,766,074	A *	6/1998	Cannon	G07F 17/3211	463/16
2003/0054888	A1 *	3/2003	Walker	G06Q 30/0239	463/42
2004/0087360	A1 *	5/2004	Chamberlain	G07F 17/3248	463/25
2004/0204235	A1 *	10/2004	Walker	G07F 17/3239	463/29
2005/0096130	A1 *	5/2005	Mullins	G07F 17/3244	463/27
2005/0255922	A1 *	11/2005	Nguyen	G07F 17/3211	463/42
2006/0154723	A1 *	7/2006	Saffari	G07F 17/3244	463/29
2006/0183541	A1 *	8/2006	Okada	G07F 17/32	463/29

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **16/392,185**

(22) Filed: **Apr. 23, 2019**

(65) **Prior Publication Data**

US 2019/0251793 A1 Aug. 15, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/471,918, filed on Mar. 28, 2017, now Pat. No. 10,319,190.

(30) **Foreign Application Priority Data**

Mar. 30, 2016 (JP) 2016-069396

(51) **Int. Cl.**
G07F 17/32 (2006.01)

(52) **U.S. Cl.**
CPC **G07F 17/3258** (2013.01); **G07F 17/3213** (2013.01); **G07F 17/3239** (2013.01)

(Continued)


Primary Examiner — Omkar A Deodhar

(74) *Attorney, Agent, or Firm* — Simpson & Simpson, PLLC; S. Peter Konzal

(57) **ABSTRACT**

Provided is a game system which performs control so as to allow a previously set donation amount to be donated when a user performs a cashing-out operation. A donation management server **40** stores settings related to donations made by a user in a donation setting information table **421** and when the user performs the cashing-out operation on a slot machine **1010**, performs control so as to donate a donation amount selected by the user from among donation amount candidates set by the above-mentioned settings made by the user.

23 Claims, 60 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0158905	A1 *	7/2007	Fass	A63F 3/00 273/243	2012/0289297	A1 *	11/2012	Zilba	G07F 17/3244 463/11
2008/0108429	A1 *	5/2008	Davis	G07F 17/3244 463/26	2012/0310779	A1 *	12/2012	Flynn	G06Q 50/34 705/26.43
2008/0242428	A1 *	10/2008	Okada	G07F 17/3251 463/43	2013/0053138	A1 *	2/2013	Pereira	A63F 13/795 463/29
2009/0017904	A1 *	1/2009	Matsui	G07F 17/32 463/25	2014/0087847	A1 *	3/2014	Zilba	G07F 17/3244 463/25
2009/0209327	A1 *	8/2009	Herrington	G07F 17/3239 463/25	2014/0087855	A1 *	3/2014	Caputo	G07F 17/326 463/26
2009/0307102	A1 *	12/2009	Goldman	G06Q 30/0601 705/26.1	2014/0213339	A1 *	7/2014	Khal	G07F 17/3244 463/19
2009/0327122	A1 *	12/2009	Isac	G06Q 10/00 705/39	2015/0011305	A1 *	1/2015	Deardorff	G07F 17/3258 463/26
2010/0004055	A1 *	1/2010	Gormley	H04L 67/38 463/25	2015/0045110	A1 *	2/2015	Lempel	G07F 17/3241 463/25
2012/0190433	A1 *	7/2012	Rowe	G07F 17/3255 463/25	2015/0356639	A1 *	12/2015	Sobhani	G06Q 30/0635 705/39
2012/0252568	A1 *	10/2012	Amour	G07F 17/32 463/28	2016/0148466	A1 *	5/2016	Pececnik	G07F 17/3206 463/25

* cited by examiner

FIG.1




FIG.2




FIG.3




FIG. 4




FIG.5




FIG.7




FIG. 8




FIG. 9




FIG. 10

SYMBOL COMBINATION TABLE

1st REEL	SYMBOL COMBINATION					PAY-OUT NUMBER	WINNING COMBINATION
	2nd REEL	3rd REEL	4th REEL	5th REEL			
RED	RED	RED	RED	RED	RED	15	RED
APPLE	APPLE	APPLE	APPLE	APPLE	APPLE	12	APPLE
BLUE 7	BLUE 7	BLUE 7	BLUE 7	BLUE 7	BLUE 7	10	BLUE
BELL	BELL	BELL	BELL	BELL	BELL	8	BELL
CHERRY	CHERRY	CHERRY	CHERRY	CHERRY	CHERRY	5	CHERRY3
STRAWBERRY	STRAWBERRY	STRAWBERRY	STRAWBERRY	STRAWBERRY	STRAWBERRY	5	STRAWBERRY
PLUM	PLUM	PLUM	PLUM	PLUM	PLUM	4	PLUM
ORANGE	ORANGE	ORANGE	ORANGE	ORANGE	ORANGE	3	ORANGE3
CHERRY	CHERRY	CHERRY	(ANY)	(ANY)	(ANY)	2	CHERRY2
ORANGE	ORANGE	ORANGE	(ANY)	(ANY)	(ANY)	2	ORANGE2
CHERRY	(ANY)	(ANY)	(ANY)	(ANY)	(ANY)	1	CHERRY1
ORANGE	(ANY)	(ANY)	(ANY)	(ANY)	(ANY)	1	ORANGE1

FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG.21




FIG.22




FIG.23




FIG.24




FIG.25




FIG.26




FIG.27




FIG.28




FIG.30A

321 USER INFORMATION TABLE

IDENTIFI- CATION ID	NAME	NICKNAME	SEX	DATE OF BIRTH	PINCODE
1	◇◇◇◇	◇◇	MALE	1985/10/24	0098
2	—	△△	MALE	1990/2/14	9786
3	○○○○	○○	FEMALE	1980/5/5	1012
...

FIG.30B

322 MEMBER INFORMATION TABLE

IDENTIFI- CATION ID	NATION- ALITY	ZIP CODE	ADDRESS	PHONE NUMBER	E-MAIL ADDRESS
1	JPN	100-0000	..., Tokyo	03-xx...	aa@...jp
2	—	—	—	—	—
3	PHL	0928	...0928, Manila	1234...	bb@...ph
...

FIG.31

323 FRIEND INFORMATION TABLE

IDENTIFI- CATION ID	FRIEND ID	BLOCK
1	5	0
1	8	1
1	21	0
3	8	0
3	9	0
3	10	0
3	80	1
...

FIG.32A

421 DONATION SETTING INFORMATION TABLE

IDENTIFICATION ID	AUTOMATIC DONATION	RANKING DISPLAY	FRACTION DONATION	DONATION AMOUNT SPECIFYING	CONDITIONAL DONATION				DONATION NOTIFICATION
					BASE AMOUNT	TARGET	AMOUNT/PERCENTAGE	COLLECTION TIMING	
1	1	NICKNAME	1	-	-	-	-	-	1
2	0	-	-	-	-	-	-	-	1
3	1	HIDDEN	1	-	1000	POINTS	100	CASHING-OUT	0
4	1	NAME	0	-	-	-	-	-	1
5	1	NICKNAME	1	-	-	-	-	-	1
6	1	NICKNAME	0	1	1000	PAYOUT	10%	OCCURRENCE OF PAYOUT	1
7	1	HIDDEN	0	1023	-	-	-	-	0
...

FIG.32B

422 DONATION DESTINATION SETTING INFORMATION TABLE

IDENTIFICATION ID	DONATION DESTINATION SPECIFYING PATTERN	DONATION DESTINATION	DONATION DESTINATION SELECTION CONDITION MANAGEMENT NUMBER
1	INDIVIDUAL	-	-
2	-	-	-
3	PREVIOUS	AA DONATION	-
4	NONE	-	-
5	INDIVIDUAL	-	-
6	PREVIOUS	AUTOMATIC SELECTION 1	-
7	PREVIOUS	AUTOMATIC SELECTION 2	233587
...

FIG.33A

423 DONATION DESTINATION
MANAGEMENT TABLE

CATEGORY	DONATION DESTINATION NAME	PRIORITY ORDER
CHILDREN/ HUMAN RIGHTS	AA DONATION	1
SPORT	BB DONATION	2
EDUCATION	CC DONATION	5
CHILDREN/ HUMAN RIGHTS	DD FUND	4
CHILDREN/ HUMAN RIGHTS	EE PROJECT	3
SPORT	FF PROJECT	6
EDUCATION	GG FUND	7
...

FIG.33B

424 POINT EXCHANGE RATE MANAGEMENT
TABLE

TARGET	EXCHANGE RATE	EXCHANGE UNIT
POINTS (DURING A NORMAL TIME)	1.0	100
POINTS (DURING A CAMPAIGN)	1.5	10

FIG.34

425 DONATION TRACK RECORD MANAGEMENT TABLE

IDENTIFI- CATION ID	DONATION COLLECTION DATE AND TIME	DONATION DESTINATION	DONATION AMOUNT	DONATION TYPE	DONATION OPERATION TYPE
1	2016/2/8 15:00:03	AA DONATION	29	FRACTION	AUTOMATIC
1	2016/2/8 18:20:13	DD FUND	5	FRACTION	AUTOMATIC
1	2016/2/8 18:28:04	AA DONATION	3	FRACTION	AUTOMATIC
3	2016/2/15 11:15:38	AA DONATION	10	FRACTION	AUTOMATIC
3	2016/2/15 15:22:49	AA DONATION	12	PAYOUT	AUTOMATIC
6	2016/2/10 15:02:53	AA DONATION	52	PAYOUT	AUTOMATIC
6	2016/2/28 15:08:44	EE PROJECT	30	SPECIFIED AMOUNT	AUTOMATIC
6	2016/2/28 16:21:09	AA DONATION	100	POINTS	AUTOMATIC
8	2016/2/10 15:02:53	AA DONATION	500	POINTS	MANUAL
9	2016/2/28 15:08:44	EE PROJECT	360	SPECIFIED AMOUNT	MANUAL
***	***	***	***	***	***

FIG.35




FIG.36




FIG.37




FIG.38




FIG.39




FIG.40




FIG.41A





FIG.41B






FIG.42A




4110



 USER INFORMATION [DONATION AUTOMATIC COLLECTION]
<input checked="" type="checkbox"/> IS DONATION AUTOMATIC COLLECTION CONDUCTED?



4111

FIG.42B



4120



 USER INFORMATION [DONATION SETTING INFORMATION]		
DONATION RANKING DISPLAY	NAME ▼ NICKNAME HIDDEN	
<input checked="" type="checkbox"/> A FRACTION IS DONATED UPON CASHING-OUT. (A FRACTION IS A MONEY AMOUNT LESS THAN 30 PHP.)		

4121

FIG.43




FIG.44A





FIG.44B




FIG.45A




FIG.45B




FIG.46A

4170

4171

4172

COMMERCIAL 1

COMMERCIAL 2

NAME : MR./MS. ◇◇◇◇

A DONATION IS MADE UPON CASHING-OUT. CANCEL

DONATION AMOUNT: 10▼ 20 30

DONATION DESTINATION: AA DONATION▼ EE PROJECT DD FUND




FIG.46B

4170

4171

4172

4173

COMMERCIAL 1

COMMERCIAL 2

NAME : MR./MS. ◇◇◇◇

A DONATION WAS MADE UPON CASHING-OUT.

DONATION AMOUNT : 20.00 PHP (SET BY A SYSTEM)

DONATION DESTINATION : AA DONATION

BALANCE : 130.00 PHP

THANK YOU!

FIG.47




FIG.48




FIG.49




FIG.50




FIG.51




FIG.52




FIG.53




FIG.54




FIG.55




FIG.56




FIG.57




FIG.58




FIG.59





FIG.60



GAME SYSTEM, SERVER, AND DONATION CONTROL METHOD

CROSS-REFERENCE TO RELATED APPLICATION

This application is continuation of U.S. patent application Ser. No. 15/471,918 filed Mar. 28, 2017, which application claims priority to Japanese Patent Application No. 2016-069396 filed on Mar. 30, 2016, both of which applications are incorporated herein by reference in their entireties.

FIELD OF THE INVENTION

The present invention relates to a game system, a server, and a donation control method for making a donation in a game facility.

BACKGROUND OF THE INVENTION

A user card is inserted into a player tracking device as in the above-described U.S. Unexamined Patent Application Publication No. 2012/0135799 as well as the above-described U.S. Pat. No. 8,777,734, whereby a game is executed on a gaming machine by credit data associated with said user card. Since the credit obtained as an outcome of the game can be added to a value of an account of a user (player), the user can easily enjoy the game without cumbersome taking-in-and-out of cash or the like.

In addition, in the conventional system which includes each of the configurations disclosed in the above-described Japanese Patent Application Laid-Open Publication No. 2012-022657 and the above-described Japanese Patent Application Laid-Open Publication No. 2005-230348, refund money in a publicly operated competition and points obtained in games can be donated.

However, among users, not a few users dislike events which disturb games during playing the games. Such users are likely not to even play the games, let alone make donations.

BRIEF SUMMARY OF THE INVENTION

The present invention provides a game system, a server, and a donation control method as described below.

The invention according to a first aspect of the present invention has the below-described configuration.

The game system (for example, a game system **1**) is to control a donation made by a user using each gaming machine (for example, a slot machine **1010**), the each gaming machine enabling execution of a game played by the user in accordance with a value of game media, the each gaming machine providing a value of game media for the user in accordance with an outcome of the game, the game system including:

a storage part (for example, a card management table **121** of a hall management server **10**) for storing a value of game media associated with the user (for example, an item of a card balance in the card management table **121**); and

a server (for example, a donation management server **40**) for updating the storage part so as to subtract a donation amount (for example, a card balance set on a user information input screen **4050** shown in FIG. **39**) set by the user from the value of the game media associated with the user in accordance with selection made by the user (for example, selection of a donation amount and a donation destination made on a donation collection display screen **4170** shown in

FIG. **46** (A)) when the user performs a cashing-out operation (for example, an operation of pressing down a CASHOUT button **1038** of a slot machine **1010**).

By employing the above-described configuration of the present invention, since the control is performed such that when the user performs the cashing-out operation, the donation can be made, the user makes the donation after terminating the games, whereby the games are prevented from being disturbed. In addition, the user can obtain a sense of fulfillment and a sense of satisfaction in that the user contribute to society. Further, a game facility or the like which installs and manages gaming machines and provides amusement which is gambling also can appeal, to the public, an attitude that the game facility is actively promoting social contribution.

In the first aspect, the invention according to a second aspect of the present invention has the below-described configuration.

The configuration is arranged such that the donation amount is selectable from among previously set donation amount candidates (for example, a plurality of donation amounts are displayed as a pull-down list on the donation collection display screen **4170** shown in FIG. **46** (A) in accordance with a setting of a donation amount made on a user information input screen **4040** shown in FIG. **38**).

By employing the above-described configuration of the present invention, since a desired donation amount is selectable by the user from among the previously set donation amount candidates, it is not required to input a numerical value in specifying of a donation, thereby allowing the specifying of the donation to be easily conducted.

In the first aspect, the invention according to a third aspect of the present invention has the below-described configuration.

The configuration is arranged such that when selection made by the user is selection in which no donation is made (for example, CANCEL is selected on the donation collection display screen **4170** shown in FIG. **46** (A)), the server does not conduct processing in which the storage part is updated.

By employing the above-described configuration of the present invention, since when the user does not specifies the execution of the donation, the control is performed such that no donation is made, the user can determine whether or not the donation is made each time the cashing-out operation is performed.

In the first aspect, the invention according to a fourth aspect of the present invention has the below-described configuration.

The configuration is arranged such that a donation destination of the donation is selectable from among previously set donation destination candidates (for example, a plurality of donation destinations are displayed as a pull-down list on the donation collection display screen **4170** shown in FIG. **46** (A)).

By employing the above-described configuration of the present invention, a desired donation destination is selectable from among the previously set donation destination candidates, thereby allowing the specifying of the donation to be easily conducted.

In the first aspect, the invention according to a fifth aspect of the present invention has the below-described configuration.

The each gaming machine includes a player tracking device (for example, a PTS terminal **1700**) having a display part for displaying information, and

the configuration is arranged such that when the user performs the cashing-out operation on the each gaming machine, the player tracking device controls the display part to display choices selected by the user, the choices being instructions related to the donation (for example, as shown on the donation collection display screen **4170** in FIG. **46** (A), a plurality of donation amounts and a plurality of donation destinations are displayed respectively as pull-down lists on an LCD **1719** of the PTS terminal **1700**).

By employing the above-described configuration of the present invention, since the choices related to the donation are displayed on the display part of the PTS terminal, the user can easily perform the operation of the instructions related to the donation by operating the LCD of the PTS terminal located on a front face of the slot machine.

The invention according to a sixth aspect of the present invention has the below-described configuration.

The server is to control a donation made by a user using a gaming machine, the gaming machine enabling execution of a game played by the user in accordance with a value of game media, the gaming machine providing a value of game media for the user in accordance with an outcome of the game,

the server is configured to be operable to access a storage part for storing a value of game media associated with the user, and

when the user performs a cashing-out operation on the gaming machine, the server updates the storage part so as to subtract a donation amount set by the user in accordance with selection made by the user from a value of the game media associated with the user.

By employing the above-described configuration of the present invention, since the control is performed such that when the user performs the cashing-out operation, the donation can be made, the user makes the donation after terminating the games, whereby the games are prevented from being disturbed. In addition, the user can obtain a sense of fulfillment and a sense of satisfaction in that the user contribute to society. Further, a game facility or the like which installs and manages gaming machines and provides amusement which is gambling also can appeal, to the public, an attitude that the game facility is actively promoting social contribution.

The invention according to a seventh aspect of the present invention has the below-described configuration.

The donation control method is to control a donation made by a user using a gaming machine, the donation control method being executed on a server, the gaming machine enabling execution of a game played by the user in accordance with a value of game media, the gaming machine providing a value of game media for the user in accordance with an outcome of the game, the donation control method including the steps of: on the server,

accessing a storage part for storing a value of game media associated with the user; and

updating the storage part, when the user performs a cashing-out operation on the gaming machine, so as to subtract a donation amount set by the user in accordance with selection made by the user from a value of the game media associated with the user.

By employing the above-described configuration of the present invention, since the control is performed such that when the user performs the cashing-out operation, the donation can be made, the user makes the donation after terminating the games, whereby the games are prevented from being disturbed. In addition, the user can obtain a sense of fulfillment and a sense of satisfaction in that the user

contribute to society. Further, a game facility or the like which installs and manages gaming machines and provides amusement which is gambling also can appeal, to the public, an attitude that the game facility is actively promoting social contribution.

By the game system, the server, and the donation control method according to the present invention, since the control is performed such that when the user performs the cashing-out operation, the donation can be made, the user makes the donation after terminating the games, whereby the games are prevented from being disturbed. In addition, the user can obtain a sense of fulfillment and a sense of satisfaction in that the user contribute to society. Further, a game facility or the like which installs and manages gaming machines and provides amusement which is gambling also can appeal, to the public, an attitude that the game facility is actively promoting social contribution.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. **1** is a diagram schematically illustrating a game system according to one embodiment of the present invention;

FIG. **2** is a diagram schematically illustrating a slot machine according to one embodiment of the present invention;

FIG. **3** is a diagram schematically illustrating a kiosk terminal according to one embodiment of the present invention;

FIG. **4** a diagram showing basic functions of a gaming machine according to one embodiment of the present invention;

FIG. **5** is a perspective view illustrating an overall structure of the slot machine according to the one embodiment of the present invention;

FIG. **6** is a perspective view illustrating a state in which an upper door and a lower door of the slot machine according to the one embodiment of the present invention are opened;

FIG. **7** is a perspective view illustrating a PTS front unit of a PTS terminal which is incorporated into the slot machine according to the one embodiment of the present invention;

FIG. **8** is a diagram showing a circuitry configuration of the slot machine according to the one embodiment of the present invention;

FIG. **9** is a diagram showing a circuitry configuration of the PTS terminal according to the one embodiment of the present invention;

FIG. **10** is a diagram showing an example of a symbol combination table which the slot machine according to the one embodiment of the present invention includes;

FIG. **11** is a flowchart showing a procedure of a main control process executed on the slot machine according to the one embodiment of the present invention;

FIG. **12** is a flowchart showing a procedure of a start-check process executed on the slot machine according to the one embodiment of the present invention;

FIG. **13** is a flowchart showing a procedure of a symbol drawing process executed on the slot machine according to the one embodiment of the present invention;

FIG. **14** is a flowchart showing a procedure of a reel control process executed on the slot machine according to the one embodiment of the present invention;

FIG. 15 is a flowchart showing a procedure of a to-be-paid-out number determination process executed on the slot machine according to the one embodiment of the present invention;

FIG. 16 is a flowchart showing a procedure of a jackpot-related process executed on the slot machine according to the one embodiment of the present invention;

FIG. 17 is a flowchart showing a procedure of a bonus game process executed on the slot machine according to the one embodiment of the present invention;

FIG. 18 is a view illustrating an overall structure of the kiosk terminal according to the one embodiment of the present invention;

FIG. 19 is a diagram showing a circuitry configuration of the kiosk terminal according to the one embodiment of the present invention;

FIG. 20 is a view illustrating an overall structure of a signage according to one embodiment of the present invention;

FIG. 21 is a diagram showing a circuitry configuration of the signage according to the one embodiment of the present invention;

FIG. 22 is a diagram showing a hardware configuration of a hall management server according to one embodiment of the present invention;

FIG. 23 is a diagram showing a hardware configuration of a jackpot server according to one embodiment of the present invention;

FIG. 24 is a diagram showing a hardware configuration of a user management server according to one embodiment of the present invention;

FIG. 25 is a diagram showing a hardware configuration of a donation management server according to one embodiment of the present invention;

FIG. 26 is a functional block diagram of the hall management server according to the one embodiment of the present invention;

FIG. 27 is a functional block diagram of the user management server according to the one embodiment of the present invention;

FIG. 28 is a functional block diagram of the donation management server according to the one embodiment of the present invention;

FIG. 29 is a diagram showing examples of tables stored in a database according to the one embodiment of the present invention;

FIG. 30 is a diagram showing examples of tables stored in a database according to the one embodiment of the present invention;

FIG. 31 is a diagram showing an example of a table stored in the database according to the one embodiment of the present invention;

FIG. 32 is a diagram showing examples of tables stored in a database according to the one embodiment of the present invention;

FIG. 33 is a diagram showing examples of tables stored in the database according to the one embodiment of the present invention;

FIG. 34 is a diagram showing an example of a table stored in the database according to the one embodiment of the present invention;

FIG. 35 is a diagram showing an example of a user menu screen in the game system according to the one embodiment of the present invention;

FIG. 36 is a diagram showing an example of a user menu screen in the game system according to the one embodiment of the present invention;

FIG. 37 is a diagram showing an example of a user information registration screen in the game system according to the one embodiment of the present invention;

FIG. 38 is a diagram showing an example of a user information registration screen in the game system according to the one embodiment of the present invention;

FIG. 39 is a diagram showing an example of a user information registration screen in the game system according to the one embodiment of the present invention;

FIG. 40 is a diagram showing an example of a user information registration screen in the game system according to the one embodiment of the present invention;

FIG. 41 is a diagram showing an example in a case where a user information registration screen is displayed on the PTS terminal according to the one embodiment of the present invention;

FIG. 42 is a diagram showing an example in a case where a user information registration screen is displayed on the PTS terminal according to the one embodiment of the present invention;

FIG. 43 is a flowchart showing processing in which user information is registered in the game system according to the one embodiment of the present invention;

FIG. 44 is a diagram showing an example of a screen displayed on the PTS terminal according to the one embodiment of the present invention when a donation has been made;

FIG. 45 is a diagram showing examples of screens displayed on the PTS terminal according to the one embodiment of the present invention when a donation has been made;

FIG. 46 is a diagram showing an example of a screen displayed on the PTS terminal according to the one embodiment of the present invention when a donation is specified and an example of a screen displayed when the donation has been made;

FIG. 47 is a flowchart showing an example of processing in which donation automatic collection is conducted in accordance with predetermined conditions in the game system according to the one embodiment of the present invention;

FIG. 48 is a diagram showing an example of a screen for accepting a donation made through a user operation in the game system according to the one embodiment of the present invention;

FIG. 49 is a diagram showing an example of a screen for accepting the donation made through the user operation in the game system according to the one embodiment of the present invention;

FIG. 50 is a diagram showing a concept of user rank shifting in the game system according to the one embodiment of the present invention;

FIG. 51 is a diagram showing an example of a screen for displaying user points in the game system according to the one embodiment of the present invention;

FIG. 52 is a flowchart showing an example of processing in which user points are provided in accordance with a donation amount in the game system according to the one embodiment of the present invention;

FIG. 53 is a flowchart showing an example of processing in which a user rank is promoted in accordance with a donation amount in the game system according to the one embodiment of the present invention;

FIG. 54 is a diagram showing an example of a screen for displaying donation ranking on the kiosk terminal according to the one embodiment of the present invention;

FIG. 55 is a flowchart showing an example of processing in which the donation ranking is edited and displayed in the game system according to the one embodiment of the present invention;

FIG. 56 is a diagram showing an example of a screen for registering a friend on the kiosk terminal according to the one embodiment of the present invention;

FIG. 57 is a diagram showing an example of a screen for registering the friend on the kiosk terminal according to the one embodiment of the present invention;

FIG. 58 is a flowchart showing an example of processing in which the friend is registered on the kiosk terminal according to the one embodiment of the present invention;

FIG. 59 is a diagram showing an example of a screen on which a donation result is displayed on a PTS terminal of a gaming machine on which the friend is playing games in the game system according to the one embodiment of the present invention;

FIG. 60 is a flowchart showing an example of processing in which the donation result is displayed on the PTS terminal of the gaming machine on which the friend is playing games in the game system according to the one embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

One embodiment of the present invention will be described with reference to the accompanying drawings.

[Description of Outline of Game System]

First, with reference to FIG. 1, an outline of a game system will be described. FIG. 1 is a schematic diagram schematically illustrating an overview of a game system 1 according to one embodiment of the present invention.

The game system 1 includes a hall management server 10, a jackpot server 20, a user management server 30, a donation management server 40, and a plurality of gaming machines. Each of the gaming machines is, for example, a slot machine. It is to be noted that in the present specification, there is a case where a user who plays games on a slot machine is referred to as a player. The term "user" used in general refers to a user of the above-described game system 1 (that is, a user who utilizes a gaming machine), and a player who executes games on a slot machine (who plays games) is also included.

The hall management server 10 totalizes and manages a flow of money within a game facility, prepares a balance sheet and the like, and manages communications between the other servers and respective slot machines 1010. In addition, the hall management server 10 obtains, from the respective gaming machines, game information which includes timing at which each of the gaming machines starts a unit game; timing at which each of the gaming machines terminates the unit game; a drawing result in the unit game; a Bet money amount; a payout money amount; and the like, and accumulates the game information, thereby managing a game history. The hall management server 10 manages a card balance for each user associated with the later-described user card (for example, an IC card).

The jackpot server 20 manages accumulation and payout of jackpot amounts for a jackpot. For the jackpot, a part of coins which a player consumes on each of the gaming machines is accumulated as a jackpot amount, and in a case where a jackpot trigger has been established on any of the gaming machines, coins corresponding to the accumulated jackpot amounts are paid out to that gaming machine. In this case, each of the gaming machines calculates an accumu-

lated amount (an accumulation amount) as the jackpot amount each time a game is played and transmits the calculated accumulated amount to the jackpot server 20 which is an external control device. The jackpot server 20 accumulates the accumulation amounts transmitted from the slot machines to the jackpot amount.

The user management server 30 stores user information and the like inputted by a user so as to be associated with a user card and manages the user information. A user card is, for example, issued by a card issuing terminal in a game facility or provided upon checking in at a hotel in connection with the game facility. A user inputs user information on a gaming machine, a kiosk terminal, or the like which reads a user card, thereby associating said user information with the user card. In addition, an address, a phone number, and the like of the user are inputted when the user makes member registration, these pieces of information (member registration information) are also associated with the above-mentioned user card.

The user information and the member registration information are stored in a database of the user management server 30 together with an identification ID of the user card (for example, a UID which uniquely identifies an IC card, etc.). In addition, upon issuing a user card by the card issuing terminal or inputting the user information, a face of said user can also be shot by a camera, and the shot image is stored in the database of the user management server 30 so as to be associated with an identification ID of a user card.

The donation management server 40 executes and manages donations made by a user. A user can perform a donation operation from the gaming machine, the kiosk terminal, or the like. In response to said operation performed by a user, the donation management server 40 performs control such that a part or all of a money amount (card balance) or a payout money amount, which is stored in a user card, is donated to a selected donation destination. In addition, setting can be made such that upon inputting the user information, a user can automatically donate a predetermined money amount from a card balance, a payout money amount, or the like to a donation destination on predetermined conditions. Based on said setting, the donation management server 40 controls the automatic donation to be made.

As shown in FIG. 1, the gaming machines are installed in a plurality of areas (for example, as shown in FIG. 1, A-1 to A-3). Here, the areas correspond to, for example, one floor of a game facility or areas within the floor. In this example, although the areas from A-1 to A-3 are shown, this is merely one example.

Further, the gaming machines are installed in each zone (for example, as shown in FIG. 1, in Z-1 to Z-4) within each of the areas. Here, each of the zones corresponds to specific space within each of the areas or a "bank" in which gaming machines are installed in a grouped manner. In this example, although the four zones (Z-1 to Z-4) are provided in each of the areas, respectively, this is also merely one example. In addition, in this example, although seven gaming machines are installed in each one of the zones, respectively, this is also merely one example, and various numbers of the gaming machines can be installed.

As shown in FIG. 1, in the zone Z-1 of the area A-1, seven gaming machines of T-11a to T-11g are installed and further, a kiosk terminal or a signage which is shown as U-11 is installed. Similarly, in the zone Z-2 of the area A-1, seven gaming machines of T-12a to T-12g are installed (thereinafter, not shown) and further, a kiosk terminal or a signage (thereinafter, not shown) of U-12 is installed. In the zone Z-3

of the area A-1, seven gaming machines of T-13a to T-13g and U-13 are installed. In the zone Z-4 of the area A-1, seven gaming machines of T-14a to T-14g and U-14 are installed. It is to be noted that although in this example, either one of the kiosk terminal and the signage is installed in each of the zones, this is also merely one example and various numbers of kiosk terminals or signages to be installed can be set (a case where even one of the kiosk terminal or the signage is not installed is included).

Further, as shown in FIG. 1, in the zone Z-1 of the area A-2, seven gaming machines of T-21a to T-21g and U-21 are installed; similarly, in the zone Z-2 of the area A-2, seven gaming machines of T-22a to T-22g and U-22 are installed (hereinafter, not shown); in the zone Z-3 of the area A-2, seven gaming machines of T-23a to T-23g and U-23 are installed; and in the zone Z-4 of the area A-2, seven gaming machines of T-24a to T-24g and U-24 are installed. In addition, in the zone Z-1 of the area A-3, seven gaming machines of T-31a to T-31g and U-31 are installed; similarly, in the zone Z-2 of the area A-3, seven gaming machines of T-32a to T-32g and U-32 are installed (hereinafter, not shown); in the zone Z-3 of the area A-3, seven gaming machines of T-33a to T-33g and U-33 are installed; and in the zone Z-4 of the area A-3, seven gaming machines of T-34a to T-34g and U-34 are installed.

It is to be noted that as shown in FIG. 1, the respective gaming machines and the kiosk terminal or the signage are connected to the hall management server 10 and the like via a LAN connection or the like, for example, by Ethernet (a registered trademark).

In addition, each of the gaming machines is provided with a unique identifier, and the hall management server 10 or the like identifies transmission sources of data transmitted from the respective gaming machines by using the identifiers. In addition, also in a case where the hall management server 10 or the like transmits data to the gaming machines, based on the identifiers, transmission destinations are specified. Although as the identifiers, for example, network addresses such as IP addresses can be used, identifiers other than the network addresses may also be provided, thereby allowing the individual gaming machines to be managed.

It is to be noted that the game system 1 may be constructed within one game facility where various games can be conducted or may be constructed over a plurality of game facilities. In addition, when the game system 1 is constructed in a single game facility, the game system 1 may be constructed in each floor or section of the game facility. A communication line for connecting the servers and the gaming machines may be a wired or wireless line, and the Internet (for example, used as a secret line using a VPN), a dedicated line, an exchange line, or the like can be adopted.

[Description of Outline of Gaming Machine]

Next, with reference to FIG. 2, an outline of a gaming machine according to the embodiment of the present invention will be described. In FIG. 2, a configuration of a slot machine 1010 which is a gaming machine including a player tracking device is conceptually shown. It is to be noted that the player tracking device is a terminal for realizing a player tracking system, and in the present specification, hereinafter, this device is referred to as a PTS terminal. In addition, the PTS terminal in the present embodiment is configured to include a PTS front unit and a PTS main body. The PTS front unit is located on a front face of the gaming machine in an integrated manner and includes an operation part operated by a player. In addition, the PTS main body includes a control part connected to the PTS front unit by a cable or the like and is located so as to be remote from the PTS front unit.

It is to be noted that although in the below description, a case where the slot machine is used as the gaming machine will be described, the present invention is not limited to the case of the slot machine and is applicable to gaming machines which conducts a variety of games.

As shown in FIG. 2, the slot machine 1010 has the PTS terminal 1700 mounted therein and further includes an upper image display panel 1131, a lower image display panel 1141, and a settlement apparatus 1868. The slot machine 1010 is connected via the PTS terminal 1700 to a hall management server 10, a jackpot server 20, a user management server 30, and a donation management server 40 via a network. In the present embodiment, one slot machine 1010 is provided with one PTS terminal 1700.

In the present embodiment, the PTS terminal 1700 is connected to a bill validator 1022 via a communication line (or the slot machine 1010).

In addition, based on a predetermined protocol, the PTS terminal 1700 conducts transmission and reception of data to and from a controller (the later-described controller 1100 of the slot machine 1010) and conducts data communication with the above-mentioned hall management server 10 and the like connected via the network. For example, from the PTS terminal 1700 to the controller 1100, information pertinent to a credit required to start a game, a stop command to instruct to stop a unit game upon predetermined presentation, and the like are transmitted. From the controller 1100 to the PTS terminal 1700, information pertinent to a credit as a game outcome (a payout or a prize), start notification of the unit game, and termination notification thereof are transmitted.

In addition, from the PTS terminal 1700 to the hall management server 10, accounting information including start notification and termination notification of a unit game, a drawing result, a Bet money amount, a payout money amount, and the like is transmitted. It is to be noted that although in the present embodiment, the accounting information of the slot machine 1010 is transmitted via the PTS terminal 1700 to the hall management server 10, said accounting information can also be transmitted, with no PTS terminal 1700 included, via a communication interface or via a device other than the PTS terminal 1700 from the controller 1100 to the hall management server 10.

Further, from the PTS terminal 1700 to the jackpot server 20, a calculated accumulation amount and jackpot winning notification indicating that winning of a jackpot has occurred are transmitted. From the jackpot server 20 to the PTS terminal 1700, in response to the reception of the jackpot winning notification, a jackpot amount is transmitted.

In addition, between the PTS terminal 1700 and the user management server 30, user information is transmitted and received. From the PTS terminal 1700 to the user management server 30, the user information including attribute information of a user and donation setting information, which are inputted by a user, is transmitted. On the other hand, from the user management server 30 to the PTS terminal 1700, in response to a user operation, in order to display the user information on the PTS terminal 1700, data stored in a user information table or the like is transmitted.

In addition, from the donation management server 40 to the PTS terminal 1700, donation completion information indicating that donation has been made and donation ranking information indicating ranking of donations are transmitted.

It is to be noted that in the present embodiment, data transmission and reception between the PTS terminal 1700 and the jackpot server 20, the user management server 30,

and the donation management server **40** is controlled by the hall management server **10** via the hall management server **10**.

Here, an outline of a game flow is as described below. First, by operating a card issuing terminal, a user obtains a user card (IC card). In addition, the user card can be provided by employing a variety of methods such as a method in which the user card is provided by a hotel in connection with a game facility. At this time, user information including a nickname and donation setting information may be inputted by a user. However, said user information can also be inputted from the PTS terminal or a kiosk terminal afterward. In addition, here, member registration in which a name and an address of a user are registered can be made. However, this member registration can also be made on the PTS terminal or the kiosk terminal afterward.

Thereafter, when a game is played on the gaming machine, a user inserts the user card into the PTS terminal **1700** of the slot machine **1010** and inputs cash there. It is to be noted that when a card balance is set on the user card (through a campaign, promotion, or the like) from the beginning, inputting of cash is not indispensable. When bills have been inputted to the bill validator **1022**, the bill validator **1022** identifies a currency kind and a money amount and transmits currency kind data and money amount data as an identification result to the PTS terminal **1700**. The PTS terminal **1700** calculates a credit for a game from the currency kind data and the money amount data and transmits the calculated credit to the controller **1100**.

For example, in a case where a rate (line bet) of the slot machine **1010** is one PHP (Philippine Peso), when two 1000 PHP bills (a total of 2000 PHP) which are banknotes of the Philippines are inputted into the bill validator **1022**, the calculation is performed based on the above-mentioned rate, a 2000 credit is obtained, and this data is transmitted to the controller **1100** and is displayed as the credit.

Based on the credit transmitted from the PTS terminal **1700**, the controller **1100** executes a game. In accordance with the progress of the game, a credit balance is managed. For example, in a case where a number of lines of the slot machine **1010** is 30, a 30-credit is subtracted from the credit balance to play a unit game. When a payout has occurred in said game, that payout is added to the credit balance.

Here, in a case where the 30-credit is required to execute the unit game as mentioned above, the above-mentioned user who holds the 2000-credit obtained by inputting the 2000 PHP so as to be associated with the user card can execute the game at 66 times, which is obtained through the calculation using an equation: the 30 credit \times 66 times=1980 (assuming that a payout is zero), and a 20-credit remains as a fraction. In a case where the user terminates the game here, the 20-credit is printed out and converted to cash or the like or the user card having the 20-credit recorded thereon is taken out as a memorial as it is. However, many users leave with their user cards being unremoved from the card units. In such a case, a mechanism as in the game system **1** according to the present embodiment, with which a fraction is donated, can reduce a number of users who leave with their user cards being unremoved from the card units.

In addition, the above-mentioned credit in accordance with a game outcome is managed on the controller **1100**, and when an instruction of cashing-out or the like is issued from a user, credit information is transmitted from the controller **1100** to the PTS terminal **1700**, and on the PTS terminal **1700**, calculation of a payout is performed based on the game outcome and a money amount paid out to a user is determined. The PTS terminal **1700** adds this determined

money amount to a card balance of the user card, writes the card balance obtained as a result of the addition onto the user card, and ejects said user card. In addition, in accordance with the execution of the game or the like, the user card is provided with predetermined points.

In addition, the PTS terminal **1700** receives a credit in accordance with a Bet number and a game outcome for each game from the controller **1100** (in real time or at predetermined timing) and (after the conversion thereof to predetermined currency as needed) transmits the obtained accounting information to the hall management server **10**. At this time, together with the accounting information, an identification ID of that user and a machine ID for identifying the slot machine **1010** are transmitted to the hall management server **10**. The accounting information transmitted as mentioned above is grasped and accumulated as a game history of the corresponding user on the hall management server **10**.

In addition, at timing of cashing-out or at predetermined timing, the PTS terminal **1700** can transmit a card balance of the user card as accounting information to the hall management server **10**. At this time, together with the accounting information, an identification ID of that user and a machine ID for identifying the slot machine **1010** are transmitted to the hall management server **10**. The accounting information transmitted as mentioned above is managed as the card balance of the corresponding user on the hall management server **10**. Through this processing, a card balance which a user holds is invariably managed. It is to be noted that without receiving the above-mentioned card balance from the PTS terminal **1700**, the hall management server **10** may grasp the card balance of each user by accumulating the above-mentioned accounting information (that is, information based on a credit in accordance with a Bet number and a game outcome).

When a user plays a game next, the PTS terminal **1700** reads an inserted user card and reads a card balance stored in the user card. The read card balance is converted to a credit, which is transmitted to the controller **1100**. As in the above description, accounting information is transmitted from the PTS terminal **1700** to the hall management server **10**.

The user can make settlement at a cashier counter or the like based on the money amount (card balance) stored on the user card as needed. In addition, as in the above-described slot machine **1010**, in a case where the settlement apparatus **1868** is included therein, on said slot machine **1010**, the settlement can be made by using the user card.

On the other hand, a user can start a game without using a user card, and in such a case, a game flow is as described below. The user inputs cash into the PTS terminal **1700** of the slot machine **1010**. When the bills have been inputted, the bill validator **1022** identifies a currency kind and a money amount and transmits currency kind data and money amount data as an identification result to the PTS terminal **1700**. The PTS terminal **1700** calculates a credit for a game from the currency kind data and the money amount data and transmits the calculated credit to the controller **1100**.

Based on the credit transmitted from the PTS terminal **1700**, the controller **1100** executes the game. A credit in accordance with a game outcome is transmitted from the controller **1100** to the PTS terminal **1700**, calculation for paying-out based on the game outcome is performed on the PTS terminal **1700**, and a money amount to be paid out to a player is determined. On the PTS terminal **1700**, this determined money amount is written onto a new IC card

stocked in the slot machine **1010**, and the IC card is ejected. As described above, here, the user gets the IC card for the first time.

In addition, it is also possible for the user to obtain a user card (an IC card or an IC ticket) for which a money amount is charged by inputting of cash or the like. In this case, a game can be played by using this user card.

In addition, with respect to the user playing the game by using the above-mentioned user card, as in the above description, accounting information is transmitted from the PTS terminal **1700** to the hall management server **10**, and a game history and a card balance are managed.

[Description of Outline of Kiosk Terminal]

Next, with reference to FIG. **3**, an outline of a kiosk terminal according to an embodiment of the present invention will be described. In FIG. **3**, a configuration of the kiosk terminal **2000** is conceptually shown. It is to be noted that the kiosk terminal **2000** is, for example, an information terminal which is installed in a variety of stores and is used, for example, to display information or the like useful for customers and can be connected to a computer or the like for administering and managing a store via a network.

As shown in FIG. **3**, the kiosk terminal **2000** includes an LCD **2051** constituting an upper panel and an LCD **2001** constituting a lower panel and further, includes a controller **2020**. The controller **2020** of the kiosk terminal **2000** is connected to a user management server **30** and a donation management server **40** via a network (and a hall management server **10** for controlling communication).

In addition, the kiosk terminal **2000** transmits and receives user information to and from the user management server **30**. From the kiosk terminal **2000** to the user management server **30**, user information inputted by a user is transmitted. On the other hand, from the user management server **30** to the kiosk terminal **2000**, data stored in a user information table or the like is transmitted in order to display user information on the kiosk terminal **2000** in accordance with a user operation.

Further, from the donation management server **40** to the kiosk terminal **2000**, data edited based on data stored in a donation track record management table or the like is transmitted in order to display donation ranking information on the kiosk terminal **2000** in accordance with a user operation or the like.

It is to be noted that it is shown in FIG. **3** that on the kiosk terminal **2000**, the user information and the donation ranking information are handled, and similarly thereto, also on a signage **3000**, displaying or the like of the user information and the donation ranking information is conducted.

In FIG. **1**, the kiosk terminal **2000** or the signage **3000** is shown as U-**11**, U-**21**, and U-**31**. The kiosk terminal **2000** or the signage **300** is located in, for example, an end part of each zone (an end part of a "bank" in which gaming machines are installed in a grouped manner) and is operated by a user who has left a gaming machine.

[Description of Function Flow Diagram]

With reference to FIG. **4**, basic functions of a gaming machine (slot machine **1010**) according to one embodiment of the present invention will be described. As shown in FIG. **4**, the slot machine **1010** is connected to an external control device (for example, a jackpot server **20**) so as to allow data communication, and the external control device is connected to a plurality of other slot machines **1010** installed in a game facility so as to allow data communication.

<Start-Check>

First, the slot machine **1010** checks whether or not a BET button has been pressed by a player, and subsequently checks whether or not a spin button has been pressed by a player.

<Symbol Determination>

Next, when the spin button has been pressed by a player, the slot machine **1010** extracts random number values for symbol determination and determines symbols to be displayed to a player with respect to a plurality of reels at the time of stopping rotation of the reels.

<Reel Control>

Next, the slot machine **1010** starts the rotation of each of the reels and then stops the rotation such that the determined symbols are displayed to a player.

<Winning Determination>

Next, when the rotation of each of the reels has been stopped, the slot machine **1010** determines whether or not a combination of symbols displayed to a player is a combination related to winning.

<Paying-Out>

Next, when the symbols displayed to a player is the combination related to winning, the slot machine **1010** provides benefits according to the combination for a player. For example, when a combination of symbols related to paying-out of coins has been displayed, the slot machine **1010** adds a number of coins corresponding to the combination of symbols to a number of credits.

In addition, when a combination of symbols related to a jackpot trigger has been displayed, the slot machine **1010** starts a bonus game. It is to be noted that, in the present embodiment, a game (free game) in which a drawing related to the above-mentioned determination of to-be stopped symbols is conducted is conducted as a bonus game at a predetermined number of times without using coins.

In addition, when a combination of symbols related to a jackpot trigger has been displayed, the slot machine **1010** pays out coins of a jackpot amount to a player. The jackpot refers to a function which accumulates parts of coins used by players at the respective gaming machines as the amount of jackpot and which, when the jackpot trigger has been established in any of the slot machine **1010**, pays out coins of the accumulated amount of the jackpot to that slot machine **1010**. The slot machine **1010** calculates the amount (accumulation amount) to be accumulated to the amount of jackpot for each game (unit game) and transmits the calculated amount to the external control device. The external control device accumulates to the jackpot amount the accumulation amounts transmitted from the respective gaming machines.

Here, the unit game refers to a series of operations conducted from when the acceptance of betting is started through a player's pressing-down of the BET button to when winning is likely to be established.

<Determination of Presentation>

The slot machine **1010** conducts presentation through displaying of images by a display, outputting of light by a lamp, and outputting of sound by a speaker. The slot machine **1010** extracts random number values for the presentation and determines presentation contents based on symbols or the like determined by a drawing.

[Structure of Slot Machine]

Next, with reference to FIG. **5**, an overall structure of a slot machine **1010** will be described.

On the slot machine **1010**, as game media, bills or electronic valuable information corresponding to these are used. In particular, in the present embodiment, credit-related data such as cash data stored in an IC card **1500** correspond-

ing to the above-described user card is used. It is to be noted that although the slot machine 1010 has a structure in which coins are not used as the game media, this is merely one example, and the slot machine 1010 may be configured as a slot machine on which a variety of game media including the coins can be used.

The slot machine 1010 is provided with a housing which includes a cabinet 1011 and a top box 1012 attached on an upper side of the cabinet 1011. Main parts of the cabinet 1011 and the top box 1012 are formed of metallic plate members. In addition, on a front face of the cabinet 1011, an upper door 1142 and a lower door 1144 are provided.

On a lower side of a front face of the upper door 1142, a lower image display panel 1141 is provided. The lower image display panel 1141 is constituted of a liquid crystal panel and configures a display.

In addition, on the front face of the upper door 1142 and above the above-mentioned lower image display panel 1141, a symbol display window 1135 is provided. Through the symbol display window 1135, a reel apparatus M1 which is provided inside of the cabinet 1011 and is constituted of five reels M1a to M1e is visually recognizable. On a peripheral surface of each of the reels, 12 symbols are depicted. The 12 symbols are arranged in succession along a direction in which each of the reels of the reel apparatus M1 is rotated and form a symbol array. Each of the reels M1a to M1e is rotated, the symbols depicted on each of the reels are thereby rotated in a longitudinal direction, and thereafter, the rotation is stopped, thereby allowing the symbols to be rearranged.

Here, "rearrangement" means a state in which after the arrangement of the symbols has been released, the symbols are arranged again. "Arrangement" means a state in which the symbols can be visually confirmed by an external player. The slot machine 1010 executes the so-called slot game in which based on the state of the arrangement of the symbols on the reels M1a to M1e which have been rotated and thereafter stopped, a payout in accordance with a predetermined combination is awarded.

It is to be noted that although in the present embodiment, the slot machine 1010 is a slot machine which includes a mechanical reel type reel apparatus M1, the slot machine 1010 may be a slot machine which includes a video reel type reel apparatus displaying pseudo reels, and the slot machine 1010 may be a slot machine in which the video reel type reel apparatus and the mechanical reel type reel apparatus are combined.

On a front face of the top box 1012, an upper image display panel 1131 is provided. The upper image display panel 1131 is constituted of a liquid crystal panel and configures a display. The upper image display panel 1131 displays images related to presentation and images showing introduction of contents of games and rules thereof.

On the above-mentioned lower image display panel 1141, arranged are a number-of-credits display part which indicates a state of credits (for example, a total number of credits which a player currently has) as necessary and a fraction display part which indicates a fraction, and a variety of pieces of information pertinent to a game such as contents of betting are displayed. Here, "credits" are virtual game media on a game, to be used when a player makes betting. In addition, the "fraction" is a money amount which is not converted to a credit because an inputted money amount is insufficient and in other words, is a money amount which is less than a minimum unit of game media required to play one game on the slot machine 1010.

When the IC card 1500 has been inserted into the later-described PTS terminal 1700, a number of credits in accordance with balance data stored in the IC card is displayed on the number-of-credits display part, and a fraction obtained in accordance with the balance data stored in the IC card is displayed on the fraction display part. It is to be noted that the above-mentioned balance data is stored in the later-described card management table so as to be associated with an identification ID of the user card. In addition, data of the number of credits and the fraction may be stored on the IC card and be managed by the card management table.

Here, the IC card (user card) is, for example, a non-contact IC card and has incorporated thereon an IC (Integrated Circuit) for recording and computing a variety of pieces of data to calculate a number of credits and the like and enables short-range wireless communication using, for example, an RFID (Radio Frequency Identification) technology such as NFC (Near Field Communication). By using the IC card 1500, a player can have the credit-related data and further, freely carries this with him or her among different slot machines. A player inserts the IC card 1500 into the PTS terminal 1700 of the slot machine 1010 and thereby uses the credit-related data (money amount data) stored on the IC card 1500, thereby allowing a player to play a game such as a unit game on the slot machine 1010.

It is to be noted that it may be made possible for a player to deposit cash such as coins and bills as cash data on the IC card 1500 by using an apparatus installed in a game facility.

On right and left sides of an uppermost portion of a front face of the lower door 1144, speakers 1112 are respectively provided. On the slot machine 1010, presentation of a unit game is executed through displaying of images by the upper image display panel 1131, outputting of sound by the speakers 1112, outputting of light by a lamp (not shown), and the like.

In addition, on the front face of the lower door 1144 and below said speaker 1112, a PTS front unit 1700a which is a front part of the PTS terminal 1700 is incorporated. On a right side of the PTS front unit 1700a, a printed matter discharge outlet 1136 and a bill insertion slot 1137 are located.

Further, on the front face of the lower door 1144, below the PTS front unit 1700a, a control panel 1030 is located. The control panel 1030 includes a base plate which is of a flat plate shape. On said base plate, a plurality of operation buttons (i.e. a spin button 1031, a MAX BET button 1032, a 5-BET button 1033, a 3-BET button 1034, a 2-BET button 1035, a 1-BET button 1036, a HELP button 1037, and a CASHOUT button 1038) are located.

In order to allow a player to easily perform a pressing operation of the spin button 1031 and easily identify the spin button 1031, the spin button 1031 is formed so as to be of a circular shape whose size is larger than those of the other buttons. The spin button 1031 is located in a right end portion of the base plate and has a function to start a game through a pressing operation.

The MAX BET button 1032 to 1-BET button 1036 are located on a left side of the spin button 1031 in an aligned manner at equal intervals. Each of these operation buttons is formed so as to be of a quadrangular shape. The MAX BET button 1032 located in a right end portion has a function to allow a game to be played with a maximum number of bets (Bet number) such as a decuple through a pressing operation. The 5-BET button 1033 has a function to allow a game to be played with a quintupled number of Bets through a pressing operation. The 3-BET button 1034 has a function to allow a game to be played with a tripled number of Bets

through a pressing operation. The 2-BET button **1035** has a function to allow a game to be played with a doubled number of Bets through a pressing operation. The 1-BET button **1036** has a function to allow a game to be played with one BET through a pressing operation.

The HELP button **1037** and the CASHOUT button **1038** are located in a longitudinal direction in a left end portion of the base plate. The HELP button **1037** has a function to display HELP information indicating a game method and the like on the lower image display panel **1141** or the like through a pressing operation. In addition, the CASHOUT button **1038** has a function to store a money amount obtained based on a credit or the like on the IC card **1500** and to output the money amount or the like in the form of a printed matter through a pressing operation.

Further, in the slot machine **1010**, in side portions of the cabinet **1011**, air ventilation slots **1133** and an air intake slot **1134** are located and in a side portion of the top box **1012**, air ventilation slots **1132** are located. In addition, in an inside portion of the cabinet **1011**, which corresponds to a position of the air ventilation slots **1133**, a fan (not shown) is arranged, and similarly, in an inside portion of the top box **1012**, which corresponds to a position of the air ventilation slots **1132**, a fan (not shown) is arranged. These fans allow air inside of the slot machine **1010** to be discharged to an outside and take in external air from the air intake slot **1134**, and through such air circulation, a temperature inside of the slot machine **1010** is adjusted.

In addition, in the side portion of the cabinet **1011** of the slot machine **1010**, provided are a key cylinder **1138** into which a key used to open the upper door **1142** and the lower door **1144** is inserted and a door lock bar **1139** with which the upper door **1142** and the lower door **1144** are locked.

Next, with reference to FIG. **6**, the slot machine **1010** in a state in which the upper door **1142** and the lower door **1144** are opened and an internal structure of the cabinet **1011** will be described.

FIG. **6** is a perspective view illustrating the slot machine **1010** in the state in which the upper door **1142** and the lower door **1144** are opened. As shown in FIG. **6**, on the front face of the top box **1012** of the slot machine **1010**, as described above, the upper image display panel **1131** is located, and in the side portion of the top box **1012**, the air ventilation slots **1132** are located. The cabinet **1011** of the slot machine **1010** is formed so as to be of a box-like shape with the front face being opened, and in an upper portion of the front face, the upper door **1142** is located, and in a lower portion of the front face, the lower door **1144** is located.

In addition, in an upper portion of the side portion of the cabinet **1011**, the air ventilation slots **1133** are located, and in a middle portion of the side portion of the cabinet **1011**, the air intake slot **1134** is located. Further, in the vicinity of the air intake slot **1134**, the above-mentioned key cylinder **1138** and door lock bar **1139** are located.

As shown in FIG. **6**, in a left end portion of the cabinet **1011**, the cabinet **1011** pivotally supports the upper door **1142** and the lower door **1144** in a rotatable manner. On an upper end portion and a lower end portion of the upper door **1142**, the upper door **1142** and the cabinet **1011** are pivotally supported in a rotatable manner and are coupled by an upper door opening mechanism **1143**. The upper door opening mechanism **1143** is located on a lower side of the upper door **1142** and has a rod member **1143a** whose one end portion is pivotally supported in a rotatable manner onto a rear face wall of the upper door **1142** and a slide member **1143b** which is laterally provided on a front face side of the cabinet **1011**. The slide member **1143b** engages the other end portion of

the rod member **1143a** in a horizontally movable manner, temporarily stops the upper door **1142** at a predetermined opening angle, and when a predetermined force or more is applied externally in a direction in which the upper door **1142** is closed, moves the upper door **1142** in a rotatable manner in a closing direction.

In addition, on an upper end portion and a lower end portion of the lower door **1144**, the lower door **1144** and the cabinet **1011** are pivotally supported in a rotatable manner and are coupled by a lower door opening mechanism **1145**. The lower door opening mechanism **1145** is located on a lower side of the lower door **1144** and has a rod member **1145a** whose one end portion is pivotally supported in a rotatable manner onto a rear face wall of the lower door **1144** and a slide member **1145b** which is laterally provided on a front face side of the cabinet **1011**. The slide member **1145b** engages the other end portion of the rod member **1145a** in a horizontally movable manner, temporarily stops the lower door **1144** at a predetermined opening angle, and when a predetermined force or more is applied externally in a direction in which the lower door **1144** is closed, moves the lower door **1144** in a rotatable manner in a closing direction.

In the upper door **1142**, as described above, the symbol display window **1135** is arranged, the symbol display window **1135** is covered with a reel cover **1135a**. The reel cover **1135a** includes: for example, a base panel such as a transparent liquid crystal panel and a transparent panel; and a touch panel provided on a front face of the base panel. The symbol display window **1135** covered with the reel cover **1135a** allows 15 symbols in areas of 5 columns×3 rows among symbols depicted on peripheral surfaces of the respective reels of the reel apparatus **M1** to be made viewable externally.

In addition, in FIG. **6**, the PTS front unit **1700a** located in the middle portion of the lower door **1144** is shown. With the lower door **1144** being closed, the PTS front unit **1700a** comes to be housed inside of the cabinet **1011**. A configuration of the PTS terminal **1700** including the PTS front unit **1700a** will be described below in detail.

In a right lower portion of the cabinet **1011**, a bill stoker **1147** is housed. The bill insertion slot **1137** shown in FIG. **5** communicates with an insertion slot (an insertion slot of the bill validator **1022**) of the bill stoker **1147**. The bill stoker **1147** has a function, for example, to pull in bills inputted into the bill insertion slot **1137**; thereafter, to determine authenticity of the bills; if any of the bills are bogus, to discharge the bogus bills from the bill insertion slot **1137**; and if the bills are authentic, to classify the bills according to kinds of the bills and to house the bills. In addition, in a middle portion of the cabinet **1011**, a shelf plate member **1149** which partitions inner space of the cabinet **1011** is located. The shelf plate member **1149** is formed of a metallic thin plate.

As shown in FIG. **6**, a PTS main body **1700b** is located, for example, inside of the cabinet **1011** and above the shelf plate member **1149**. The PTS main body **1700b** has a magnet with which the PTS main body **1700b** is attached in contact with an inner side face of the cabinet **1011**. At this time, a portion of the inner side face of the cabinet **1011**, which comes in contact with or close to said magnet, is formed of at least a metallic member. It is to be noted that although the PTS front unit **1700a** and the PTS main body **1700b** are connected by a predetermined network (for example, a predetermined cable), the illustration thereof is omitted here.

It is to be noted that although hereinabove, the slot machine **1010** is described as the apparatus having the

configuration as shown in FIG. 5 and FIG. 6, a variety of other configurations may be adopted.

[Configuration of PTS Terminal]

Next, with reference to FIG. 7, a configuration of a PTS front unit **1700a** will be described. A PTS terminal **1700** includes the PTS front unit **1700a** incorporated into a lower door **1144** of a slot machine **1010** and a PTS main body **1700b** housed inside of a cabinet **1011** of the slot machine **1010**. The PTS front unit **1700a** and the PTS main body **1700b** are connected by a predetermined network (for example, a predetermined cable). It is to be noted that the PTS terminal **1700** uses a data interface which is commonalized for gaming machines to communicate data and can be thereby incorporated into each of a variety of types of gaming machines manufactured by a variety of makers.

FIG. 7 is a diagram illustrating only the PTS front unit **1700a** shown in FIG. 5 and FIG. 6 in an enlarged manner. As shown in FIG. 7, the PTS front unit **1700a** has a panel **1710**, respective parts located on a front face of the panel **1710** are viewable by a player, and members located on a rear face of the panel **1710** are housed inside of the cabinet **1011** of the slot machine **1010** and are not viewable by a player.

On a right side of the front face of the panel **1710**, an LCD **1719** having a touch panel function is provided. The LCD **1719** displays, for example, information related to users and information for the users, and a size of a screen thereof is 6.2 inches (approximately 15.7 cm). In addition, around the LCD **1719**, an LCD cover **1719a** is provided. It is to be noted that although in this example, the LCD **1719** is configured to have the touch panel function, instructions issued by a player may be inputted with other input devices such as a keyboard, a mouse, and buttons.

In addition, above the LCD **1719** and the LCD cover **1719a**, a light emitting plate **1720a** which is connected to LEDs and emits light is provided. The light emitting plate **1720a** is formed of, for example, polycarbonate and is connected to a plurality of (for example, seven) full-color LEDs **1721a** located on a rear side of the panel **1710** and emits light in accordance with light emitting of the full-color LEDs **1721a**.

Below the LCD **1719** and the LCD cover **1719a**, similarly, a light emitting plate **1720b** which is connected to LEDs and emits light is provided. The light emitting plate **1720b** is formed of, for example, polycarbonate and is connected to a plurality of (for example, seven) full-color LEDs **1721b** (not shown) located on the rear side of the panel **1710** and emits light in accordance with light emitting of the full-color LEDs **1721b**.

In addition, on a right side of the LCD **1719**, an image pickup window **1712** is provided, and a human body detection camera **1713** (not shown) located inside of the LCD cover **1719a** or on the rear side of the panel **1710** shoots an image of a player via this image pickup window **1712**. The image pickup window **1712** may be also formed of, for example, a half mirror material which has undergone shield processing such as smoke processing.

In addition, at a position of the LCD cover **1719a**, which is below the LCD **1719** and is on a right side, a home button **1722** is provided. The home button **1722** is a button to shift a screen displayed on the LCD **1719** to a predetermined upper level screen.

Further, at a position of the LCD cover **1719a**, which is on the right side of the LCD **1719**, a speaker duct **1706** is provided, and in a portion on the rear side of the panel **1710**, which corresponds to a position of the speaker duct **1706**, a bass reflex type speaker **1707** is provided. Similarly, on a left

side of the LCD **1719**, a speaker duct **1708** is provided, and in a portion on the rear side of the panel **1710**, which corresponds to a position of the speaker duct **1708**, a bass reflex type speaker **1709** (not shown) is provided. These speakers are speakers dedicated to the PTS terminal **1700** and are provided separately from the speakers **1112** for a slot machine game provided on the slot machine **1010**. These speakers are capable of realizing presentation and a phone call by voice and of outputting notification sound for notifying a player that an IC card **1500** is left unremoved. It is to be noted that since the configuration thereof is made such that sound from the speakers passes through the above-described speaker ducts **1706** and **1708** and is heard in front thereof (on a player side) in a stereophonic manner, the speakers can be installed on the rear side of the panel **1710** and as a result, space-saving of the PTS front unit **1700a** (panel face) can be realized.

In addition, at positions of the LCD cover **1719a**, which are below the LCD **1719** and are on a left side, a microphone opening part **1714** and a microphone opening part **1716** are provided. In portions corresponding to the microphone opening part **1714** and the microphone opening part **1716** inside of the LCD cover **1719a**, microphones **1715** and **1717** (not shown) are provided, respectively.

In a left lower portion of the front face of the panel **1710**, a card insertion slot **1730** which allows the IC card **1500** to be inserted thereto and removed therefrom is provided. In a card insertion part of the card insertion slot **1730**, full-color LEDs **1731** (not shown) are provided, which are lit up in a plurality of colors, thereby allowing the remaining number of IC cards **1500** stacked in the later-described card stacker **1742** to be notified. At the card insertion slot **1730**, an eject button **1732** is provided, and a red full-color LED **1733** (not shown) is provided in the vicinity of the eject button **1732**, and when lit up, the LED **1733** allows a position and a way of an ejection operation of the eject button **1732** to be found.

In addition, in positions on a rear side of the panel **1710**, which correspond to the card insertion slot **1730**, a card unit **1741** and the card stacker **1742** are provided, and the card insertion slot **1730** is configured as one part of the card unit **1741**. In the card stacker **1742**, approximately 30 IC cards **1500** can be retained, and when a player who has newly played a unit game makes settlement of credits, an IC card **1500** retained in the card stacker **1742** is taken out and ejected to the card insertion slot **1730**.

For the IC card **1500** taken in from the card insertion slot **1730** and retained in the card unit **1741**, upon the settlement of credits, credit information (for example, a card balance calculated based on a number of credits, etc.) is updated by NFC or the like, and thereafter, the IC card **1500** is ejected from the card insertion slot **1730**. While a player is playing a unit game, the IC card **1500** is completely housed inside of the card unit **1741**.

In addition, in a case where upon the settlement of credits, even though the IC card **1500** has been left unremoved, absence of a player is detected by the human body detection camera or the like for a predetermined period of time, the configuration may also be arranged such that the IC card **1500** can be retained in the card stacker **1742**. Thus, for example, even in a case where a player has learned that the remaining amount of a card balance is small and yet has left his or her seat with the IC card **1500** left unremoved or in a case where a player has simply forgotten to remove the IC card **1500** and has left his or her seat, it does not occur that the IC card **1500** is left retained in the card unit **1741** over a long period of time.

In positions on a left upper side of the front face of the panel **1710**, a USB terminal **1737** and an audio terminal **1738** are provided. The USB terminal **1737** is configured to allow battery charge or the like by connecting a USB device thereto. In addition, the audio terminal **1738** is, for example, a four-pole terminal, and a headset is inserted thereto, thereby allowing a phone call with other person to be made with headphones and the microphones. In addition, the audio terminal **1738** may be configured to be a two-pole or three-pole terminal, thereby allowing sound to be listened with the headphones.

On the front face of the panel **1710** and on the left side of the LCD **1719**, a touch unit **1745** is provided. The touch unit **1745** includes an RFID module which can function as a writer to write data through data communication to an IC device (for example, a non-contact IC card, a mobile phone and a smartphone, each of which has a communication function by NFC, and the like) including an IC chip and which can function as a reader to read data through the data communication from said IC device. In addition, in four corners of the front face of the touch unit **1745**, LEDs **1746** (not shown) are located, respectively. In addition, besides the touch unit **1745** or instead of the touch unit **1745**, an information recording medium reading device for reading information stored in an information recording medium such as a magnetic card may be provided. In this case, instead of the IC card **1500**, the magnetic card or the like may be a user card.

As described above, the PTS front unit **1700a** according to the present embodiment is formed such that the variety of devices having the microphone function, the camera function, the speaker function, the display function, and the like are integrated into one unit, thus realizing space-saving. In addition, although hereinabove, the PTS front unit **1700a** is described as the apparatus having the configuration shown in FIG. 7, the PTS front unit **1700a** may be each of apparatuses having a variety of other configurations.

[Configuration of Circuitry Included in Slot Machine]

Next, with reference to FIG. 8, a configuration of circuitry included in a slot machine **1010** will be described.

A gaming board **1050** is provided with: a CPU **1051**, a ROM **1052**, and a boot ROM **1053**, which are mutually connected by an internal bus; a card slot **1055** corresponding to a memory card **1054**; and an IC socket **1057** corresponding to a GAL (Generic Array Logic) **1056**.

The memory card **1054** includes a non-volatile memory and stores a game program and a game system program. The game program includes a program related to game progression and a program for producing presentation by images and sounds. In addition, the above-mentioned game program includes a symbol determination program. The symbol determination program is a program for determining symbols to be rearranged.

In addition, the card slot **1055** is configured so that the memory card **1054** can be inserted therein and removed therefrom and is connected to a motherboard **1070** by an IDE bus. Accordingly, the memory card **1054** is pulled out from the card slot **1055**, another game program is written into the memory card **1054**, and that memory card **1054** is inserted into the card slot **1055**, thereby allowing a kind and contents of a game played on the slot machine **1010** to be changed.

The GAL **1056** is a type of a PLD (Programmable Logic Device) having a fixed OR array structure. The GAL **1056** is provided with a plurality of input ports and output ports, and predetermined input into the input port causes output of the corresponding data from the output port.

In addition, the IC socket **1057** is configured so that the GAL **1056** can be inserted therein and removed therefrom and is connected to the motherboard **1070** by a PCI bus. The contents of the game to be played on the slot machine **1010** can be changed by replacing the memory card **1054** with another memory card **1054** having another program written therein or by rewriting the program written into the memory card **1054** as another program.

The CPU **1051**, the ROM **1052** and the boot ROM **1053** mutually connected by the internal bus are connected to the motherboard **1070** by a PCI bus. The PCI bus enables a signal transmission between the motherboard **1070** and the gaming board **1050** and power supply from the motherboard **1070** to the gaming board **1050**.

The ROM **1052** stores an authentication program. The boot ROM **1053** stores a pre-authentication program, a program (boot code) to be used by the CPU **1051** for activating the pre-authentication program, and the like.

The authentication program is a program (tamper check program) for authenticating the game program and the game system program. The pre-authentication program is a program for authenticating the above-mentioned authentication program. The authentication program and the pre-authentication program are written along a procedure (authentication procedure) for proving that the program to be the subject has not been tampered.

The mother board **1070** is configured by using a commercially available general-purpose mother board (printed circuit board having basic components of a personal computer mounted thereon) and includes a main CPU **1071**, a ROM (Read Only Memory) **1072**, a RAM (Random Access Memory) **1073**, and a communication interface **1082**. Here, the main CPU **1071** corresponds to a controller **1100** of the slot machine **1010**.

The ROM **1072** includes a memory device such as a flash memory and stores a program such as a BIOS (Basic Input/Output System) to be executed by the main CPU **1071** and permanent data. When the BIOS is executed by the main CPU **1071**, processing for initializing predetermined peripheral devices is conducted; and further, through the gaming board **1050**, processing of loading the game program and the game system program stored in the memory card **1054** is started. It is to be noted that in the present invention, the ROM **1072** may be a ROM in which contents are rewritable or a ROM in which contents are un-rewritable.

The RAM **1073** stores data and programs such as the symbol determination program which are used in operation of the main CPU **1071**. For example, when the processing of loading the above-mentioned game program, game system program, or authentication program is conducted, the RAM **1073** can store the program. The RAM **1073** is provided with working areas used for operations in execution of these programs. Examples of the areas include: areas that stores counters for managing the number of games, the number of Bets, the number of payout, the number of credits, and the like; an area that stores symbols (code numbers) determined by a drawing; and the like.

The communication interface **1082** is to control transmission and reception of data between a PTS terminal **1700** and the main CPU **1071**. In addition, the motherboard **1070** is connected with the later-described door PCB (Printed Circuit Board) **1090** and a main body PCB **1110** by respective USBs. The motherboard **1070** is also connected with a power supply unit **1081**.

When the power is supplied from the power supply unit **1081** to the motherboard **1070**, the main CPU **1071** of the

motherboard **1070** is activated, and then the power is supplied to the gaming board **1050** through the PCI bus so as to activate the CPU **1051**.

The door PCB **1090** and the main PCB **1110** are connected with input devices such as switches and sensors and peripheral devices, the operations of which are controlled by the main CPU **1071**.

The door PCB **1090** is connected with a control panel **1030** and a cold cathode tube **1093**.

The control panel **1030** is provided with a spin switch **1031S**, a MAX-BET switch **1032S**, a 5-BET switch **1033S**, a 3-BET switch **1034S**, a 2-BET switch **1035S**, a 1-BET switch **1036S**, a HELP switch **1037S**, and a CASHOUT switch **1038S** which correspond to the above-mentioned respective buttons. Each of the switches outputs a signal to the main CPU **1071** upon detection of pressing of the button corresponding thereto by a player.

The cold cathode tube **1093** functions as a backlight installed on the rear face sides of the upper image display panel **1131** and the lower image display panel **1141** and lights up based on a control signal outputted from the main CPU **1071**.

The main body PCB **1110** is connected with a lamp **1111**, speakers **1112**, a printer **1171**, and a graphic board **1130**. It is to be noted that although in this example, a bill validator **1022** is connected to the PTS terminal **1700**, a configuration in which the bill validator **1022** is connected to the slot machine **1010** may be adopted.

The lamp **1111** lights up based on a control signal outputted from the main CPU **1071**. The speakers **1112** outputs sounds such as BGM, based on a control signal outputted from the main CPU **1071**. Based on a control signal outputted from the main CPU **1071**, the printer **1171** prints on a ticket, for example, a barcode representing encoded data of a number of credits, date and time, an identification number of a slot machine **1010**, and the like stored in the RAM **1073** and then outputs the ticket as a ticket with a barcode.

It is to be noted that the upper image display panel **1131** and the lower image display panel **1141** may be configured as touch panels. Each of the touch panel detects a position where a finger or the like of a player touches and outputs a signal corresponding to the detected position to the main CPU **1071**.

The bill validator **1022** identifies whether or not bills are authentic and accepts authentic bills into the cabinet **1011**. An amount of the bills inputted into the cabinet **1011** is converted to a number of coins and a credit which is equivalent to the converted number of coins is added as a credit which a player has.

The graphic board **1130** controls display of images conducted by the respective upper image display panel **1131** and lower image display panel **1141** based on control signals outputted from the main CPU **1071**. The graphic board **1130** is provided with a VDP (Video Display Processor) generating image data, a video RAM storing the image data generated by the VDP, and the like. It is to be noted that the image data used in generation of image data by the VDP is included in the game program which has been read from the memory card **1054** and stored into the RAM **1073**.

A motor driving circuit **1153** includes an FPGA (Field Programmable Gate Array) **1155** and a driver **1154**. Connected to the motor driving circuit **1153** are stepping motors **1159a** to **1159e** for rotating the respective reels **M1a** to **M1e**. The FPGA **1155** is a programmable electronic circuit such as LSI and functions as a control circuit for the stepping motors

1159a to **1159e**. The driver **1154** functions as an amplifying circuit for pulses inputted to the stepping motors **1159a** to **1159e**.

An index detection circuit **1151** is to detect a position of each of the reels **M1a** to **M1e** which are rotating and further, is capable of detecting losing of steps of each of the reels **M1a** to **M1e**. A position change detection circuit **1152** detects a change of a position where each of the reels **M1a** to **M1e** has stopped. For example, in a case where although in reality, a combination of symbols displayed after stopping of the reels **M1a** to **M1e** is not associated with any of combinations of symbols related to winning, the position where each of the reels **M1a** to **M1e** has stopped is changed by an external action such as a fraudulent act so as to establish any of combinations of symbols related to winning, the position change detection circuit **1152** detects the change of the position where each of the reels **M1a** to **M1e** has stopped. The position change detection circuit **1152** is configured to detect, for example, fins (not shown) attached at predetermined intervals to internal portions of each of the reels **M1a** to **M1e** and to be capable of thereby detecting the change of the position where each of the reels **M1a** to **M1e** has stopped.

It is to be noted that an excitation system of the stepping motors **1159a** to **1159e** is not particularly limited and a 1-2 phase excitation system or a 2 phase excitation system may be adopted. In addition, instead of the stepping motors, DC motors may be adopted. In a case where the DC motors are adopted, connected to the main body PCB **1110** are a deviation counter, a D/A converter, and a servo amplifier in this order, and the DC motors are connected to the servo amplifier. In addition, rotation positions of the DC motors are detected by a rotary encoder, current rotation positions of the DC motors are supplied as data from the rotary encoder to the deviation counter.

It is to be noted although the configuration of the circuitry of the slot machine **1010** is described as the configuration shown in FIG. **8** hereinabove, a variety of other configurations may be adopted.

[Circuitry Configuration of PTS Terminal]

Next, with reference to FIG. **9**, a configuration of circuitry or the like which a PTS terminal **1700** includes will be described. As described above, the PTS terminal **1700** includes a PTS front unit **1700a** and a PTS main body **1700b**. In FIG. **9**, however, the circuitry or the like which the PTS terminal **1700** includes is shown by dividing the circuitry or the like into circuitry or the like included in the PTS front unit **1700a** and circuitry or the like included in the PTS main body **1700b**.

A PTS controller **1750** for controlling the PTS terminal **1700** has a CPU **1751**, a ROM **1752**, and a RAM **1753**.

The CPU **1751** controls execution of each component of the PTS terminal **1700**, executes a variety of programs stored in the ROM **1752**, and performs computation. For example, the CPU **1751** executes a credit updating program and updates credit-related data stored in an IC card **1500**.

The ROM **1752** is constituted of a memory device such as a flash memory and has stored therein permanent data executed by the CPU **1751**. For example, in the ROM **1752**, a credit updating program for rewriting credit-related data (for example, a card balance) stored in the IC card **1500** or the like can be stored.

The RAM **1753** temporarily stores data required upon executing a variety of programs stored in the ROM **1752**.

An external storage device **1754** is a storage device, for example, such as a hard disk device and stores a program

executed by the CPU 1751 and data which a program executed by the CPU 1751 uses.

A server I/F (interface) 1755 realizes data communication between servers such as a hall management server 10, a jackpot server 20, and the like and the PTS terminal 1700. A gaming machine I/F (interface) 1756 realizes data communication between a slot machine 1010 and the PTS terminal 1700, and for said data communication, a specified protocol can be used.

Besides, the PTS terminal 1700 is connected to a bill validator 1022 via a bill validator I/F (interface) 1757 and connected to a settlement apparatus 1868 via a settlement apparatus I/F (interface) 1758 and is capable of performing transmission and reception of data as needed.

A USB control part 1759 determines whether on a USB terminal 1737, power is supplied from a power supply unit 1760 and when a predetermined condition is satisfied, enables the recharging on the USB terminal 1737. When the predetermined condition is satisfied, a player connects an electronic device to the USB terminal 1737, thereby allowing said electronic device to be recharged.

A light emitting part LED driving part 1761 performs control such that in order to cause an upper light emitting plate 1720a of an LCD 1719 to emit light, full-color LEDs 1721a are lit up at predetermined timing and performs control such that in order to cause a lower light emitting plate 1720b of the LCD 1719 to emit light, full-color LEDs 1721b are lit up at predetermined timing.

An LCD control part 1762 performs control to cause the LCD 1719 to display information pertinent to users, information for the users, and the like and to display data read out from an IC card 1500 and data inputted by a player. In addition, the LCD 1719 has a touch panel function and when a touch panel is operated by a player, a predetermined signal is transmitted to the CPU 1751.

A home button 1722 is provided in the vicinity of the LCD 1719 and is a button for shifting a screen displayed on the LCD 1719 to a predetermined upper level screen. When the home button 1722 is pressed by a player, that operation by a player is transmitted to the CPU 1751, and the CPU 1751 transmits an instruction to the LCD control part 1762 to update the display on the LCD 1719 in accordance with said operation.

An IC card control part 1763 performs control for insertion and ejection of an IC card 1500, writing of credit data thereto, and the like. The IC card control part 1763 includes an IC card R/W (reader/writer) control part 1763a, an IC card suction and ejection control part 1763b, and an LED control part 1763c.

The IC card R/W control part 1763a controls a card unit 1741 and updates credit-related data stored in an IC card 1500. In addition, when an IC card 1500 is newly issued, credit-related data corresponding a settled money amount is stored. The card unit 1741 has an antenna part for reading data by an NFC or the like from the IC card 1500 or writing the data thereto.

Although the card unit 1741 has functions of an IC card reader for reading information stored in an IC card 1500 and an IC card writer for writing information to an IC card 1500, the card unit 1741 may have a function of either one of the IC card reader and the IC card writer as needed.

The IC card suction and ejection control part 1763b performs control for suction and ejection of an IC card 1500. When an IC card 1500 is inserted by a player into the card insertion slot 1730, the IC card suction and ejection control part 1763b performs control to retain the IC card while a player is executing a game. In addition, after the credit-

related data has been written in the IC card 1500 upon the settlement, the IC card suction and ejection control part 1763b performs control to eject that IC card 1500. Further, when an eject button 1732 is pressed, the IC card suction and ejection control part 1763b ejects the IC card 1500.

In addition, when an IC card 1500 is newly issued, the IC card suction and ejection control part 1763b newly takes out an IC card 1500 from a card stacker 1742 and in order to cause the IC card 1500 to store credit-related data, supplies the IC card 1500 to the card unit 1741.

The LED control part 1763c performs control to light up LEDs (full-color LEDs 1731) provided in the vicinity of the card insertion slot 1730 of the card unit 1741 and to light up an LED (red full-color LED 1733) provided in the vicinity of the eject button 1732.

A touch unit control part 1764 controls data transmission and reception associated with a touch operation on an IC card 1500, a mobile phone, a smartphone, or the like. The touch unit control part 1764 includes a non-contact R/W (reader/writer) control part 1764a and an LED control part 1764b.

The non-contact R/W control part 1764a determines whether or not the IC card 1500 or the mobile phone comes near within a predetermined distance (for example, a touch operation has been conducted) with a touch unit 1745, and when the IC card 1500 or the mobile phone has come near within the predetermined distance, the non-contact R/W control part 1764a obtains a reading-out result from the touch unit 1745. The touch unit 1745 has an antenna part for performing data transmission and reception to and from the IC card 1500 or the mobile phone by an NFC or the like.

Although the touch unit 1745 has functions of the IC card reader for reading information stored in the IC card 1500 or the mobile phone and the IC card writer for writing information to the IC card 1500 or the mobile phone, the touch unit 1745 may have a function of either one thereof as needed.

The LED control part 1764b controls LEDs 1746 located in four corners of a front face of the touch unit 1745 to light up the LEDs 1746 at predetermined timing.

A DSP 1765 receives sound data obtained from microphones 1715 and 1717 and conducts predetermined processing for the sound data and thereafter, transmits the processed data to the CPU 1751. In addition, the DSP 1765 transmits the received sound data to speakers 1707 and 1709. Further, the DSP 1765 outputs the sound, received to an audio terminal connected with a headset, to headphones and processes the sound received from the microphones and transmits the processed sound to the CPU 1751. It is to be noted that here, the configuration of the outline is described and the description of an A/D converter, a D/A converter, an amplifier, and the like are omitted.

A camera control part 1766 obtains an image of a player or the like shot by a human body detection camera 1713, subjects the image to predetermined image processing as needed, and transmit the processed data to the CPU 1751. Said data is transmitted, for example, via a server I/F 1755 to the hall management server 10.

It is to be noted that although hereinabove, the circuitry configuration of the PTS terminal 1700 is described as the configuration shown in FIG. 9, a variety of other configurations may be adopted.

[Configuration of Symbol Combination Table]

Next, with reference to FIG. 10, a symbol combination table will be described.

The symbol combination table specifies combinations of drawn symbols related to winning and the numbers of

payout. On a slot machine 1010, the rotation of symbol arrays of five reels M1a to M1e (a first reel to a fifth reel) of a reel apparatus M1 is stopped, and winning is established when the combination of symbols displayed along a winning line matches one of the combinations of symbols specified by the symbol combination table. According to the winning combination, a benefit such as payout of a credit or the like is provided for a player. It is to be noted that winning is not established (i.e. the game is lost) when the combination of symbols displayed along the winning line does not match any of the combinations of symbols specified by the symbol combination table. It is to be noted that in the present embodiment, a number of winning lines is 30.

Basically, winning is established when all symbols displayed along the winning line by all of the five reels M1a to M1e are of one kind out of kinds of symbols "RED", "APPLE", "BLUE 7", "BELL", "CHERRY", "STRAWBERRY", "PLUM", and "ORANGE". However, with respect to the respective kinds of symbols "CHERRY" and "ORANGE", winning is also established when one or three symbols of either kind are displayed along the winning line by the reel or the reels.

For example, when all the symbols displayed along the winning line by all of the five reels M1a to M1e of the reel apparatus M1 are the symbols "BLUE 7", the winning combination is a "BLUE" combination, and "10" is determined as the number of payout. Based on the determined number of payout, the provision of a credit is conducted. Such a credit is converted to, for example, a unit of a card balance and is added to a card balance stored on the IC card 1500. The IC card 1500 on which the card balance is updated is thereafter ejected from the card insertion slot 1730.

[Contents of Program Executed on Slot Machine]

Next, with reference to FIG. 11 to FIG. 17, one example of a program executed on a slot machine 1010 will be described.

<Main Control Process>

First, with reference to FIG. 11, a main control process will be described. FIG. 11 is a flowchart of the main control process executed on a slot machine 1010 according to the embodiment of the present invention.

First, when the power is supplied to the slot machine 1010, a main CPU 1071 reads the authenticated game program and game system program from a memory card 1054 via a gaming board 1050 and writes the programs into a RAM 1073 (step S11).

Next, the main CPU 1071 conducts an at-one-game-end initialization process (step S18). For example, data that becomes unnecessary after each game in working areas of the RAM 1073, such as the number of Bets and the symbols determined by a drawing, is cleared.

Next, the main CPU 1071 conducts a start-check process which is described later (step S19). In this process, input from a BET switch and a spin switch is checked.

Next, the main CPU 1071 conducts a symbol drawing process which is described later (step S20). In this process, to-be stopped symbols are determined based on random number values for symbol determination.

Next, the main CPU 1071 conducts a presentation contents determination process (step S21). The main CPU 1071 extracts random number values for presentation and determines any of the presentation contents from a predetermined plurality of presentation contents by a drawing. The presentation contents can be determined in accordance with a winning combination and a state of a game on the slot machine 1010. For example, the configuration can be arranged such that in accordance with winning combinations

and the states of the game on the slot machine 1010, drawing probabilities related to respective presentation contents are made different from one another.

Next, the main CPU 1071 conducts a reel control process which is described later (step S22). In this process, rotation of five reels M1a to M1e (a first reel to a fifth reel) of a reel apparatus M1 is started, and the to-be stopped symbols determined in the symbol drawing process at step S20 are stopped in predetermined positions (for example, in a symbol display window 1135). In other words, three symbols including the to-be stopped symbols with respect to each of the reels are displayed in the symbol display window 1135.

Next, the main CPU 1071 conducts a to-be-paid-out number determination process which is described later (step S23). In this process, based on a combination of symbols displayed on a winning line L (the 30 winning lines), a to-be-paid-out number is determined and stored in a to-be-paid-out number storage region provided in the RAM 1073.

Next, the main CPU 1071 conducts a game outcome notification process (step S25). In this process, data which includes termination time at which a unit game is terminated (for example, time at which the to-be-paid-out number determination process is conducted); game contents (for example, a to-be-paid-out number); and a machine ID for identifying the slot machine 1010 is transmitted to a PTS terminal 1700. Here, the PTS terminal 1700 obtains an identification ID of an IC card 1500 and transmits the above-mentioned received data to a hall management server 10 together with this identification ID. Based on this data, the hall management server 10 updates a card balance for each player and stores the updated card balance in a card management table and accumulates information (game history information) pertinent to a game progress in a game history management table for each player and each machine.

Next, the main CPU 1071 determines whether or not a bonus game trigger has been established (step S26). When the main CPU 1071 determines that the bonus game trigger has been established, the main CPU 1071 conducts a bonus game process which is described later (step S27).

After the process at step S27 or when determining at step S26 that the bonus game trigger has not been established, the main CPU 1071 conducts a paying-out process (step S28). The main CPU 1071 adds a value stored in the to-be-paid-out number storage region to a number-of-credits storage region provided in the RAM 1073. Here, for example, when a player presses a CASHOUT button, a CASHOUT switch 1038S which has detected the pressing thereof outputs a signal to the main CPU 1071 and a money amount calculated based on a value stored in the number-of-credits storage region is added to a card balance stored in the IC card 1500 held by a card unit 1741. It is to be noted that a ticket with a barcode may be issued by a printer 1171. After finishing the paying-out process, the main CPU 1071 returns to the process at step S18 and the unit game is repeated.

<Start-Check Process>

Next, with reference to FIG. 12, a start-check process will be described. FIG. 12 is a flowchart of the start-check process executed on a slot machine 1010 according to the present embodiment of the present invention.

The main CPU 1071 determines whether or not an IC card 1500 inserted from a card insertion slot 1730 has been held by a card unit 1741 and whether or not bills are inputted into a bill validator 1022 (step S41). When the main CPU 1071 determines that the insertion of the IC card 1500 or the inputting of the bills has been detected, authenticity of said

IC card 1500 or said bills are confirmed and thereafter, addition thereof to a number-of-credits storage region is performed (step S42).

After the process at step S42 or when determining at step S41 that the insertion of the IC card 1500 or the like has not been detected, the main CPU 1071 determines whether or not a value stored in the number-of-credits storage region is zero (step S43). When the main CPU 1071 determines that the value stored in the number-of-credits storage region is not zero, the main CPU 1071 permits operation acceptance of a BET button (for example, any of a MAX BET button 1032, a 5-BET button 1033, a 3-BET button 1034, a 2-BET button 1035, and a 1-BET button 1036) (step S44).

Next, the main CPU 1071 determines whether or not operation of any of the BET buttons has been detected (step S45). When the pressing of any BET button by a player has been detected by a BET switch (for example, any of a MAX-BET switch 1032S, a 5-BET switch 1033S, a 3-BET switch 1034S, a 2-BET switch 1035S, a 1-BET switch 1036S), the main CPU 1071 performs addition to a number-of-BETs storage region provided in the RAM 1073 and subtraction from the number-of-credits storage region based on the kind of the BET button (step S46).

Next, the main CPU 1071 determines whether or not a value stored in the number-of-BETs storage region is at its maximum (step S47). When the main CPU 1071 determines that the value stored in the number-of-BETs storage region is at its maximum, the main CPU 1071 prohibits updating of the value stored in the number-of-BETs storage region (step S48). After step S48 or when determining at step S47 that the value stored in the number-of-BETs storage region is not at its maximum, the main CPU 1071 permits operation acceptance of a spin button (step S49).

After step S49 or when determining at step S45 that the operation of any of the BET buttons has not been detected, or when determining at step S43 that the value stored in the number-of-credits storage region is zero, the main CPU 1071 determines whether or not operation of the spin button has been detected (step S50). When the main CPU 1071 determines that the operation of the spin button has not been detected, the main CPU 1071 shifts the processing to step S41.

When the main CPU 1071 determines that the operation of the spin button has been detected, the main CPU 1071 conducts a jackpot-related process which is described later. In this process, one part of the bet credit is paid out via a PTS terminal 1700 to a jackpot server 20, for example, as a jackpot amount to be accumulated for a jackpot (step S51).

Next, the main CPU 1071 conducts a game start notification process (step S52). In this process, data which includes game start time at which a unit game is started (for example, time at which a spin button is pressed); game contents (for example, a Bet number); and a machine ID for identifying the slot machine 1010 is transmitted to a PTS terminal 1700. Here, the PTS terminal 1700 obtains an identification ID of an IC card 1500 and transmits the above-mentioned received data to a hall management server 10 together with this identification ID. Based on this data, the hall management server 10 updates a card balance for each player and stores the updated card balance in a card management table and accumulates information (game history information) pertinent to a game progress in a game history management table for each player and each machine. After the process at step S52 has been conducted, the start-check process is completed.

<Symbol Drawing Process>

Next, with reference to FIG. 13, a symbol drawing process will be described. FIG. 13 is a flowchart of the symbol drawing process executed on a slot machine 1010 according to the embodiment of the present invention.

First, the main CPU 1071 extracts random number values for symbol determination (step S111). Next, the main CPU 1071 determines to-be stopped symbols for five reels M1a to M1e (a first reel to a fifth reel) of a reel apparatus M1 (step S112). The main CPU 1071 conducts a drawing for each of the reels and determines any of 12 symbols as to-be stopped symbols.

Next, the main CPU 1071 stores the determined to-be stopped symbols for the respective reels in a symbol storage region provided in a RAM 1073 (step S113). Next, the main CPU 1071 references a symbol combination table (FIG. 10) and determines a winning combination for each winning line based on the symbol storage region (step S114). The main CPU 1071 determines whether or not the combination of symbols to be displayed along a winning line by the respective reels matches any of the combinations of symbols specified by the symbol combination table and determines the winning combination. After the process has been conducted, the symbol drawing process is completed.

<Reel Control Process>

Next, with reference to FIG. 14, a reel control process will be described. FIG. 14 is a flowchart of the reel control process executed on a slot machine 1010 according to the embodiment of the present invention.

First, the main CPU 1071 controls stepping motors 1159a to 1159e and starts rotation of five reels M1a to M1e of a reel apparatus M1 (step S131). Next, the main CPU 1071 controls the stepping motors 1159a to 1159e and stops the rotation of the five reels M1a to M1e based on the above-mentioned symbol storage region (step S132). After the process has been conducted, the reel control process is completed.

It is to be noted that in accordance with timing of starting and stopping of the rotation of the reels M1a to M1e in the reel control process or other timing, the presentation determined in the presentation contents determination process (FIG. 11) is executed. For example, a moving image and a still image are displayed on an upper image display panel 1131 of the slot machine 1010, sound is outputted from speakers 1112, and a lamp 1111 is lit up, thereby allowing said presentation to be executed.

<To-be-Paid-Out Number Determination Process>

Next, with reference to FIG. 15, a to-be-paid-out number determination process will be described. FIG. 15 is a flowchart of the to-be-paid-out number determination process executed on a slot machine 1010 according to the embodiment of the present invention.

First, the main CPU 1071 determines whether or not a winning combination is a combination related to a jackpot (step S151). When the main CPU 1071 determines that the winning combination is not the combination of the jackpot, the main CPU 1071 determines a to-be-paid-out number corresponding to the winning combination for each winning line (step S152). For example, when the winning combination is a combination of symbols "BELL", the main CPU 1071 determines "8" as the to-be-paid-out number (refer to FIG. 10). It is to be noted that the main CPU 1071 determines "0" as the to-be-paid-out number in a case where a game is lost. Next, the main CPU 1071 stores the determined to-be-paid-out number into a to-be-paid-out number storage region (step S153). After the process has been conducted, the to-be-paid-out number determination process is completed.

When the main CPU 1071 determines that the winning combination is the combination of the jackpot, the main CPU 1071 notifies an external control device (that is, a jackpot server 20) of the winning of the jackpot (jackpot winning notification) (step S154). It is to be noted that upon reception of the notification, the jackpot server 20 transmits to the slot machine 1010 the amount of a jackpot having been updated up to that time. At this time, a part (e.g. 80%) of the amount of jackpot may be an amount to be paid out and the rest (e.g. 20%) may be carried over for the upcoming establishment of a jackpot trigger.

Next, the main CPU 1071 receives the jackpot amount from the jackpot server 20 (step S155). Next, the main CPU 1071 stores the received jackpot amount into the to-be-paid-out number storage region (step S156). After this process has been conducted, the to-be-paid-out number determination process is completed.

<Jackpot-Related Process>

Next, with reference to FIG. 16, a jackpot-related process will be described. FIG. 16 is a flowchart of the jackpot-related process executed on a slot machine 1010 according to the embodiment of the present invention

First, the main CPU 1071 calculates an accumulation amount (step S171). The main CPU 1071 obtains a product of a value stored in a number-of-BETs storage region and a predetermined accumulation ratio, thereby calculating the accumulation amount to the amount of a jackpot.

Next, the main CPU 1071 transmits the calculated accumulation amount to a jackpot server 20 (step S172). Upon reception of the accumulation amount, the jackpot server 20 updates the amount of the jackpot. After the process has been conducted, the jackpot-related process is completed.

<Bonus Game Process>

Next, with reference to FIG. 17, a bonus game process will be described. FIG. 17 is a flowchart of the bonus game process executed on a slot machine 1010 according to the embodiment of the present invention.

First, the main CPU 1071 determines a number of bonus games (step S191). The main CPU 1071 extracts random number values for number-of-bonus-games determination and determines any one of the various numbers of bonus games such as "10", "20" and "30" by a drawing.

Next, the main CPU 1071 stores the determined number of bonus games into a number-of-bonus-games storage region provided in a RAM 1073 (step S192).

Next, the main CPU 1071 conducts an at-one-game-end initialization process in the same way as the process at step S18 described with reference to FIG. 11 (step S193).

Next, the main CPU 1071 conducts a game start notification process (step S194). This process is the same as the game start notification process at step S52 shown in FIG. 12, and in this process, data which includes game start time at which a unit game (in a bonus game) is started; game contents (for example, a Bet number); and a machine ID for identifying a slot machine 1010 is transmitted to a PTS terminal 1700.

Next, the main CPU 1071 conducts a symbol drawing process described with reference to FIG. 13 (step S195). Next, the main CPU 1071 conducts a presentation contents determination process, as with the process of step S21 described with reference to FIG. 11 (step S196). Next, the main CPU 1071 conducts a reel control process described with reference to FIG. 14 (step S197). Next, the main CPU 1071 conducts a to-be-paid-out number determination process described with reference to FIG. 15 (step S198).

Next, the main CPU 1071 conducts a game outcome notification process (step S199). This process is the same as

the game outcome notification process at step S25 shown in FIG. 11, and in this process, data which includes termination time at which a unit game (in a bonus game) is terminated (for example, time at which the to-be-paid-out number determination process is conducted); game contents (for example, a to-be-paid-out number); and a machine ID for identifying the slot machine 1010 is transmitted to the PTS terminal 1700.

Next, the main CPU 1071 determines whether or not a bonus game trigger has been established (step S200). When the main CPU 1071 determines that the bonus game trigger has been established, the main CPU 1071 determines a number of bonus games to be added (step S201). In the same way as the above-mentioned process at step S191, the main CPU 1071 determines the number of bonus games. Next, the main CPU 1071 adds the determined number of bonus games to a value stored in a number-of-bonus-games storage region (step S202).

After the process of step S202 or when determining at step S200 that the bonus game trigger has not been established, the main CPU 1071 conducts a paying-out process (step S203). In this paying-out process, the main CPU 1071 adds the value stored into the to-be-paid-out number storage region in the above-mentioned to-be-paid-out number determination process at step S198 to a value stored in a to-be-paid-out number storage region for bonuses. The to-be-paid-out number storage region for bonuses is a region for storing a total of the to-be-paid-out numbers determined during the bonus games.

When the bonus game process has been completed, the main CPU 1071 adds the value stored in the to-be-paid-out number storage region for bonuses to the value stored in the number-of-credits storage region provided in the RAM 1073, in the paying-out process at step S28 described with reference to FIG. 11. In other words, the total of the to-be-paid-out numbers determined during the bonus games is collectively paid out.

Next, the main CPU 1071 subtracts one from the value stored in the number-of-bonus-games storage region (step S204). Next, the main CPU 1071 determines whether or not a value stored in the number-of-bonus-games storage region is zero (step S205). When the main CPU 1071 determines that the value stored in the number-of-bonus-games storage region is not zero, the main CPU 1071 shifts the processing to step S193. On the other hand, when the main CPU 1071 determines that the value stored in the number-of-bonus-games storage region is zero, the main CPU 1071 completes the bonus game process. When the bonus game process has been completed, the processing is shifted to the process at step S28 described with reference to FIG. 11.

On the slot machine 1010 according to the present embodiment, each game executed as the bonus game is each free game in which without consuming coins, a drawing related to determination of to-be stopped symbols is conducted, the free game being repeated at a number of times which is determined by a drawing as a number of bonus games. In addition, a Bet number at this time is a Bet number in a case where a 1-BET button 1036 is pressed by a player.

[Configuration of Kiosk Terminal]

Next, with reference to FIG. 18, a configuration of a kiosk (KIOSK) terminal used as an information terminal in the present embodiment will be described. The kiosk terminal 2000 is, for example, an information terminal which is installed in a variety of stores and is used, for example, to display information or the like useful for customers and can be connected to a computer or the like (for example, a hall management server 10) for administering and managing a

store via a network. It is to be noted that in the present specification, an apparatus which provides some sort of information for a user is defined as the information terminal, and as this information terminal, the kiosk terminal **2000** according to the present embodiment and a gaming machine including a pachinko machine, a pachinko-slot machine, and the like are also included.

In addition, as shown in FIG. 18, on an upper portion of the kiosk terminal **2000**, an LCD **2050** and an LCD **2051** are located. In this example, each of the LCD **2050** and the LCD **2051** has a touch panel function, is connected to the kiosk terminal **2000**, and is controlled to display a variety of pieces of information as needed.

In addition, a configuration may also be arranged such that instead of the LCD **2050** and the LCD **2051**, an advertisement display board which is formed of paper is located and non-electronic information which does not electronically change is displayed thereon. The above-mentioned advertisement display board can be easily replaced manually by staff of a store or the like with other information board.

A housing of the kiosk terminal **2000** includes: an upper front door **2013** having an LCD **2001** on an upper portion of a front face thereof a middle front door **2014** having a front panel **2014a** and a control panel **2014b** on a middle portion of the front face thereof and a lower front door **2015** on a lower portion of the front face thereof.

It is to be noted that each of the “doors” of the kiosk terminal **2000** in the present specification is not limited to a door which rotates rightward and leftward around a rotation axis in a vertical direction, which is formed by hinges or the like, and includes doors in a variety of forms such as a door which is flapped up (or down) around a rotation axis in a horizontal direction, which is formed by hinges; a door which is drawn out in a horizontal direction along rail guides; and a door which is simply detached from a main body.

The LCD **2001** is a liquid crystal display device having a touch panel function, and on this LCD, for example, information or the like pertinent to a store is displayed. It is to be noted that although in this example, the LCD **2001** is configured to have the touch panel function, instructions may be inputted by other input devices such as the later-described keyboard **2009** and numeric keypad **2010**.

Further, the kiosk terminal **2000** includes motion sensors **2002** and **2003** above and below the LCD **2001**, respectively. The motion sensors **2002** and **2003** are, for example, cameras, and images shot by the motion sensors **2002** and **2003** are used to analyze behavior of a user of the kiosk terminal **2000** and customers passing along passages.

On a front panel **2014a** of the middle front door **2014**, a touch unit **2004** is located. The touch unit **2004** includes an RFID module which is operable to perform data communication with a non-contact IC card, and a mobile phone and a smartphone, each of which has a communication function by NFC. A user in a game facility holds a user card (IC card) associated with the user over this touch unit **2004**, thereby allowing a user menu screen to be displayed on the LCD **2001** and can conduct, for example, displaying and inputting of user information, member registration, displaying of donation ranking, and the like there. It is to be noted that the displaying of the donation ranking can also be conducted without holding a user card over the touch unit **2004**.

In addition to the touch unit **2004** or instead of the touch unit **2004**, the kiosk terminal **2000** may include an information recording medium reading device for reading information stored in an information recording medium such as

a magnetic card. In this case, instead of the IC card **1500**, the magnetic card can be used as a user card.

In addition, a staff member of a game facility holds an IC card of the staff member thereover, can thereby log therein, and can display a menu screen for staff or the like on the LCD **2001**.

On the front panel **2014a** of the middle front door **2014**, further, a card insertion slot **2005** of a card unit **2030** is located, and insertion and taking-out of an IC card as well as ejection of a newly issued IC card can be conducted. In addition, the card insertion slot **2005** is provided with an eject button **2030c**. Here, the card insertion slot **2005** is configured as a part of the card unit **2030**.

When a user card is inserted from the card insertion slot **2005**, a user menu screen and information (user information) pertinent to that user can be displayed on the LCD **2001**. In addition, the card unit **2030** can issue a special card (for example, an IC card for which some added value is provided on a predetermined condition) or the like and can collect an IC card.

In addition, on the front panel **2014a** of the middle front door **2014**, a common bezel **2006** which is connected to a discharge port of printed matter discharged from a ticket printer **2038** and an input port for inputting a paper sheet into a paper sheet processing device **2040** is located. For example, a ticket or a coupon is printed (issued) by the ticket printer **2038** and is discharged from the bezel **2006** connected to the discharge port. In addition, for example, when a ticket or a coupon is inputted from the bezel **2006** connected to the input port, the ticket or the like is collected by the paper sheet processing device **2040**, and after information of the ticket has been read, processing in accordance with said read information is conducted.

In addition, the bezel **2006** is provided with a bezel LED **2042** which lights up in conjunction with processing of the ticket printer **2038** and processing of the paper sheet processing device **2040**. It is to be noted that the paper sheet processing device **2040** may be a bill validator having a bill identification function.

In addition, on an upper face of a control panel **2014b** which is formed as a bulging part bulging (protruding) from the middle front door **2014**, a phone receiver **2007** used in a phone call by VoIP is located. A user of the kiosk terminal **2000** can have conversation with a user of other kiosk terminal **2000** or a staff member in a game facility via the phone receiver **2007**. In addition, an incoming LED **2008** located on a mounting part on which the phone receiver **2007** is mounted is controlled to emit light upon incoming of a phone call by the VoIP.

Further, on the upper face of the control panel **2014b**, a keyboard **2009** and a numeric keypad **2010** which a user uses to input data are located. Further, on both sides and an upper side of the numeric keypad **2010**, a keypad guard **2011** for peep prevention is provided.

Behind the lower front door **2015** of the kiosk terminal **2000** (inside of the housing of the kiosk terminal **2000**), the later-described controller **2020** and a control part for controlling LCDs, LEDs, and the like are housed.

[Configuration of Circuitry of Kiosk Terminal]

Next, with reference to FIG. 19, a configuration of circuitry which a kiosk terminal **2000** includes will be described.

A controller **2020** for controlling the kiosk terminal **2000** has a CPU **2021**, a ROM **2022**, and a RAM **2023**.

The CPU **2021** performs execution control of the respective components of the kiosk terminal **2000**, executes various kinds of programs stored in the ROM **2022**, and performs computation therefor.

The ROM **2022** is constituted of a memory device such as a flash memory, and permanent data used for the execution by the CPU **2021** is stored therein. For example, a communication control program by the VoIP and the like can be stored therein.

The RAM **2023** temporarily stores data required upon executing the various kinds of programs stored in the ROM **2022**.

An external storage device **2024** is, for example, a storage device such as a hard disk device and stores programs executed in the CPU **2021** and data which the programs executed in the CPU **2021** use.

A network I/F (interface) **2025** realizes data communication with a computer (for example, a hall management server **10**) in a game facility, a server on the Internet, and the like.

An LCD control part **2026** controls the LCD **2001**, the LCD **2050**, and the LCD **2051** to display a variety of pieces of information. In addition, each of the LCD **2001**, the LCD **2050**, and the LCD **2051** has a touch panel function, and an operation on the touch panel by a user is transmitted to the CPU **2021**.

A motion sensor control part **2027** obtains images of a user and the like received from motion sensors (for example, cameras) **2002** and **2003**, subjects the images to predetermined image processing as needed, and transmits the processed data to the CPU **2021**.

A touch unit control part **2028** controls data transmission and reception in association with a touch operation of an IC card or a mobile phone on a touch unit **2004**. The touch unit control part **2028** includes a non-contact R/W (reader/writer) control part **2028a**.

The non-contact R/W control part **2028a** determines whether or not there has been the touch operation of an IC card or a mobile phone on the touch unit **2004** and when there has been the touch operation, obtains a read result or the like from the touch unit **2004**. The touch unit **2004** has an antenna part for performing data transmission and reception with an IC card or a mobile phone through NFC or the like.

An IC card control part **2029** controls insertion and ejection of an IC card, reading of data, and the like. The IC card control part **2029** includes an IC card R/W (reader/writer) control part **2029a** and an IC card suction ejection control part **2029b**.

The IC card R/W control part **2029a** controls a card unit **2030** to read an identification ID or the like stored on an IC card. The card unit **2030** has an antenna part for writing data through NFC or the like into an IC card.

The IC card suction ejection control part **2029b** controls suction and ejection of an IC card. When an IC card is inserted into a card insertion slot **2005** by a user, the IC card suction ejection control part **2029b** controls the IC card to be held in the card unit **2030** until the user logs off. In addition, when an eject button is pressed, the IC card suction ejection control part **2029b** ejects the IC card.

In addition, the card unit **2030** includes a stacker which is capable of holding a plurality of IC cards so as to allow an IC card to be newly issued on a predetermined condition. It is to be noted that although in the present embodiment, the card unit **2030** conducts the suction, the ejection, the issuance, and the like of an IC card, the card unit **2030** can also be configured to handle other media (for example, a magnetic card, and the like).

A ticket printer control part **2037** controls a ticket printer **2038**, for example, to print (issue) a ticket and a coupon.

A paper sheet processing control part **2039** controls a paper sheet processing device **2040**, for example, to collect a ticket and a coupon and to conduct processing in accordance with information read from the ticket and the like. As described above, the paper sheet processing control part **2039** and the paper sheet processing device **2040** may be configured as a bill validator for handling bills.

A bezel LED control part **2041** is connected to the ticket printer **2038** and the paper sheet processing device **2040** and controls a bezel LED **2042** to light up in conjunction with processing of the ticket printer **2038** and the paper sheet processing device **2040**. For example, when a user is operating the kiosk terminal **2000**, at timing when a ticket is printed and ejected, the bezel LED **2042** is controlled to light up, and when a user is prompted to input a coupon, the bezel LED **2042** is controlled to light up. In addition, the bezel LED **2042** may light up in any mode.

Here, the lighting up mode of the bezel LED **2042** can also be set such that a lighting up mode related to the processing of the ticket printer **2038** is different from a lighting up mode related to the processing of the paper sheet processing device **2040**.

It is to be noted that although in this example, the bezel LED **2042** is configured to light up in conjunction with the processing of the ticket printer **2038** and the processing of the paper sheet processing device **2040**, in order to conduct notification to a user, another notification device which is different from the bezel LED **2042** may be used.

A sound control part **2033** inputs and outputs sounds by using a microphone **2034** and a speaker **2035** included in the phone receiver **2007**. The sound control part **2033** includes a DSP **2033a** and an LED control part **2033b**. The DSP **2033a** performs control through predetermined sound signal processing related to sound inputting from the microphone **2034** and sound outputting from the speaker **2035**. The LED control part **2033b** controls an incoming LED **2008** to emit light based on an incoming signal by a VoIP phone call or the like.

An input control part **2036** converts input on a keyboard **2009** and input on a numeric keypad **2010** from a user to signals and transmits the signals to the CPU **2021**.

[Configuration of Signage]

Next, with reference to FIG. **20**, a configuration of a signage which can be used as an information terminal in the present embodiment will be described. The signage **3000** is an information display device used to display store advertisement (including advertisement signboards), a floor guide of a game facility, and the like and can be connected to a server (for example, a hall management server **10**) of a game system **1** via a network.

The signage **3000** includes an LCD **3001** and an LCD **3003** having a touch panel function. The LCD **3001** is, for example, a 24-inch (approximately 60.96 cm) liquid crystal display device and the LCD **3003** is, for example, a 46-inch (approximately 116.84 cm) liquid crystal display device, and on these LCDs, as described above, the advertisement information, the guide information, and the like are displayed. In addition, the touch panel function which the LCD **3003** has is performed by, for example, a touch panel using an infrared ray system. It is to be noted that although in this example, the LCD **3003** is configured to have the touch panel function, the LCD **3003** may be configured such that other input devices such as a keyboard and a mouse are used to input instructions thereto.

The LCD **3001** and the LCD **3003** are housed in respective cabinets, and on peripheral parts of said cabinet front faces, presentation LEDs **3002** and **3004** for presentation are provided, respectively. The presentation LEDs **3002** and **3004** are, for example, tape-shaped LED lights.

Further, the signage **3000** includes motion sensors **3005** and **3006** in the cabinet of the LCD **3001** and the cabinet of the LCD **3003**, respectively. The motion sensors **3005** and **3006** are, for example, cameras, and images shot by the motion sensors **3005** and **3006** are used to analyze behavior of a user of the signage **3000** and customers passing along passages.

The signage **3000** also includes a touch unit **3007** including an RFID module which is operable to perform data communication with a non-contact IC card, and a mobile phone and a smartphone, each of which has a communication function by NFC. A user holds a user card (IC card) associated with the user over the touch unit **3007**, can thereby display a user menu screen on the LCD **3001** or the LCD **3003**, and can conduct, for example, displaying and inputting of user information, member registration, displaying of donation ranking, and the like there. It is to be noted that the displaying of the donation ranking can also be conducted without holding a user card over the touch unit **3007**.

In addition, a staff member of a hall holds an IC card of the staff member thereover, can thereby log therein and can display a menu screen for a staff member or the like on the LCD **3001** or the LCD **3003**.

The signage **3000** has no card unit for holding an IC card **1500**, as compared with a PTS terminal **1700** and only includes the touch unit **3007**. However, the signage **3000** is arranged such that even when after a user has touched the IC card, the user has left without logging off, the information of a member displayed on the LCD **3003** or the like through the touching comes not to be displayed after the elapse of a predetermined time period and the logging off is automatically made.

Further, the signage **3000** includes a microphone **3033** for obtaining sound into the cabinet of the LCD **3003**. In the cabinet of the LCD **3003**, a microphone opening **3010** whose position corresponds to a position where the microphone is provided is located. In FIG. **20**, beside the motion sensor **3006**, this microphone opening **3010** is shown.

In addition, the signage **3000** includes speakers **3034** and **3035** for outputting sound into the cabinet of the LCD **3003**. In the cabinet of the LCD **3003**, speaker ducts whose positions correspond to positions where the speakers are provided are located. In FIG. **20**, the speaker duct **3011** which corresponds to one of the speakers is shown.

In addition thereto, the signage **3000** includes a base unit **3008** for supporting the cabinet of the LCD **3001** and the cabinet of the LCD **3003** and a control unit **3009** in which a control part for controlling the respective LCDs, LEDs, and the like is housed.

[Configuration of Circuitry of Signage]

Next, with reference to FIG. **21**, a configuration of circuitry which a signage **3000** includes will be described.

A signage controller **3020** which controls the signage **3000** has a CPU **3021**, a ROM **3022**, and a RAM **3023**.

The CPU **3021** performs execution control of the respective components of the signage, executes various kinds of programs stored in the ROM **3022**, and performs computation therefor.

The ROM **3022** is constituted of a memory device such as a flash memory, and permanent data used for the execution by the CPU **3021** is stored therein.

The RAM **3023** temporarily stores data required upon executing the various kinds of programs stored in the ROM **3022**.

An external storage device **3024** is, for example, a storage device such as a hard disk device and stores programs executed in the CPU **3021** and data which the programs executed in the CPU **3021** use.

A network I/F (interface) **3025** realizes data communication with a hall management server **10**.

An LED driving part **3026**, in response to a predetermined presentation start request, a lighting-up instruction, or the like, controls presentation LEDs **3002** and **3004** to light up at predetermined timing. In addition, the LED driving part **3026** can also cause the presentation LEDs **3002** and **3004** to emit light in synchronization with displaying of advertisement information, displaying of guide information, displaying of user information based on an operation by a user, and the like.

An LCD control part **3029** controls pieces of information such as the above-described donation ranking and advertisement information to be displayed on an LCD **3001**.

An LCD control part **3030** controls the above-described user menu screen and the pieces of information such as the donation ranking and the advertisement information to be displayed on an LCD **3003**. In addition, the LCD **3003** includes a touch panel function, with which an operation from a user is transmitted to the CPU **3021**.

A touch unit control part **3031** controls data transmission and reception in association with a touch operation of an IC card or a mobile phone on a touch unit **3007**. The touch unit control part **3031** includes a non-contact R/W (reader/writer) control part **3031a**.

The non-contact R/W control part **3031a** determines whether or not there has been the touch operation of an IC card or a mobile phone on the touch unit **3007** and when there has been the touch operation, obtains a read result or the like from the touch unit **3007**. The touch unit **3007** has an antenna part for performing data transmission and reception with an IC card or a mobile phone through NFC or the like.

When the CPU **3021** has obtained an identification ID of a user card (IC card) from the touch unit **3007**, the CPU **3021** obtains user information of a user associated with the identification ID from a user information table, checks a Pincode, and thereafter, causes the user menu screen including said user information to be displayed on the LCD **3001** or the LCD **3003**. In addition, the CPU **3021** can also cause advertisement information suited for the user to be displayed on the LCD **3001** or the LCD **3003**.

A DSP **3032** receives sound data obtained from a microphone **3033**, subjects the received sound data to predetermined processing, and thereafter, transmits the processed data to the CPU **3021**. In addition, in order to output the received sound data, the DSP **3032** transmits this data to speakers **3034** and **3035**.

A motion sensor control part **3036** obtains images of a user and the like received from motion sensors (for example, cameras) **3005** and **3006**, subjects the images to predetermined image processing as needed, and transmits the processed data to the CPU **3021**.

[Configuration of Hardware of Each Server]

Next, with reference to FIG. **22** to FIG. **25**, hardware configurations of respective servers in a game system **1** according to the present embodiment will be described. First, with reference to FIG. **22**, a hardware configuration of a hall management server **10** will be described. FIG. **22** is a block diagram showing the hardware configuration of the

hall management server 10. The hall management server 10 includes, a main CPU 101, a ROM 102, a RAM 103, an external storage device 104, a display 105, and an interface 106.

The main CPU 101 reads out and executes control programs stored in the ROM 102 and the RAM 103. For example, based on accounting information received from each slot machine 1010 via a PTS terminal 1700, the main CPU 101 manages information of a user card for each user. In addition, the main CPU 101 transmits data received from slot machines 1010 via the PTS terminals 1700 to the other servers (a jackpot server 20, a user management server 30, and a donation management server 40) as needed. Further, the main CPU 101 controls outputting of data displayed on the display 105.

In the external storage device 104, the later-described hall management DB is stored, and a card management table and a game history management table are stored therein.

The display 105 is to display states of accounting information managed by the hall management server 10 and data transmission and reception with the slot machines 1010 or to notify the occurrence of fraudulence or abnormality. This display 105 is realized by, for example, a liquid crystal display device.

The interface 106 controls communication with other computers via a network. The hall management server 10 is connected so as to be operable to communicate, via the interface 106, with the PTS terminals 1700 (slot machines 1010), the jackpot server 20, the user management server 30, and the donation management server 40. In addition, the game system 1 can include sandwiched devices 50, premium POS terminals 51, bank-end counting devices 52, and the like, which are not shown in FIG. 1 or the like. The hall management server 10 is connected so as to be operable to communicate, via the interface 106, also with these devices.

It is to be noted that control programs executed on the hall management server 10 to implement the present invention are stored, for example, in the external storage device 104 and are loaded to the RAM 103, and thereafter, the main CPU 101 executes the control programs. In addition, said control programs can also be provided via the interface 106 from other device or via a network including the Internet from other external device.

Next, with reference to FIG. 23, a hardware configuration of the jackpot server 20 will be described. FIG. 23 is a block diagram showing the hardware configuration of the jackpot server 20. The jackpot server 20 includes a main CPU 201, a ROM 202, a RAM 203, an external storage device 204, and an interface 206. In addition, a display 205 can be included therein as needed.

The main CPU 201 reads out and executes control programs stored in the ROM 202 and the RAM 203. For example, the main CPU 201 stores accumulation amounts received from slot machines 1010, and when jackpot winning notification is received from a slot machine 1010, the main CPU 201 transmits a jackpot amount to that slot machine 1010. In addition, in a case where the display 205 is included, the main CPU 201 controls outputting of data displayed on the display 205.

In the external storage device 204, a DB and the like for managing the above-mentioned accumulation amounts are stored.

The interface 206 controls communication via a network with other computers. The jackpot server 20 is connected so as to be operable to communicate, via the interface 206, with the hall management server 10 and the user management

server 30. In the present embodiment, via the hall management server 10, data transmission and reception with the slot machines 1010 is performed.

Next, with reference to FIG. 24, a hardware configuration of the user management server 30 will be described. FIG. 24 is a block diagram showing the hardware configuration of the user management server 30. The user management server 30 includes a main CPU 301, a ROM 302, a RAM 303, an external storage device 304, and an interface 306. In addition, a display 305 can be included therein as needed.

The main CPU 301 reads out and executes control programs stored in the ROM 302 and RAM 303. For example, based on user information received from the slot machines 1010 via the hall management server 10, the main CPU 301 manages user information and member information. Further, the main CPU 301 controls outputting of data displayed on the display 305 as needed.

In the external storage device 304, the later-described user management DB is stored, and a user information table, a member information table, and a friend information table are stored therein.

The interface 306 controls communication via a network with other computers. The user management server 30 is connected so as to be operable to communicate, via the interface 306, with the hall management server 10 and the donation management server 40.

It is to be noted that control programs executed on the user management server 30 to implement the present invention are stored, for example, in the external storage device 304 and are loaded to the RAM 303, and thereafter, the main CPU 301 executes the control programs. In addition, said control programs can also be provided via the interface 306 from other device or via a network including the Internet from other external device.

Next, with reference to FIG. 25, a hardware configuration of the donation management server 40 will be described. FIG. 25 is a block diagram showing the hardware configuration of the donation management server 40. The donation management server 40 includes a main CPU 401, a ROM 402, a RAM 403, an external storage device 404, and an interface 406. In addition, a display 405 can be included therein as needed.

The main CPU 401 reads out and executes control programs stored in the ROM 402 and the RAM 403. For example, based on donation setting information, the main CPU 401 collects a predetermined donation amount from a card balance or a payout of a user and updates the card balance of the corresponding user. Further, the main CPU 401 controls outputting of data displayed on the display 405.

In the external storage device 404, the later-described donation management DB is stored, and a donation setting information table, a user donation information management table, a donation destination management table, a point exchange rate management table, and a donation track record management table are stored therein.

The interface 406 controls communication via a network with other computers. The donation management server 40 is connected so as to be operable to communicate, via the interface 406, with the hall management server 10 and the user management server 30.

It is to be noted that control programs executed on the donation management server 40 to implement the present invention are stored, for example, in the external storage device 404 and are loaded to the RAM 403, and thereafter, the main CPU 401 executes the control programs. In addition, said control programs can also be provided via the

interface **406** from other device or via a network including the Internet from other external device.

[Outline of Functions of Each Server]

Next, with reference to FIG. **26** to FIG. **28**, outlines of functions of respective servers in a game system **1** according to the present embodiment will be described. It is to be noted that description of an outline of functions of a jackpot server **20** is omitted. First, with reference to FIG. **26**, respective functions of a hall management server **10** will be described. FIG. **26** is a functional block diagram of the hall management server **10**.

As shown in FIG. **26**, the hall management server **10** includes a communication control part **111**, a card management part **112**, a game history management part **113**, and a network I/F part **114**. In addition, the hall management server **10** includes a hall management DB **120**, and in the hall management DB **120**, a card management table **121** and a game history management table **122** are stored.

The communication control part **111** transmits, to a relevant server (the jackpot server **20**, a user management server **30**, or a donation management server **40**), data received, via each PTS terminal **1700**, from each slot machine **1010**, a kiosk terminal **2000**, a signage **3000**, or the like. When the data is received from each of these servers, the communication control part **111** performs control so as to transmit said data to a slot machine **1010** having a corresponding machine ID or the like as needed.

As described above, in the game system **1** according to the present embodiment, the hall management server **10** functions also as a communication server. However, a configuration may be arranged such that each of the relevant servers directly receives data transmitted from a slot machine **1010**, a kiosk terminal **2000**, a signage **3000**, or the like, and data is directly transmitted from said server to a slot machine **1010** or the like.

The card management part **112**, based on accounting information or the like received from a slot machine **1010**, manages a card balance or the like of each user so as to be associated with a user card and updates contents of the card management table **121**. In addition, the card management part **112** manages a coupon and a rank of each user so as to be associated with a user card and updates contents of the card management table **121**.

The game history management part **113**, based on accounting information or the like received from a slot machine **1010**, manages a game history of each user on each slot machine and stores contents thereof in the game history management table **122**.

The network I/F part **114** controls an interface **106** to perform data transmission and reception with other apparatuses.

Next, with reference to FIG. **27**, respective functions of the user management server **30** will be described. FIG. **27** is a functional block diagram of the user management server **30**.

As shown in FIG. **27**, the user management server **30** includes a user management part **311**, a member management part **312**, a point management part **313**, a friend information management part **314**, and a network I/F part **315**. In addition, the user management server **30** includes a user management DB **320**, and a user information table **321**, a member information table **322**, and a friend information table **323** are stored therein.

The user management part **311**, based on user information transmitted from each slot machine **1010**, the kiosk terminal **2000**, or the like, manages a name or a nickname of each

user, a Pincode, and the like and stores these pieces of information in the user information table **321**.

The member management part **312**, based on user information transmitted from each slot machine **1010**, the kiosk terminal **2000**, or the like, manages, an address, a phone number, and the like of each user which are pieces of member information and stores these pieces of information in the member information table **322**.

The point management part **313**, based on a user operation or game states on each slot machine **1010**, the kiosk terminal **2000**, or the like, calculates points provided for each user, and when points are consumed for a donation, subtracts said consumed points, and thereby manages user points. In addition, when a user has made a donation, said points are provided for said user in accordance with that donation amount.

User points of each user are stored in the card management table **121** so as to be associated with a user card. These points provided for each user can be used, for example, for predetermined service in a game facility, and in accordance with points, a rank promotion condition of each user is changed to advantageous one.

The friend information management part **314**, based on a user operation for friend new registration or the like on each slot machine **1010**, the kiosk terminal **2000**, or the like, manages friends of each user and stores information pertinent to the friends in the friend information table **323**. When a user has made a donation, the friend information management part **314** references the friend information table **323** and performs control so as to display predetermined information on a slot machine **1010** or slot machines **1010** (a PTS terminal **1700** or PTS terminals **1700** thereof) on which a friend or friends of said user is or are playing games.

The network I/F part **315** controls an interface **306** to perform data transmission and reception with other apparatuses.

Next, with reference to FIG. **28**, respective functions of the donation management server **40** will be described. FIG. **28** is a functional block diagram of the donation management server **40**.

As shown in FIG. **28**, the donation management server **40** includes a donation setting management part **411**, a donation destination management part **412**, a donation collection management part **413**, a donation ranking management part **414**, and a network I/F part **415**. In addition, the donation management server **40** includes a donation management DB **420**, and a donation setting information table **421**, a donation destination setting information table **422**, a donation destination management table **423**, a point exchange rate management table **424**, and a donation track record management table **425** are stored therein.

The donation setting management part **411**, when having received donation setting information inputted by a user from the kiosk terminal **2000**, each slot machine **1010**, or the like (via the hall management server **10**), stores said donation setting information in the donation setting information table **421**. In addition, at this time, information pertinent to specifying of a donation destination is stored in the donation setting information table **422**.

The donation destination management part **412**, when on the kiosk terminal **2000**, each slot machine **1010**, or the like, donation setting information is inputted by a user or a donation is made manually by a user, obtains information of a donation destination from the donation destination management table **423** so as to allow the donation destination to be selected from a list of donation destinations and edits display data so as to allow the information to be displayed

on the kiosk terminal **2000**, each slot machine **1010**, or the like in the form of a drop-down list or the like.

The donation collection management part **413**, based on the donation setting information table **421** and the donation destination setting information table **422**, automatically collects a donation from a card balance or a payout of a user at timing of cashing-out or timing of payout. When a donation is made by using user points, the donation collection management part **413** references the point exchange rate management table **424** which manages an exchange rate between points and a donation amount. In addition, when a donation has been made, donation contents are stored in the donation track record management table **425**. It is to be noted that the donation collection management part **413** stores also contents of a donation manually made by a user in the donation track record management table **425**.

The donation collection management part **413**, in a case where a setting of a donation by a user is a setting in which a fraction is donated, when there is a fraction in a card balance of a user card, automatically makes a donation. It is to be noted that although the “fraction” is a money amount which is less than a minimum unit of game media required to play one game on a slot machine **1010** as described above, in the present embodiment, a fraction on a gaming machine on which a player (user) is playing games can be interpreted as the “fraction in the game system **1**, or a minimum unit of game media, which is the smallest minimum unit among minimum units of game media required to play games on gaming machines in a game system where a player (user) is playing games, can also be interpreted as the “fraction”. Although in a case of the former “fraction”, it is likely to allow a game to be played on other gaming machine, in a case of the latter “fraction”, even one game cannot be played on any of the gaming machines in that game facility.

In addition, in the game system **1** according to the present embodiment, for the definition of the “fraction” (for example, whether the former or the latter described above is set as the fraction), a configuration can also be arranged such that a game facility or a user previously sets the fraction.

When the above-described donation of the fraction is made, even in a case where by subtracting a fraction from a card balance of a user card, a value of the card balance becomes zero or even in a case where by performing the above-mentioned subtraction, the value thereof does not become zero, the donation collection management part **413** is operable to make said donation. When the value of the card balance has become zero, the donation collection management part **413** is operable to control the user card to be ejected from a card unit **1741**. The game system **1** performs the above-described control, whereby it can be avoided that a user card is left unremoved from the card unit **1741** for a long period of time and as a result, another user can use a slot machine **1010** at once. In addition, when the value of the card balance has become zero, the game system **1** is also operable to perform control such that that user card is taken into a card stacker **1742** of the card unit **1741**.

The donation ranking management part **414** references the donation track record management table **425**, totalizes donation amounts in a predetermined period of time for each user, and edits display data to display donation ranking (user ranking). The donation ranking is displayed on the kiosk terminal **2000**, a slot machine **1010**, or the like.

The network I/F part **415** controls an interface **406** to perform data transmission and reception with other apparatuses.

[Configuration of Each Table]

Next, with reference to FIG. **29** to FIG. **34**, configurations of respective tables used in a game system **1** according to the present embodiment will be described.

In FIG. **29** (A), an example of a card management table **121** for managing information pertinent to user cards is shown. The card management table **121** is, as described above, stored in a hall management DB **120** of a hall management server **10**. In the card management table **121**, for each identification ID of a user card associated with a user, respective items of a “game facility code” for identifying a game facility, a “card balance” indicating a money amount which the user holds on a user card, “points” provided for the user, “points (for today)” indicating points obtained today among the points provided for the user, a “coupon management number” for managing a coupon provided for the user, and a “rank” indicating a rank of the user are stored.

As the coupon, coupons of individual shops and restaurants are included, and a plurality of coupons are associated with one user card. In the present embodiment, in the card management table **121**, coupon management numbers for managing the plurality of coupons for each user are stored, the plurality of coupons corresponding to the coupon management numbers are individually managed by a coupon management DB (not shown).

In FIG. **29** (B), an example of a game history management table **122** in which game histories of users are stored is shown. The game history management table **122** is, as described above, stored in the hall management DB **120** of the hall management server **10**. In the game history management table **122**, for each identification ID of a user card associated with a user and each machine ID, respective items of “start date and time” indicating date and time on and at which the user has started a game (for example, the user initially has pressed a spin button in a series of games), “termination date and time” indicating date and time on and at which the user has terminated the games (for example, the user has pressed a CASHOUT button **1038**), “gaming time” indicating a period of time for which said games are played, a “total of Bets” indicating a Bet money amount, “Winloss” indicating a difference between the Bet money amount and a payout money amount, and “Bet/Game” indicating a Bet money amount per game are stored.

Here, the Winloss is, for example, a value obtained by subtracting a payout money amount (in other words, the so-called OUT money amount) of a slot machine **1010** from an investment money amount (in other words, the so-called IN money amount) of a user (player). In addition thereto, in the game history management table **122** shown in FIG. **29** (B), various values and indices indicating the game histories of users can be stored.

In FIG. **30** (A), an example of a user information table **321** in which attribute information of users is stored is shown. The user information table **321** is, as described above, stored in a user management DB **320** of a user management server **30**. In the user information table **321**, for each identification ID of a user card associated with a user, respective items of a “name” of the user, a “nickname” of the user, “sex” of the user, “date of birth” of the user, and a “Pincode” indicating a log-in password are stored.

In FIG. **30** (B), an example of a member information table **322** in which member information of users is stored is shown. The member information table **322** is, as described above, stored in the user management DB **320** of the user management server **30**. In the member information table **322**, for each identification ID of a user card associated with a user, respective items of “nationality” of the user, a “zip

code” of the user, an “address” of the user, a “phone number” of the user, and an “e-mail address” of the user are stored.

In FIG. 31, an example of a friend information table 323 in which information of friends who have been registered by users is shown. The friend information table 323 is, as described above, stored in the user management DB 320 of the user management server 30. In the friend information table 323, one piece or a plurality of pieces of information pertinent to each of the friends is or are registered so as to be associated with an identification ID of a user card associated with each user. As the information pertinent to each of the friends, respective items of a “friend ID” which is an identification ID of a user card of each of the friends and “block” indicating whether or not accessing (for example, notification (reception and transmission) of donation information or the like and a phone call using VoIP) from each of the friends is blocked are stored.

In FIG. 32 (A), an example of a donation setting information table 421 in which pieces of donation setting information registered by users are stored is shown. The donation setting information table 421 is, as described above, stored in a donation management DB 420 of the donation management server 40. In the donation setting information table 421, for each identification ID of a user card associated with a user, respective items of an “automatic donation” indicating whether or not collection of a donation is automatically made, “ranking display” indicating how to display a user when donation ranking is displayed, a “fraction donation” indicating whether or not in the automatic donation, a fraction is donated, “donation amount specifying” indicating whether or not a donation amount is specified or specifying contents, a “conditional donation” indicating conditional donation contents in the automatic donation, and “donation notification” indicating whether or not donation notification from each of the friends who have been set as the friends (notification of donation contents of each of the friends) is received are stored.

In addition, here, in the “conditional donation”, respective items of a “base amount”, a “target” to be donated, an “amount/percentage”, and “collection timing” are included. The act of the conditional donation is set such that when a Winloss money amount in the past 100 games exceeds the base amount, an amount or a percentage of the target (for example, a card balance, points, a payout, or the like) is automatically donated at specified timing (for example, timing of the occurrence of a payout or timing of cashing-out).

In FIG. 32 (B), an example of a donation destination setting information table 422 for managing information pertinent to donation destinations for users is shown. The donation destination setting information table 422 is, as described above, stored in the donation management DB 420 of the donation management server 40. In the donation destination setting information table 422, for each identification ID of a user card associated with a user, respective items of a “donation destination specifying pattern” indicating a manner in which a donation destination is specified by a user; a “donation destination” indicating a previously set donation destination when the “donation destination specifying pattern” is specified as “previous”; and a “donation destination selection condition management number” for referencing a selection condition of a donation destination when the “donation destination” is specified as “automatic selection” are stored.

Here, the “donation destination selection condition management number” is stored in a donation destination selec-

tion condition management DB (not shown). In the donation destination selection condition management DB, for each donation destination selection condition management number, the setting is made such that on what kind of a condition, what kind of donation destination is selected. For example, stored is a setting made such that when a payout money amount or a calculated donation money amount is greater than or equal to a predetermined money amount, a donation destination is specified as a “A A donation”, and when the payout money amount or the calculated donation money amount is not greater than or equal to a predetermined money amount, a donation destination is specified as a “D D fund”.

In FIG. 33 (A), an example of a donation destination management table 423 for showing choices of donation destinations to a user is shown. The donation destination management table 423 is, as described above, stored in the donation management DB 420 of the donation management server 40. In the donation destination management table 423, information pertinent to respective donation destinations is stored, and respective items of a “category” of a donation destination, a “donation destination name” of a donation destination, and a “priority order” in a case where a donation destination is displayed are included.

In FIG. 33 (B), an example of a point exchange rate management table 424 to be referenced when a user makes a donation using user points is shown. The point exchange rate management table 424 is, as described above, stored in the donation management DB 420 of the donation management server 40. In the point exchange rate management table 424, respective items of a “target” indicating a target to be donated (for example, points during a normal time or points during a campaign), an “exchange rate” indicating a rate at which said points are exchanged for a donation money amount, and a “exchange unit” indicating a minimum unit of exchanged points are stored.

In FIG. 34, an example of a donation track record management table 425 in which donation track records of users are stored is shown. The donation track record management table 425 is, as described above, stored in the donation management DB 420 of the donation management server 40. In the donation track record management table 425, for each identification ID of a user card associated with a user, respective items of “donation collection date and time” indicating date and time on and at which a donation has been made, a “donation destination” indicating a donation destination, a “donation amount” indicating a donation amount (here, a money amount shown in a predetermined monetary unit, instead of a unit of points or a credit), a “donation type” indicating a manner in which a donation has been made, and a “donation operation type” indicating whether a donation has been made by automatic collection or manual operation are stored.

Here, as the item of the “donation type”, for example, a “fraction” in a case where a fraction has been donated, a “payout” in a case where a predetermined percentage of a payout has been donated, “points” in a case where a predetermined percentage of points have been donated, or a “specified amount” in a case where an amount specified by a user has been donated is set.

[User Menu Screen and Inputting of User Information]

Next, with reference to FIG. 35 to FIG. 42, examples of user menu screens displayed in a game system 1 according to the present embodiment will be described.

In FIG. 35, a user menu screen 4010 initially displayed on an LCD 2001 of a kiosk terminal 2000 is shown. On the user menu screen 4010, a guide display part 4011 including a

guide text of "TOUCH YOUR CARD", a selection menu display part **4012** indicated by a display of "INFORMATION", and a donation ranking display part **4013** in which donation ranking TOP **30** are displayed are arranged.

On the selection menu display part **4012**, as choices which a user can select, respective items of "Telephone directory", "Floor information", "Special menu", "How to use KIOSK", and "Donation" are displayed. In addition, on the donation ranking display part **4013**, a plurality of ranking display rows **4014** are displayed, and these ranking display rows **4014** are displayed in a scrolling manner in a direction indicated by an arrow **4015**, that is, from a lower side of the LCD **2001** toward an upper side thereof. As a result, nicknames, donation money amounts, and the like of TOP **1** to TOP **30** users in donation ranking are displayed in order on the donation ranking display part **4013**.

With the user menu screen **4010** shown in FIG. **35** being displayed on the LCD **2001** of the kiosk terminal **2000**, when in accordance with guiding by the guide display part **4011**, a user has touched a user card onto a touch unit **2004** of the kiosk terminal **2000**, a display on the LCD **2001** shifts from the user menu screen **4010** shown in FIG. **35** to a user menu screen **4020** shown in FIG. **36**.

On the user menu screen **4020** shown in FIG. **36**, a display which is similar to that on the user menu screen **4010** in FIG. **35** is shown, and a guide display part **4021** corresponds to the guide display part **4011**; a selection menu display part **4022** corresponds to the selection menu display part **4012**; a donation ranking display part **4023** corresponds to the donation ranking display part **4013**; and a ranking display rows **4024** corresponds to the ranking display rows **4014**.

On the user menu screen **4020** shown in FIG. **36**, further, a Pincode input part **4025** is displayed in a pop-up manner over the user menu screen **4020**, and here, a user touches respective numeral display areas of the Pincode input part **4025** on the LCD **2001** configured as a touch panel, thereby inputting a Pincode which has been set on his or her user card.

Upon inputting the Pincode, the Pincode is transmitted to a user management server **30** and when said transmitted Pincode and a Pincode stored in a user information table **321** matches each other, the screen shifts to a user information input screen **4030** shown in FIG. **37**. In a case where any Pincode has not yet been set such as a case where a user card is used for the first time and, when a user has touched the user card onto the touch unit **2004**, the screen shifts to the user information input screen **4030** shown in FIG. **37**.

In an uppermost part of the user information input screen **4030** shown in FIG. **37**, a header display part **4031** on which a name (or a nickname) of a user who has been registered on a user card, card information, and a LOGOFF button are displayed is arranged. In addition, in a left part below the header display part **4031**, a selection menu display part **4032** indicated by a display of "USERS" and a display of "INFORMATION" is arranged, and a state shown in FIG. **37** is a state in which the "USERS" is selected by touching or the like. In addition, with respect to the "INFORMATION", as on the user menu screen **4010** shown in FIG. **35**, as choices which a user can select, the respective items of the "Telephone directory", the "Floor information", the "Special menu", the "How to use KIOSK", and the "Donation" are displayed.

In a right part below the header display part **4031**, a basic information input part **4033** for inputting pieces of basic information among pieces of user information is arranged, and here, a user inputs a name, a nickname, sex, date of birth, and a Pincode into respective input columns. It is to be

noted that although in a case where a user card is used for the first time, these input columns are blank, when a user card is used for the second time and thereafter, pieces of information which have been inputted are displayed in said input columns, and when a user changes these pieces of information, changed pieces of information are inputted.

Below the basic information input part **4033**, further, a member registration information input part **4035** is arranged. When a user is going to conduct member registration, the user inputs pieces of information into respective input columns of the member registration information input part **4035**. As the pieces of the member registration information, nationality, a zip code, an address, a phone number, an e-mail address, and the like are included.

It is to be noted that although in a case where a user card is used for the first time, these input columns are blank, when a user card is used for the second time and thereafter, pieces of information which have been inputted are displayed in said input columns, and when a user changes these pieces of information, changed pieces of information are inputted.

In the game system **1** according to the present embodiment, for example, in order to make automatic donation collection or to display donation ranking, it is only required to input at least the pieces of the basic information (or one part thereof) among the pieces of the user information. However, a user inputs the pieces of the member registration information and thereby conduct the member registration, thus allowing the user to receive more fulfilling service from a game facility or the like.

Here, when a next button **4036** is touched by a user, the screen shifts to a user information input screen **4040** shown in FIG. **38**. When a return button **4037** is touched by a user, the screen returns to the user menu screen **4010** shown in FIG. **35**.

In an uppermost part of the user information input screen **4040** shown in FIG. **38**, a header display part **4041** on which the same pieces of information as those displayed on the header display part **4031** displayed in the uppermost part of the user information input screen **4030** shown in FIG. **37** are displayed is arranged. In a left part below the header display part **4041**, a selection menu display part **4042** indicated by a display of "USERS" and a display of "INFORMATION" is arranged, and this state is the same state as on the selection menu display part **4032** shown in FIG. **37**. The state in FIG. **38** is, as in FIG. **37**, a state in which the "USERS" is selected by touching or the like.

In a right part below the header display part **4041**, a donation automatic collection information input part **4043** for inputting pieces of donation automatic collection information among the pieces of user information is arranged, and here, when a user checks a checkbox corresponding to a query text "Is donation automatic collection conducted?" by touching or the like, below the donation automatic collection information input part **4043**, a donation setting information input part **4044** for selecting and inputting settings for the automatic collection of a donation is displayed.

On the donation setting information input part **4044**, what is displayed as a name when the donation ranking is displayed can be specified from a pull-down menu. In an example shown in FIG. **38**, selection can be made from the name, the nickname, which are inputted as the pieces of the basic information of the user information, and the hidden, and when the "hidden" is selected, setting can be made such that the name and the nickname are not displayed in the donation ranking (for example, " " is displayed).

Further, on the donation setting information input part **4044**, a checkbox for specifying whether or not a fraction is donated upon cashing-out is arranged. As is made clear in the example shown in FIG. **38** by displaying “A fraction is a money amount less than 30 PHP.”, this is because the fraction” is set based on a criterion that the fraction is the smallest fraction (a minimum unit of game media required to play one game) among fractions on gaming machines in a game facility. However, in the present embodiment, based on other various criteria, the “fraction” can be set. In addition, although with respect to this checkbox, it is indicated in a fixed manner that upon cashing-out, a fraction is donated, it may be arranged that selection can be made by using the pull-down menu so as to allow a donation to be made at timing other than the timing of cashing-out, for example, at timing of the occurrence of a payout or the like,

On the donation setting information input part **4044**, further, a checkbox specifying whether or not a donation is made by specifying a donation amount upon cashing-out is arranged, and radio buttons for selecting one of patterns for specifying a donation amount (donation amount specifying patterns) are arranged. In the example shown in FIG. **38**, one of the three patterns for specifying a donation amount, which are “individual input”, “selection from a set amount (set by the system)”, and “selection from a set amount (set by a user)”, is selected.

Upon selecting the “individual input”, a user specifies the donation amount by touching any of numerical values in a numerical value specifying window displayed in a pop-up manner. For the “selection from a set amount (set by the system)”, variations of the donation amount such as 10, 20, and 30 (PHP) are previously stored in a predetermined table (not shown) by the system, and the selection can be made therefrom by using a pull-down menu. Similarly, for the “selection from a set amount (set by a user)”, a user previously sets variations of the donation amount such as 10, 20, and 30 (PHP) and stores the variations in a predetermined table (not shown), and the selection can be made therefrom by using a pull-down menu.

In a lowermost part of the user information input screen **4040**, a next button **4045** and a return button **4046** are arranged. When the next button **4045** is touched by a user, the screen shifts to a user information input screen **4050** shown in FIG. **39**, thereby allowing settings related to the donation automatic collection to be further selected and inputted. When the return button **4046** is touched by a user, the screen returns to the user information input screen **4030** shown in FIG. **37**.

On the user information input screen **4050** shown in FIG. **39**, a display which is similar to that on the user information input screen **4040** shown in FIG. **38** is shown, a header display part **4051** corresponds to the header display part **4041**; a selection menu display part **4052** corresponds to the selection menu display part **4042**; a donation automatic collection information input part **4053** corresponds to the donation automatic collection information input part **4043**; and a donation setting information input part **4054** correspond to the donation setting information input part **4044**. However, the donation automatic collection information input part **4053** is displayed in a gray-out manner, thereby not allowing a checkbox to be selected, and on the donation setting information input part **4054**, a display for specifying further automatic donation patterns is shown.

In other words, on the donation setting information input part **4054**, when a Winloss money amount in the past 100 games exceeds a predetermined money amount, a donation

is made through specifying any of the below-described patterns by checking a corresponding checkbox.

A first choice is to donate a predetermined amount in a card balance stored on a user card upon the occurrence of a payout or upon cashing-out. A user can directly specify the predetermined amount, here, by touching any of numerical values, for example, in a numerical value specifying window displayed in a pop-up manner. In addition, the timing of the donation (upon the occurrence of a payout or upon cashing-out) is, as shown in FIG. **39**, is selectable by using a pull-down menu.

A second choice is to donate a predetermined number of points among user points stored on a user card upon the occurrence of points or upon cashing-out. A user can directly specify the predetermined number, here, by touching any of numerical values, for example, in a numerical value specifying window displayed in a pop-up manner. In addition, timing of the donation (upon the occurrence of points or upon cashing-out) is, as shown in FIG. **39**, can be selected by using a pull-down menu. It is to be noted that although in this example, the timing of the donation is selected from upon the occurrence of points and upon cashing-out, as in the first choice, the timing of the donation can also be selected from upon the occurrence of a payout and upon cashing-out. In addition, the timing of the donation can also be selected from three or more patterns, which include upon the occurrence of a payout, upon the occurrence of points, and upon cashing-out.

A third choice is to donate a predetermined percentage (%) of a payout obtained by playing games upon the occurrence of a payout or upon cashing-out. A user can directly specify the predetermined percentage in a unit of %, here, by touching any of numerical values, for example, in a numerical value specifying window displayed in a pop-up manner. In addition, the timing of the donation (upon the occurrence of a payout or upon cashing-out), as shown in FIG. **39**, can also be selected by using a pull-down menu.

In addition, in a setting where a donation on a predetermined condition is made when the Winloss money amount in the past 100 games exceeds the predetermined money amount, a checkbox for specifying whether or not donation notification from a friend is received is arranged. By checking this checkbox, when a friend has made a donation, while a user is playing games on a slot machine **1010**, a donation destination to which the friend has made the donation and an amount of the donation which the friend has made are displayed on an LCD **1719** of a PTS terminal **1700** of the slot machine **1010**. A user can also set the above-described specifying of the donation setting for each friend as a transmission source.

In a lowermost part of the user information input screen **4050**, a next button **4055** and a return button **4056** are arranged. When the next button **4055** is touched by a user, the screen shifts to a user information input screen **4060** shown in FIG. **40**, and when the return button **4056** is touched by a user, the screen returns to the user information input screen **4040** shown in FIG. **38**.

On the user information input screen **4060** shown in FIG. **40**, a display which is similar to that on each of the user information input screen **4040** shown in FIG. **38** and the user information input screen **4050** shown in FIG. **39** is shown. A header display part **4061** corresponds to the header display part **4051**; and a selection menu display part **4062** corresponds to the selection menu display part **4052**. Here, in a right part below the header display part **4061**, a donation destination specifying information input part **4063** is arranged. A checkbox for specifying whether or not a

donation destination is individually specified by a user at timing when a donation is made; a checkbox for specifying whether or not a donation destination is previously specified; and a checkbox for specifying whether a donation destination is not specified (in other words, the matter on whether or not a donation destination is specified is left up to recommendation by the system) are arranged.

Further, in a part below the donation destination specifying information input part **4063**, a donation destination setting information input part **4064** is arranged. On the donation destination setting information input part **4064**, a checkbox for specifying whether or not a donation destination is set is arranged. Here, as shown in FIG. **40**, for the setting of a donation destination, a category and a name of a donation destination can be selected by using pull-down menus, respectively.

In addition, on the donation destination setting information input part **4064**, a checkbox for specifying whether or not a donation destination whose total amount of donated money in a predetermined period of time is small is automatically selected is arranged. Further, a checkbox for specifying whether or not a donation destination is automatically switched in accordance with a game history or a donation amount of a user is arranged. Here, by touching a detail setting button shown in FIG. **40**, a detailed screen for defining that in a case of what game history (or a donation amount), which donation destination is specified is displayed, and here, the description thereof is omitted.

In a lowermost part of the user information input screen **4060**, a determination button **4065** and a return button **4066** are arranged. When the determination button **4065** is touched by a user, the pieces of user information specified on the user information input screens (**4030** to **4060**) shown in FIG. **37** to FIG. **40** are transmitted via a hall management server **10** to the user management server **30** and a donation management server **40**. The pieces of user information are stored in the user information table **321**, the member information table **322**, the donation setting information table **421**, the donation destination setting information table **422**, and the like there. In accordance with the settings stored as mentioned above, the pieces of user information are managed, and further, the donation collection from a user is automatically conducted.

For example, when the determination button **4065** is touched by a user, the basic information inputted in the input columns of the basic information input part **4033** of the user information input screen **4030** shown in FIG. **37** is transmitted to the user management server **30**. An identification ID of a user card and the transmitted basic information are associated with each other to be added to the user information table **321**. In a case where a piece or pieces of the basic information is or are changed to be inputted, the user information table **321** is updated so as to allow only the changed piece or pieces of the basic information to be changed therein.

In addition, at this time, the pieces of the member registration information inputted in the input columns of the member registration information input part **4035** of the user information input screen **4030** shown in FIG. **37** is transmitted to the user management server **30**. An identification ID of a user card and the transmitted member registration information are associated with each other to be added to the member information table **322**. In a case where a piece or pieces of the member registration information is or are changed to be inputted, the member information table **322** is updated so as to allow only the changed piece or pieces of the member registration information to be changed therein.

Further, the pieces of user information related to the donation specified on the user information input screens (**4040** to **4060**) shown in FIG. **38** to FIG. **40** are transmitted via the hall management server **10** to the donation management server **40**. The pieces of user information related to said donation are stored in the donation setting information table **421**, the donation destination setting information table **422**, and the like.

For example, in the donation setting information table **421** shown in FIG. **32** (A), with respect to a user having an identification ID "1", "1" is shown in a row of a column of an automatic donation; a "nickname" is shown in a row of a column of ranking display; and "1" is shown in a row of a column of a fraction donation. These are shown because the checkbox for conducting the automatic collection is checked on the donation automatic collection information input part **4043** shown in FIG. **38**; a "nickname" is selected in the donation ranking display of the donation setting information input part **4044** shown therein; and further, the checkbox for specifying whether or not a fraction is donated upon cashing-out is checked on the donation setting information input part **4044** shown therein.

In addition, in the donation setting information table **421** shown in FIG. **32** (A), with respect to a user having an identification ID "2", "0" is shown in a row of the column of the automatic donation. This is shown because the checkbox for conducting the automatic collection is not checked on the donation automatic collection information input part **4043** shown in FIG. **38**, and for this user, the automatic donation collection is not conducted.

In addition, in the donation setting information table **421** shown in FIG. **32** (A), with respect to a user having an identification ID "3", "1" is shown in a row of the column of the automatic donation; "hidden" is shown in a row of the column of the ranking display; "1" is shown in a row of the column of the fraction donation; and respective pieces of information are shown rows of a column of a conditional donation ("1000" is shown in the row of a column of a base amount; "points" are shown in the row of a column of a target; "100" is shown in the row of a column of amount/percentage; and "C-out" is shown in the row of a column of collection timing). These are shown because the checkbox for conducting the automatic collection is checked on the donation automatic collection information input part **4043** shown in FIG. **38**; the "hidden" is selected in the donation ranking display of the donation setting information input part **4044** shown therein; further, the checkbox for specifying whether or not a fraction is donated upon cashing-out is checked on the donation setting information input part **4044** shown in FIG. **38**; further, the second choice is selected on the donation setting information input part **4054** shown in FIG. **39** (in other words, the predetermined number of points among user points stored on a user card are donated upon the occurrence of a payout or upon cashing-out); "100" as the predetermined number is inputted as the points to be donated among the user points; and as the timing of donation, upon cashing-out is selected (It is to be noted that as a predetermined money amount based on the Winloss money amount, "1000" is inputted).

In addition, on the donation destination setting information table **422** shown in FIG. **32** (B), with respect to a user having an identification ID "3", "previous" is shown in a row of a column of a donation destination specifying pattern; and "A A donation" is shown in a row of a column of a donation destination. These are shown because the checkbox for specifying whether or not a donation destination is previously specified is checked on the donation destination

specifying information input part **4063** of the user information input screen **4060** shown in FIG. **40**; and “AA donation” as the donation destination is specified on the donation destination setting information input part **4064** thereof.

In addition, on the donation setting information table **421** shown in FIG. **32** (A), with respect to a user having an identification ID “7”, “1” is shown in a row of the column of the automatic donation; the “hidden” is shown in a row of the column of the ranking display; “0” is shown in a row of the column of the fraction donation; and “1023” is shown in a row of the column of donation amount specifying. These are shown because the checkbox for conducting the automatic collection is checked on the donation automatic collection information input part **4043** shown in FIG. **38**; the “hidden” is selected in the donation ranking display of the donation setting information input part **4044**; further, the checkbox for specifying whether or not a fraction is donated upon cashing-out is not checked on the donation setting information input part **4044** shown in FIG. **38**; further, the checkbox for specifying whether or not a donation is made upon cashing-out by specifying a donation amount is checked on the donation setting information input part **4044** shown in FIG. **38**; and for specifying the donation amount, “selection from a set amount (set by a user)” is selected.

When a user specifies the donation amount, upon selecting the “selection from a set amount (set by a user)”, a management number “1023” for identifying a variation among variations of a donation amount set by that user is set in the row of the column of donation amount specifying in the donation setting information table **421**. When the user specifies the donation amount upon cashing-out, a predetermined table (not shown) is referenced based on this management number and the variation of the donation amount set by the user is displayed.

In addition, on the donation destination setting information table **422** shown in FIG. **32** (B), with respect to the user having the identification ID “7”, the “previous” is shown in a row of the column of the donation destination specifying pattern; “automatic selection 2” is shown in a row of the column of the donation destination; and “233587” is shown in a row of a column of a donation destination selection condition management number. These are shown because the checkbox for specifying whether or not a donation destination is previously specified is checked on the donation destination specifying information input part **4063** of the user information input screen **4060** shown in FIG. **40**; and the checkbox for specifying whether or not a donation destination is automatically switched in accordance with a game history or a donation amount of a user is checked on the donation destination setting information input part **4064** shown therein. Here, the donation destination selection condition management number “233587” is a number associated with settings related to on what condition (for example, a game history or a donation amount constitutes predetermined contents), which donation destination is specified, and by referencing this number in a donation destination selection condition management DB (not shown), said settings can be obtained.

As described above, when the determination button **4065** on the user information input screen **4060** shown in FIG. **40** is touched by a user, the pieces of user information specified on the user information input screens (**4030** to **4060**) shown in FIG. **37** to FIG. **40** are reflected in the respective tables. When each of the tables is updated, a message indicating that the updating is completed is displayed on the user

information input screen **4060**, and thereafter, the screen returns to, for example, the user menu screen **4010** shown in FIG. **35**.

When the return button **4066** on the user information input screen **4060** shown in FIG. **40** is touched, the screen returns to the user information input screen **4050** shown in FIG. **39**.

FIG. **35** to FIG. **40** show the examples displayed on the LCD **2001** of the kiosk terminal **2000**, which the user menu screens and the user information input screen display. These screens can also be displayed on the LCD **1719** of the PTS terminal **1700** incorporated into the slot machine **1010**. In this case, since a display area of the LCD **1719** is small and horizontally long, as compared with the LCD **2001**, layouts of the user menu screens and the user information input screen are changed according to the LCD **2001**.

In FIG. **41** (A), a user menu screen **4090** displayed on the LCD **1719** of the PTS terminal **1700** is shown. The user menu screen **4090** is a screen displayed when a user inserts a user card, which the user uses for the first time (in order to play games on the slot machine **1010**), into a card unit **1741**. In addition thereto, this user menu screen **4090** may be displayed when a user touches a user card, which the user uses for the first time (in order to input the user information), onto a touch unit **1745**.

In an upper part on a right side of the user menu screen **4090** shown in FIG. **41** (A), a header display part **4091** for displaying a name of a user is arranged. Below the header display part **4091**, a selection menu display part **4092** which includes displays of “USERS” and “INFORMATION” is arranged. Here, when a user touches the display of “USERS”, the screen displayed on the LCD **1719** of the PTS terminal **1700** shifts to a user information input screen **4100** shown in FIG. **41** (B).

On the user information input screen **4100** shown in FIG. **41** (B), a basic information input part **4101** for inputting the pieces of basic information among the pieces of user information is arranged. A user inputs the pieces of basic information in respective entry fields of a name, a nickname, sex, date of birth, and a Pincode here. The display contents on the basic information input part **4101** correspond to the display contents on the basic information input part **4033** of the user information input screen **4030** shown in FIG. **37**.

In a lowermost part of the user information input screen **4100**, a next button **4102** is arranged. When the next button **4102** is touched by a user, the screen on the LCD **1719** of the PTS terminal **1700** shifts to a user information input screen **4110** shown in FIG. **42** (A).

On the user information input screen **4110** shown in FIG. **42** (A), a donation automatic collection information input part **4111** for inputting the pieces of donation automatic collection information among the pieces of user information is arranged. The display contents on the donation automatic collection information input part **4111** correspond to the display contents on the donation automatic collection information input part **4043** of the user information input screen **4040** shown in FIG. **38**.

When a user checks a checkbox of a query text “Is donation automatic collection is conducted?” by touching or the like, the screen on the LCD **1719** of the PTS terminal **1700** shifts to a user information input screen **4120** shown in FIG. **42** (B).

On the user information input screen **4120** shown in FIG. **42** (B), a donation setting information input part **4121** for selecting and inputting settings related to the automatic collection for a donation is arranged. The display contents on the donation setting information input part **4121** corre-

spond to the display contents on the donation setting information input part **4044** of the user information input screen **4040** shown in FIG. **38**. On the donation setting information input part **4121**, as on the donation setting information input part **4044**, although the settings related to the automatic collection for a donation can be made by displaying a plurality of checkboxes, in FIG. **42** (B), one part of the display contents is displayed, and a scroll bar provided on a right side of the donation setting information input part **4121** enables the respective checkboxes to be displayed.

Thereafter, display contents which are substantially the same display contents shown in FIG. **35** to FIG. **40** are displayed on the LCD **1719** of the PTS terminal **1700**. Thus, a user can perform the same operations as those described with reference to FIG. **35** to FIG. **40** on the LCD **1719** of the PTS terminal **1700**. Finally, when a determination button (not shown) displayed on the user information input screen is touched, as in the case where the determination button **4065** on the user information input screen **4060** shown in FIG. **40** is touched, the pieces of user information specified by a user are transmitted via the hall management server **10** to the user management server **30** and the donation management server **40** and are stored in the user information table **321**, the member information table **322**, the donation setting information table **421**, the donation destination setting information table **422**, and the like.

As described above, displaying and operating of the user menu screens and the user information input screen are enabled on not only the kiosk terminal **2000** but also the PTS terminal **1700**, and further enabled on other terminal such as a signage **3000**. In addition, other screen such as the donation ranking display screen can be displayed on not only the kiosk terminal **2000** but also the PTS terminal **1700** and the signage **3000**.

[Flow of User Information Registration]

Next, with reference to FIG. **43**, a flow of user information registration conducted when a determination button **4065** on a user information input screen **4060** shown in FIG. **40** is touched by a user (or when a determination button on a user information input screen displayed on an LCD **1719** of a PTS terminal **1700** is touched by a user) will be described. FIG. **43** is a flowchart showing processes performed on a hall management server **10**, a user management server **30**, and a donation management server **40** respectively in time series.

For example, when the determination button **4065** on the user information input screen **4060** shown in FIG. **40** is touched by a user, the hall management server **10** receives, from a kiosk terminal **2000** or the like, user information, a card identification ID, and a machine ID of said kiosk terminal **2000** or the like (step **S251**). Thereafter, the hall management server **10** transmits basic information included in the user information and member registration information to the user management server **30** together with the card identification ID (step **S252**).

Here, the basic information is information inputted on a basic information input part **4033** of a user information input screen **4030** shown in FIG. **37**, and the member registration information is information inputted on a member registration information input part **4035** of the user information input screen **4030** shown in FIG. **37**.

At step **S253**, based on the basic information received from the hall management server **10**, the user management server **30** updates a user information table **321**. Here, it is determined whether or not the member registration information has been received from the hall management server **10** (step **S254**), and when the member registration informa-

tion has been received therefrom (YES at step **S254**), it is determined that a user has conducted member registration (or has changed the member registration), and based on the member registration information, the user management server **30** updates a member information table **322** (step **S255**).

When the member registration information has not been received from the hall management server **10** (NO at step **S254**) and after step **S256**, update results of the user information table **321** and the member information table **322** are transmitted to the hall management server **10** (step **S256**).

When receiving the update results of the tables from the user management server **30**, the hall management server **10** checks whether or not the updating is normally made (step **S257**). When normally made (YES at step **S257**), the hall management server **10** transmits donation automatic collection information, donation setting information, donation destination specifying information, and donation destination setting information which are included in the user information to the donation management server **40** together with the card identification ID (step **S258**).

Here, the donation automatic collection information is information inputted on a donation automatic collection information input part **4043** of a user information input screen **4040** shown in FIG. **38**. The donation setting information is information inputted on a donation setting information input part **4044** of the user information input screen **4040** shown in FIG. **38** and a donation setting information input part **4054** of a user information input screen **4050** shown in FIG. **39**. In addition, the donation destination specifying information is information inputted on a donation destination specifying information input part **4063** of a user information input screen **4060** shown in FIG. **39**. The donation destination setting information is information inputted on a donation destination setting information input part **4064** of the user information input screen **4060** shown in FIG. **39**.

At step **S259**, based on the donation automatic collection information and the donation setting information which have been received from the hall management server **10**, the donation management server **40** updates a donation setting information table **421**. Further, at step **S260**, based on the donation destination specifying information and the donation destination setting information which have been received from the hall management server **10**, the donation management server **40** updates a donation destination setting information table **422**.

Next, the donation management server **40** transmits update results of the donation setting information table **421** and the donation destination setting information table **422** to the hall management server **10** (step **S261**).

When receiving the update results of the tables from the donation management server **40**, the hall management server **10** checks whether or not the updating is normally made (step **S262**). When normally made (YES at step **S262**), the hall management server **10** specifies the machine ID, instructs the kiosk terminal **200** or the like to display a message of the completion of the updating (step **S263**), and finishes the processing.

When the update results of the tables on the user management server **30** are not normal (NO at step **S257**) and the update results of the tables on the donation management server **40** are not normal (NO at step **S262**), the hall management server **10** specifies the machine ID, instructs the targeted kiosk terminal **200** or the like to display an error message (step **S264**), and finishes the processing.

It is to be noted that although in the game system 1 according to the present embodiment, the member registration information inputted on the member registration information input part 4035 of the user information input screen 4030 shown in FIG. 37 is present, the member registration for that user is conducted and the information of that user is stored in the member information table 322, a member registration screen may be separately displayed on a kiosk terminal 200 or the like, and registration processing may be conducted, separately from the processing for the basic information, the donation setting information, and the like of a user.

[Screen Display Upon Donation Collection]

Next, with reference to FIG. 44 to FIG. 46, display patterns on a screen displayed when a donation is automatically collected through the above-described settings on a user information (a screen displayed on an LCD 1719 of a PTS terminal 1700 will be described.

FIG. 44 (A) shows a view in which when a CASHOUT button 1038 is pressed after a user has played games on a slot machine 1010 and a donation is automatically collected, displaying related to said donation collection is conducted. In this case, the user has checked a checkbox for conducting automatic collection on a donation automatic collection information input part 4043 of a user information input screen 4040 shown in FIG. 38 and has checked a checkbox for specifying whether or not a fraction is donated upon cashing-out on a donation setting information input part 4044 of the user information input screen 4040. Further, the user has checked a checkbox for specifying whether or not a donation destination is previously specified on a donation destination specifying information input part 4063 of a user information input screen 4060 shown in FIG. 40 and has specified a "D D fund" as the donation destination on a donation destination setting information input part 4064 thereof.

A donation collection display screen 4130 shown in FIG. 44 (A) is displayed, shifting from a user menu screen 4090 shown in FIG. 41. As on the user menu screen 4090, in an upper part thereof, a header display part 4131 for displaying a name of a user is arranged. Below the header display part 4131, a donation collection display part 4132 is arranged.

In addition, in a part above the donation collection display part 4132, a message "a donation has been made upon cashing-out." is displayed, and therebelow, contents of the donation are displayed. In an example shown in FIG. 44 (A), it is shown that a donation amount is 13.00 PHP of a fraction; a donation destination is the "D D fund"; and a card balance is 0.00 PHP. Further, a character icon 4133 of "THANK YOU!" is displayed so as to overlap on the donation collection display part 4132.

Through the above-described displaying on the donation collection display part 4132, the user can confirm that the donation amount specified by the user has been donated to the donation destination specified by the user at the timing specified by the user.

Thereafter, after a predetermined lapse of time or by a predetermined operation on the PTS terminal 1700 or the like by a user, the donation collection display screen 4130 shown in FIG. 44 (A) shifts to a donation collection display screen 4130 shown in FIG. 44 (B). On the donation collection display screen 4130 shown in FIG. 44 (B), the same header display part 4131 and donation collection display part 4132 as on the donation collection display screen 4130 shown in FIG. 44 (A) are displayed, and on these display parts, a pop-up text 4134 of "User points have been pro-

vided!" indicating that the user points are added in accordance with the donation made this time is displayed.

As described above, in a game system 1 according to the present embodiment, user points can be automatically provided as a result of the donation made by a user. A user can confirm by the above-mentioned pop-up text 4134 that the points are actually provided. The user points are stored in a card management table 121 which a hall management server 10 manages so as to be associated with a user card and are displayed on, for example, the header display part 4031 of the user information input screen 4040 shown in FIG. 38.

FIG. 45 (A) shows another example of displaying related to the donation collection. FIG. 45 (A) shows a view in which when the CASHOUT button 1038 is pressed after a user has played games on the slot machine 1010 and a donation is automatically collected, displaying related to said donation collection is conducted. In this case, the user checks the checkbox for conducting automatic collection on the donation automatic collection information input part 4043 of the user information input screen 4040 shown in FIG. 38, checks a checkbox for specifying whether or not a donation is made by specifying a donation amount upon cashing-out on the donation setting information input part 4044 of the user information input screen 4040, and specifies individual input for the specifying of the donation amount. Further, the user checks the checkbox for specifying whether or not a donation destination is previously specified on the donation destination specifying information input part 4063 of the user information input screen 4060 shown in FIG. 40 and specifies a "D D fund" as the donation destination on the donation destination setting information input part 4064 thereof.

A donation collection display screen 4150 shown in FIG. 45 (A) is displayed, shifting from the user menu screen 4090 shown in FIG. 41. As on the user menu screen 4090, in an upper part thereof, a header display part 4151 for displaying a name of a user is arranged. Below the header display part 4151, a donation collection display part 4152 is arranged.

In addition, in a part above the donation collection display part 4152, the message "a donation has been made upon cashing-out" is displayed, and therebelow, contents of the donation are displayed. In an example shown in FIG. 45 (A), it is shown that the donation amount individually specified by the user is 10.00 PHP (although the description of the detail is omitted, a numerical value specifying window for inputting a donation amount is separately displayed in a pop-up manner and a user specifies the donation amount by touching any of numerical values there); a donation destination is the "D D fund"; and a card balance is 3022.00 PHP. Further, a character icon 4153 of "THANK YOU!" is displayed so as to overlap on the donation collection display part 4152.

Through the above-described displaying on the donation collection display part 4152, the user can confirm that the donation amount specified by the user has been donated to the donation destination specified by the user at the timing specified by the user.

FIG. 45 (B) shows further another example of displaying related to the donation collection. FIG. 45 (B) shows a view in which when the CASHOUT button 1038 is pressed after a user has played games on the slot machine 1010 and a donation is automatically collected, displaying related to said donation collection is conducted. In this case, the user checks the checkbox for conducting automatic collection on the donation automatic collection information input part 4043 of the user information input screen 4040 shown in FIG. 38 and makes the setting in which when a Winloss

money amount exceeds a predetermined money amount, 10% of a payout is donated (upon the occurrence of a payout) on a donation setting information input part **4054** of a user information input screen **4050** shown in FIG. **39**. Further, the user checks the checkbox for specifying whether or not a donation destination is previously specified on the donation destination specifying information input part **4063** of the user information input screen **4060** shown in FIG. **40** and specifies the “D D fund” as the donation destination on the donation destination setting information input part **4064** thereof.

A donation collection display screen **4160** shown in FIG. **45** (B) is displayed, shifting from the user menu screen **4090** shown in FIG. **41**. As on the user menu screen **4090**, in an upper part thereof, a header display part **4161** for displaying a name of a user is arranged. Below the header display part **4161**, a donation collection display part **4162** is arranged.

In addition, in a part above the donation collection display part **4162**, a message “a donation has been made upon the occurrence of a payout.” is displayed, and therebelow, contents of the donation are displayed. In an example shown in FIG. **45** (B), it is shown that the donation amount is 10% of a payout; a donation destination is the “D D fund”; and a card balance is 3048.00 PHP. Further, a character icon **4163** of “THANK YOU!” is displayed so as to overlap on the donation collection display part **4162**.

Through the above-described displaying on the donation collection display part **4162**, the user can confirm that the donation amount specified by the user as 10% of a payout has been donated to the donation destination specified by the user at the timing specified by the user.

It is to be noted that in the game system **1** according to the present embodiment, a donation can be made from a card balance and a payout and in addition thereto, a donation can be made by using user points associated with a user card. The user points are converted to a donation amount based on an exchange rate stored in a point exchange rate management table **424** managed by a donation management server **40**. In addition, depending on a period such as a normal time and a campaign time, the exchange rate can be changed.

FIG. **46** (A) shows still another example of displaying related to the donation collection. FIG. **46** (A) shows a view in which when the CASHOUT button **1038** is pressed after a user has played games on the slot machine **1010** and a donation is automatically collected, displaying related to said donation collection is conducted. In this case, the user checks the checkbox for conducting automatic collection on the donation automatic collection information input part **4043** of the user information input screen **4040** shown in FIG. **38**, checks a checkbox for specifying whether or not a donation is made by specifying a donation amount upon cashing-out on the donation setting information input part **4044** of the user information input screen **4040**, and specifies selection from a set amount (set by the system) for specifying the donation amount. Further, the user checks a checkbox for specifying whether or not a donation destination is individually specified at timing of making the donation on the donation destination specifying information input part **4063** of the user information input screen **4060** shown in FIG. **40**.

A donation collection display screen **4170** shown in FIG. **46** (A) is displayed, shifting from the user menu screen **4090** shown in FIG. **41**. As on the user menu screen **4090**, in an upper part thereof, a header display part **4171** for displaying a name of a user is arranged. Below the header display part **4171**, a donation collection display part **4172** is arranged.

In addition, in a part above the donation collection display part **4172**, a message “a donation is to be made upon cashing-out” is displayed, and therebelow, a donation specifying screen is displayed. In an example shown in FIG. **46** (A), a pull-down menu which allows a user to select a donation amount set by the system from among 10, 20, and 30 (PHP) is displayed and a pull-down menu which allows a user to select a donation destination from among a “A A donation”, a “E E project”, and a “D D fund” so as to allow a user to individually specify a donation destination at timing of making a donation is displayed.

Through the above-described displaying on the donation collection display part **4172**, according to the circumstances, a user can select a donation amount and a donation destination by himself or herself. In addition, in a part above the donation collection display part **4172**, a CANCEL button is also displayed, and here, it can be arranged that said donation is not made by touching the CANCEL button.

Thereafter, when a user has selected the donation amount and the donation destination from the pull-down menus, the donation collection display screen **4170** shown in FIG. **46** (A) shifts to a donation collection display screen **4170** shown in FIG. **46** (B). On the donation collection display screen **4170** shown in FIG. **46** (B), although the same header display part **4171** on the donation collection display screen **4170** shown in FIG. **46** (A) is displayed, display contents on the donation collection display part **4172** are changed. In other words, in a part above the donation collection display part **4172**, a message “A donation has been made upon cashing-out” is displayed and therebelow, donation contents are displayed. In an example shown in FIG. **46** (B), it is shown that the donation amount selected by the user from among the donation amounts set by the system is 20.00 PHP; the donation destination select by the user is “AA donation”; and a card balance is 130.00 PHP. Further, a character icon **4173** of “THANK YOU!” is displayed so as to overlap on the donation collection display part **4172**.

Through the above-described displaying on the donation collection display part **4172**, the user can confirm that the donation has been made based on the donation amount and the donation destination selected by the user upon cashing-out.

In addition, although in the example shown in FIG. **46**, the configuration is arranged such that a user selects a donation amount and a donation destination upon cashing-out, a configuration may be arranged such that either one of the donation amount or the donation destination is fixed through the donation setting made by a user and the other is selected. In addition, a configuration may be arranged such that the donation amount and the donation destination are set in a fixed manner through the donation setting made by a user and a user selects whether or not a donation is made upon cashing-out based on the contents set as mentioned above.

[Flow of Game History Management and Donation Automatic Collection]

Next, with reference to FIG. **47**, processing for game history management and for conducting donation automatic collection in accordance with specifying made by a user in a game system **1** according to the present embodiment will be described. FIG. **47** is a flowchart showing processes performed on a PTS terminal **1700**, a hall management server **10**, and a donation management server **40** respectively in time series.

First, at step S300, the PTS terminal **1700** receives game information from a gaming machine (slot machine **1010**) and transmits information based on this game information, an identification ID of a user card inserted by a user into a

card unit **1741** of the PTS terminal **1700**, and a machine ID of said slot machine **1010** to the hall management server **10**.

Here, the game information includes, for example, a Bet number per game, a payout number per game, user operation information (cashing-out operation, game start date and time, and game termination date and time), and the like. The PTS terminal **1700** converts the Bet number and the payout number from a credit unit to a predetermined monetary unit (for example, PHP), thereby obtaining a Bet money amount and a payout money amount, organizes these pieces of data, the operation information, and the like as accounting information, and transmits the accounting information together with the above-mentioned identification ID and machine ID to the hall management server **10**.

Timing at which the accounting information or the like is transmitted to the hall management server **10** is basically timing at which contents of the accounting information have changed. For example, at timing when a game is started, timing at which a payout is awarded, timing at which cashing-out is conducted, or the like, the transmission to the hall management server **10** is conducted.

Upon receiving the accounting information, the identification ID, and the machine ID from the PTS terminal **1700**, the hall management server **10** transmits at least one part of the accounting information and the identification ID to the donation management server **40** (step **S301**). In addition, based on the accounting information and the identification ID received from the PTS terminal, the hall management server **10** grasps a card balance of a user card of a user corresponding to the identification ID and updates a card management table **121** (step **S302**). Further, based on the accounting information, the identification ID, and the machine ID received from the PTS terminal, the hall management server **10** grasps a game history of the user corresponding to the identification ID and stores the game history in a game history management table **122** (step **S303**).

Upon receiving the accounting information and the identification ID from the hall management server **10**, based on the identification ID, the donation management server **40** obtains donation automatic collection information and donation setting information from a donation setting information table (step **S304**). Here, it is determined whether or not contents of the accounting information match donation conditions indicated by the donation setting information (step **S305**), and when the contents of the accounting information do not match the donation conditions, the processing is finished (NO at step **S305**).

When the contents of the accounting information match the donation conditions indicated by the donation setting information (YES at step **S305**), it is determined whether or not a target to be donated is points (step **S306**). Whether or not the target to be donated is the points can be determined, for example, by checking whether or not "points" are shown as an item of the "target" in a row of a column of a conditional donation in a donation setting information table **421** shown in FIG. **32**.

When the target to be donated is points (YES at step **S306**), at step **S307**, a donation amount is determined from the donation setting information and a point exchange rate management table **424**, and at step **S308**, the hall management server **10** is instructed to subtract donated points. When the hall management server **10** has received this instruction of the subtraction of the donation points from the donation management server **40**, the hall management server **10** confirms that there are points and thereafter, in accordance with this instruction, subtracts the donated points

from "points" shown in a row of a column of "points" in the card management table **121** (step **S309**).

On the other hand, when the target to be donated is not points (NO at step **S306**), at step **S310**, a donation amount is determined from the donation setting information and the operation information. For example, in a case where in the donation setting information, the setting in which a fraction is donated upon cashing-out is made, when the donation is processed at timing of cashing-out and a fraction is present in a card balance of a user corresponding to the identification ID (here, the card management table **121** on the hall management server **10** is referenced), the fraction is determined as the donation amount.

In addition, for example, in a case where in the donation setting information, the setting in which 100 PHP is donated from a card balance upon the occurrence of a payout is made, when the donation is processed at timing of the occurrence of a payout and a balance which is greater than or equal to 100 is present in the card balance of the user corresponding to the identification ID (here, the card management table **121** on the hall management server **10** is referenced), the 100 PHP is determined as the donation amount.

Next, at step **S311**, the donation management server **40** instructs the hall management server **10** to perform the subtraction from the card balance. When the hall management server **10** has received this instruction of the subtraction from the card balance from the donation management server **40**, the hall management server **10** confirms that there is the above-mentioned balance in the card balance and thereafter, in accordance with this instruction, subtracts the donation amount from a card balance shown in a row of a column of "card balance" in the card management table **121** (step **S312**).

After the hall management server **10** has confirmed and updated the card management table **121** (step **S309** and step **S312**), at step **S313**, the hall management server **10** transmits a result of confirmation and updating of the card management table **121** to the donation management server **40**.

The donation management server **40** determines whether or not the result of confirmation and updating of the card management table **121** received from the hall management server **10** is normal (step **S314**). When the result thereof is normal (YES at step **S314**), the donation management server **40** instructs the PTS terminal **1700** to display a donation result (step **S315**) and thereafter, stores donation contents in a donation track record management table **425** (step **S316**).

When the result of confirmation and updating of the card management table **121** is not normal (NO at step **S314**), the donation management server **40** instructs the PTS terminal **1700** to display a donation error (step **S317**).

When the PTS terminal **1700** has received the instruction to display the donation result via the hall management server **10** from the donation management server **40**, based on the instruction, the PTS terminal **1700** controls the displaying on an LCD **1719** thereof (step **S318**). In addition, when the hall management server **10** has updated a card balance (step **S312**), in a case where the card balance is zero, it is made possible to instruct the PTS terminal **1700** to eject a user card from the card unit **1741** (in addition, in this case, it is also made possible to take in a user card to the card unit **1741**).

As to the control of displaying on the LCD **1719** of the PTS terminal **1700**, for example, when the PTS terminal **1700** has received the instruction to display the donation result from the donation management server **40**, based on the

instruction, predetermined screens and messages are displayed on the LCD 1719 of the PTS terminal 1700. For example, the screens and the messages shown in FIG. 44 to FIG. 46 are displayed.

In addition, when the PTS terminal 1700 has received the instruction to display the donation error from the donation management server 40, based on the instruction, a predetermined error message or the like is displayed on the LCD 1719 of the PTS terminal 1700.

In an example shown in FIG. 47, a basic flow of the donation automatic collection based on the donation settings which a user has made is shown. For example, as in the specifying on the donation setting information input part 4044 shown in FIG. 38 and the donation destination specifying information input part 4063 shown in FIG. 40, there may be a case where processing for a dialogue with a user is required upon the collection of a donation (for example, on the donation collection display screen 4170 shown in FIG. 46 (A)). Here, however, the description of such a case is omitted.

In addition, in the example shown in FIG. 47, in accordance with the donation settings made by a user, the donation management server 40 updates only data in the donation track record management table 425. Further, transfer data for transferring a money amount donated in a predetermined period of time to a bank account of a donation destination (for example, from a bank account managed by a game facility) may be transmitted to Data Telecommunication System of All Banks in Japan or the like, thereby realizing an automatic transfer. In addition, based on the donation track record management table 425, money amounts donated in a predetermined period of time may be totalized for each bank account of a donation destination, and the totalized money amounts are displayed and printed out, and based on said totalized table, a person in charge may manually perform transfer work.

It is to be noted that although in the example shown in FIG. 47, the subtraction from a card balance or points in the card management table 121 is performed in accordance with the donation settings made by a user, for example, processing may be performed by initially determining a donation amount for a donation made upon the occurrence of a payout or the like, and based on a value obtained after performing the donation collection and the subtraction, the card management table 121 may be updated.

[Implementation of Donation Manually Made by User]

In a game system 1 according to the present embodiment, without reference to the above-described previous donation settings, a user can directly make manually a donation to a desired donation destination. With reference to FIG. 48 and FIG. 49, a donation instruction screen manually operated by a user will be described. Although the donation instruction screen exemplified here is displayed on an LCD 2001 of a kiosk terminal 2000, the donation instruction screen may be displayed on an LCD 1719 of a PTS terminal 1700 or an LCD 3003 of a signage 3000.

In FIG. 48, a donation instruction screen 4210 on which a user instructs a donation is shown. The donation instruction screen 4210 is a screen displayed after a user has logged in by inputting a Pincode on a user menu screen 4020 shown in FIG. 36.

In an uppermost part of the donation instruction screen 4210 shown in FIG. 48, a header display part 4211 on which a name (or a nickname) of a user registered on a user card, card information, and a LOGOFF button are displayed is arranged. In addition, in a left part below the header display part 4211, a selection menu display part 4212 which includes

displays of "USERS" and "INFORMATION" is arranged. With respect to the "INFORMATION", as on a user menu screen 4010 shown in FIG. 35, as choices which a user can select, respective items of "Telephone directory", "Floor information", "Special menu", "How to use KIOSK", and "Donation" are displayed.

On the donation instruction screen 4210 shown in FIG. 48, a state in which the "Donation", which is one of the choices in the "INFORMATION", is selected by touching or the like is shown. By touching the "Donation", on an accumulated total donation money amount display part 4213, a donation amount which a user has so far made is displayed, and on a donation destination display part 4214, a plurality of donation destination candidates are displayed. For one of the donation destination candidates shown in an upper row, a tab of "PREVIOUS" is displayed, and for another of the donation destination candidates shown in a lower row, a tab of "NOW" is displayed. A user can switch a donation destination to a desired donation destination by performing touching, swiping, or the like on the donation destination display part 4214. For the donation destination candidate currently selected as a target for a donation, as described above, the tab of "NOW" is displayed.

Below the donation destination display part 4214, a donation instruction part 4216 is arranged, and thereon, radio buttons for selecting whether a donation is made from a card balance or points, a donation money amount display part on which a selected donation money amount is displayed, a plurality of buttons for specifying a donation money amount are arranged. Below the donation instruction part 4216, further, a determination button 4217 and a return button 4218 are arranged.

Here, a user selects one of the radio buttons to make a donation from a card balance; touches a button on which "100" is displayed to make a donation of 100 PHP; and thereafter, touches the determination button 4217, whereby 100 PHP is withdrawn from a card balance stored on a user card of the user and is donated to a selected donation destination (in this example, the donation destination indicated by the tab of "NOW").

When a user has selected another of the radio buttons to make a donation from points, an exchange rate between points and a currency is referenced (for example, a point exchange rate management table 424 is referenced), and after the points have been converted to the currency, the donation is made.

When the return button 4218 is touched, for example, the screen shifts to a user menu screen 4020 shown in FIG. 36.

When the determination button 4217 is touched by a user, the donation is executed and the screen shifts to a donation instruction screen 4210 shown in FIG. 49. Although on the donation instruction screen 4210 shown in FIG. 49, a header display part 4211, a selection menu display part 4212, an accumulated total donation money amount display part 4213, a donation destination display part 4214, a donation instruction part 4216, a determination button 4217, and a return button 4218 are the same as those on the donation instruction screen 4210 shown in FIG. 48, as a response to the execution of the donation, a window 4219 of "THANK YOU!" is displayed so as to overlap on the donation instruction screen 4210.

[Outline of User Points and Ranks]

Next, with reference to FIG. 50, an outline of user points managed in a game system 1 according to the present embodiment and user ranks will be described.

The user points are points awarded to gaming and other actions conducted by a user and are managed so as to be

associated with a user card. In addition, in the game system 1, a plurality of ranks with respect to users are provided, based on points which users have and other criteria, user ranking is made. In accordance with respective user ranks, a game facility or the game system 1 according to the present embodiment can provide various differences in treatment of said users. For example, the higher a rank of a user is, the more expensive a coupon to be issued is. It is to be noted that user ranking for which only users who have made member registration are targeted can also be made.

FIG. 50 is a diagram showing the concept of the user ranking. As shown in FIG. 50, four ranks of "PLAYER", "SILVER ELITE", "GOLD ELITE", and "PLATINUM ELITE" are provided, and the "PLATINUM ELITE" is the highest rank. Upon obtaining predetermined points, a user is provided with a higher rank (promotion (to a higher rank)), and users with high ranks can enjoy various advantages.

For example, when a number of accumulated total points has become 700, the rank is promoted from the "PLAYER" to the "SILVER ELITE"; when a number of accumulated total points has become 1400, the rank is promoted from the "SILVER ELITE" to the "GOLD ELITE"; and when a number of accumulated total points has become 2100, the rank is promoted from the "GOLD ELITE" to the "PLATINUM ELITE".

It is to be noted that although in the present embodiment, in accordance with the number of points, the rank is promoted, instead of the number of points or in combination with the number of points, other criteria can also be adopted.

As the points, for example, various kinds of points such as initial points which are provided upon issuing a user card; store visiting points which are provided each time a user visits a store (for example, by carrying out a store visiting procedure on a kiosk terminal 2000); donation points which are provided upon making a donation; gaming points which are provided upon gaming on a slot machine 1010 or the like; rank promotion points which are provided upon rank promotion; and challenge points which are provided as a result of a challenge provided on a condition which is the elapse of predetermined gaming time can be set. In addition, the above-described conditions of the rank promotion may be changed depending on a number of specific points such as the donation points.

In addition, points consumed when a donation is made by automatic collection based on settings made by a user or points when a donation is manually made by a user can be managed so as to be disassociated from the points related to the rank promotion.

In FIG. 51, a point management screen 4310 used by a user for referencing and managing points is shown. The point management screen 4310 is a screen displayed after a user has logged in by inputting a Pincode on a user menu screen 4020 shown in FIG. 36.

In an uppermost part of the point management screen 4310 shown in FIG. 51, a header display part 4311 on which a name (or a nickname) of a user registered on a user card, card information, and a LOGOFF button are displayed is arranged. In addition, in a left part below the header display part 4311, a selection menu display part 4312 which includes displays of "USERS" and "INFORMATION" is arranged. With respect to the "INFORMATION", as on a user menu screen 4010 shown in FIG. 35, as choices which a user can select, respective items of "Telephone directory", "Floor information", "Special menu", "How to use KIOSK", and "Donation" are displayed. Further, in FIG. 51, respective

items of "Points" and "Friend service" as sub-menus which are developed by touching the "Special menu" are displayed.

On the point management screen 4310 shown in FIG. 51, a state in which the "Points" as one of the choices of this "Special menu" is selected by touching or the like is shown. By touching the "Points", a number of points added this day is displayed on a point guide display part 4313, and a number of said user points is displayed in a graphical manner on a point display part 4314. On the point display part 4314, a number of points which a user who has logged in currently has and a rank to which the user belongs are shown, and a number of points which allows promotion to a higher rank can be seen.

Below the point guide display part 4313, a store visiting points provision part 4315 which allows the store visiting points to be provided is displayed, and a user touches a store visiting points button, thereby adding the store visiting points (one time per day as an upper limit).

Below the store visiting points provision part 4315, a challenge points provision part 4316 which allows the challenge points to be provided is displayed, and a user touches a challenge points button, thereby starting a challenge game, for example, of a roulette game or the like and adding the challenge points in accordance with a result of the roulette game. In an example shown in FIG. 51, the challenge is enabled when a predetermined gaming time has lapsed.

[Processing Flow Related to Provision of Donation Points]

Next, with reference to FIG. 52, processing in which in a case where in a game system 1 according to the present embodiment, donation automatic collection in accordance with specifying made by a user is conducted, donation points are provided will be described. FIG. 52 is a flowchart showing processes performed on a donation management server 40, a hall management server 10, and a PTS terminal 1700 respectively in time series.

First, at step S321, the donation management server 40 obtains a donation amount of a target at timing when the PTS terminal is instructed to display a donation result at step S315 in FIG. 47. It is to be noted that although in this example, when a donation has been automatically made through donation settings made by a user, a user is provided with the donation points, also when on a donation instruction screen shown in each of FIG. 48 and FIG. 49, a donation has been made through a user operation (manually) from a card balance or points, similarly, the donation points are provided. In addition, at this time, although a number of the donation points is determined in accordance with a donation amount (for example, the larger the donation amount is, the larger the number of donation points to be provided is), in addition thereto, a donation amount may be determined depending on whether a donation is made automatically or manually.

Next, at step S323, the donation management server 40 determines a number of donation points provided for said user in accordance with the donation amount and at step S324, transmits the determined donation points to the hall management server 10 so as to be associated with an identification ID and a machine ID.

Upon receiving the determined number of donation points and the identification ID at step S325, the hall management server 10 references a card management table 121 based on the identification ID and obtains points of said user and at step S326, performs addition of the points obtained from the card management table 121 and the donation points received

from the donation management server 40. It is to be noted that here, in a case where the donation points cannot be added as they are, a value of the donation points is converted as needed.

Next, at step S327, the hall management server 10 updates points shown in a row of a column of points in the card management table 121 by the points obtained as a result of the addition and at step S328, instructs the PTS terminal to display that the addition to the user points has been performed. In this case, a corresponding PTS terminal 1700 is identified by the machine ID.

When the PTS terminal 1700 has received, from the hall management server 10, the instruction to display the addition of the user points, in accordance with the instruction, on an LCD 1719 of the PTS terminal 1700, it is displayed that the user points have been added (step S329). This is a display like, for example, a pop-up text 4134 displayed on a donation collection display screen 4130 shown in FIG. 44 (B). In addition, at this time, the actually added user points and the user points obtained after the addition can also be displayed in the pop-up text 4134.

[Determination of Rank Promotion Conditions in Accordance with Donation Points]

Next, with reference to FIG. 53, processing in which in a game system 1 according to the present embodiment, rank promotion conditions in accordance with donation points provided by making a donation are determined will be described. FIG. 53 is a flowchart showing processes performed by a donation management server 40 and a hall management server 10 respectively in time series.

First, at step S341, the donation management server 40 references a donation track record management table 425 at predetermined timing and obtains donation amounts in a predetermined period of time. Next, at step S342, based on an identification ID, the donation management server 40 totalizes the donation amounts for each user and at step S343, determines a number of donation points in accordance with said totalized donation amounts.

Next, the donation management server 40 determines a rank promotion condition in accordance with the donation points and transmits the determined rank promotion condition to the hall management server 10 together with the identification ID (step S344).

The hall management server 10 which has received the rank promotion condition from the donation management server 40, at step S345, references a card management table 121 based on the identification ID and obtains a rank of a corresponding user and next, at step S346, determines a new rank of the user based on the received rank promotion condition and the rank of the user obtained from the card management table 121.

Here, the hall management server 10 determines whether or not the rank of the user has been promoted (step S347), and when the rank of the user has been promoted (YES at step S347), the hall management server 10 updates a rank shown in a row of a column of a "rank" in the card management table 121 (step S348) and finishes the processing. On the other hand, when the rank of the user has not been promoted (NO at step S347), the hall management server 10 finishes the processing without conducting anything.

Through the above-described change in the rank promotion conditions, for example, as shown in FIG. 50, a condition on which the rank is promoted to "SILVER ELITE" is that a number of user points is greater than or equal to 700 and a condition on which the rank is promoted to "GOLD ELITE" is that a number of user points is greater than or

equal to 1400 are changed to a condition on which the rank is promoted to "SILVER ELITE" is that a number of user points is greater than or equal to 500 and a condition on which the rank is promoted to "GOLD ELITE" is that a number of user points is greater than or equal to 1000. Thus, a rank of a user can be promoted to a higher rank at an earlier stage and a user can enjoy more advantageous service in a game facility or the like.

In addition, as in the basic configuration shown in FIG. 50, the donation points can also be treated in the same manner in which the store visiting points or the gaming points are treated, thereby allowing the rank to be simply determined based on the accumulation of the obtained points.

[Displaying of Donation Ranking]

Next, with reference to FIG. 54 and FIG. 55, displaying of a donation ranking screen in a game system 1 according to the present embodiment will be described. FIG. 54 shows a donation ranking screen 4410 displayed on an LCD 2001 of a kiosk terminal 2000. However, the donation ranking screen 4410 can be displayed on an LCD 2050 or an LCD 2051, which is other display device of the kiosk terminal 2000, an LCD 1719 of a PTS terminal 1700, an LCD 3001 or an LCD 3003 of a signage 3000, or the like.

On the donation ranking screen 4410 shown in FIG. 54, below a title of "Donation ranking TOP 30", a period and etc. display part 4411 which includes displays of a donation period and a currency is arranged. Further, below the period and etc. display part 4411, a ranking row display part 4412 for displaying ranking rows is arranged.

In an upper part of the ranking row display part 4412, ranking rows of users who rank higher, starting from TOP 1, are displayed, and in a lower part of the ranking row display part 4412, ranking rows of users who rank lower, such as TOP 25 to TOP 27, are displayed so as to have smaller sizes than those of the ranking rows of the users who rank higher.

In addition, the respective ranking rows are automatically displayed in a scrolling manner from a lower side toward an upper side of the donation ranking screen 4410 (in a direction indicated by an arrow 4413). When all of the ranking rows of TOP 30 have been displayed, the ranking rows of the users who rank higher are displayed again from beneath.

In addition, when the ranking rows of the users who rank higher are displayed, a scrolling speed can also be controlled to be lowered. Further, in a case where a user card has been touched onto a touch unit or a card unit (for example, a touch unit 2004 or a card unit 2030 of the kiosk terminal 2000, a touch unit 1745 or a card unit 1741 of the PTS terminal 1700, a touch unit 3007 of the signage 3000, or the like) and an identification ID has been read, while a ranking row of a user corresponding to the read identification ID is being displayed, the scrolling speed can also be lowered; LEDs (for example, a bezel LED 2042 and an incoming LED 2008 of the kiosk terminal 2000, full-color LEDs 1731 and 1733 of the PTS terminal 1700, presentation LEDs 3002 and 3004 of the signage 3000, or the like) can also be caused to emit light; and a speaker or speakers (for example, a speaker 2035 of the kiosk terminal 2000, speakers 1707 and 1709 of the PTS terminal 1700, speakers 3034 and 3035 of the signage 3000, or the like) can also be caused to output sounds. In addition, the ranking row of that user can also be displayed in a manner different from a manner in which the other ranking rows are displayed.

In an example shown in FIG. 54, in each of the ranking rows, a ranking order, a user display (a name, a nickname, or "UNKNOWN"), a donation amount in a period displayed on the period and etc. display part 4411 (a monetary unit is

a monetary unit displayed on the period and etc. display part **4411**), and a date of birth (month-and-day parts of date of birth of a user) are displayed. The user display in the ranking row which a user has specified in a donation ranking display on a donation setting information input part **4044** of a user information input screen **4040** shown in FIG. **38** is displayed.

As shown in FIG. **54**, in a case of the name, below a text "Name", a name of a user is displayed, and in the case of the nickname, below a text "Nickname", a nickname of a user is displayed.

It is to be noted that although in the present embodiment, when a user has specified the "hidden" in said donation ranking display, "UNKNOWN" is displayed as the user display in the ranking row, the ranking row itself can also be arranged not to be generated.

In addition, in the example shown in FIG. **54**, totals of donation amounts provided for a predetermined donation destination in the predetermined period of time are displayed in a ranking format. However, totals of donation amounts in a predetermined period of time may be displayed in the ranking format; totals of donation amounts so far provided for a predetermined donation destination (or for all of the donation destinations as targets) may be displayed in the ranking format; or donation amounts, each of which has been provided one time, may be displayed in descending order in the ranking format. In addition, ranking based on a correlation between donation amounts and gaming states or gaming results, such as ranking in descending order of ratios of donation amounts to Winloss amounts and ranking in descending order of ratios of donation amounts to gaming periods of time, can also be displayed. In addition thereto, ranking display can be conducted by a variety of ways.

Next, with reference to FIG. **55**, processing in which in the game system **1** according to the present embodiment, the donation ranking is displayed on the kiosk terminal **2000** will be described. FIG. **55** is a flowchart showing processes performed on a donation management server **40**, a user management server **30**, and the kiosk terminal **2000** respectively in time series.

First, at step **S361**, the donation management server **40** references a donation track record management table **425** at predetermined timing and obtains donation amounts in a predetermined period of time. Next, at step **S362**, based on an identification ID, the donation management server **40** totalizes the donation amounts for each user and at step **S363**, determines a degree of contribution (ranking points) in accordance with said totalized donation amounts. In the example shown in FIG. **54**, the ranking of the donation amounts in the predetermined period of time in descending order is simply made. However, in consideration of other degree of contribution in accordance with donation contents, for example, a frequency of donations, a donation destination, a donation method (such as automatic collection, a manual donation, and settings of automatic collection), a maximum donation amount (whether or not a donation amount is a maximum amount among donation amounts, each of which is provided one time), or the like, the ranking points may be determined and the ranking may be thereby made.

Next, at step **S364**, based on the identification ID, the donation management server **40** references a donation setting information table **421**, grasps which one among the name, the nickname, and the hidden has been specified by each of the users, and transmits the identification ID to a user management server **30** to instruct the user management server **30** to obtain user information (in other words, a name

or a nickname). Upon receiving from the donation management server **40** the instruction to obtain the user information, at step **S365**, the user management server **30**, based on the identification ID, references a user information table **321**, obtains a name or a nickname of a user corresponding thereto, and at step **S366**, transmits the user information obtained as mentioned above to the donation management server **40**.

Next, at step **S367**, based on the user information obtained from the user management server **30**, ranking points, and the like, the donation management server **40** generates ranking display data and at step **S368**, transmits said ranking display data to the kiosk terminal **2000**. It is to be noted that although in this example, it is shown that the donation ranking display is conducted in one kiosk terminal **2000**, in a case where the donation ranking display is conducted on a plurality of kiosk terminals **2000** or a plurality of signages **3000** within a game facility, the ranking display data is transmitted to all of these terminals.

In addition, this ranking display data is transmitted via a hall management server **10** to the kiosk terminal **2000**. However, when the ranking display data is transmitted to the plurality of terminals, a configuration can be arranged such that this ranking display data is distributed to each of the terminals by the hall management server **10**.

Upon receiving the ranking display data from the donation management server **40** at step **S369**, at step **S370**, based on the received ranking display data, the kiosk terminal **2000** displays the donation ranking screen and controls the said screen to display the ranking rows in the scrolling manner from the lower side toward the upper side (for example, the donation ranking screen **4410** shown in FIG. **54**).

[Friend Settings and Donation Information Notification to Friends]

Next, with reference to FIG. **56** to FIG. **59**, friend setting processing in a game system **1** according to the present embodiment and processing in which friends registered through the friend setting processing are notified of donation information will be described. It is to be noted that this friend setting operation can be performed on a kiosk terminal **2000** and in addition thereto, can be similarly performed also on a PTS terminal **1700** or a signage **3000**. Here, an example in which the friend setting operation is performed on the kiosk terminal **2000** will be described.

In FIG. **56**, a friend setting screen **4510** which allows a user to conduct friend settings is shown. The friend setting screen **4510** is a screen displayed after a user has logged in by inputting a Pincode on a user menu screen **4020** shown in FIG. **36**.

In an uppermost part of the friend setting screen **4510** shown in FIG. **56**, a header display part **4511** on which a name (or a nickname) of a user registered on a user card, card information, and a LOGOFF button are displayed is arranged. In addition, in a left part below the header display part **4511**, a selection menu display part **4512** which includes displays of "USERS" and "INFORMATION" is arranged. With respect to the "INFORMATION", as on a user menu screen **4010** shown in FIG. **35**, as choices which a user can select, respective items of "Telephone directory", "Floor information", "Special menu", "How to use KIOSK", and "Donation" are displayed. Further, in FIG. **56**, respective items of "Points" and "Friend service" as sub-menus which are developed by touching the "Special menu" are displayed, and further, respective items of "Friend setting" and "Friend search" as sub-menus which are developed by touching the "Friend service" are displayed.

On the friend setting screen **4510** shown in FIG. **56**, a state in which the “Friend setting” as one of the choices of this “Friend service” is selected by touching or the like is shown. By touching the “Friend setting”, a friend display part on which friends of said user who have been registered are shown is displayed in a listed manner on a friend setting display part **4513**. A topmost part of the friend display part on the friend setting display part **4513** is a display part for newly registering a friend.

When a user is going to newly register a friend, by touching an “ADD NEW FRIEND” button displayed in the display part for newly registering a friend, which is displayed in the topmost part of the friend setting display part **4513**, below the friend setting display part **4513**, a friend new registration part **4514** is displayed.

Here, when in accordance with a guide display “Please touch a user card of a friend.” displayed on the friend new registration part **4514**, a friend of a user has touched his or her user card (a user card on which user information has already been inputted) onto a touch unit **2004** of the kiosk terminal **2000**, an identification ID of the user card is read from the touch unit **2004**, said user and the friend of the user, who has touched the user card thereonto, are associated with each other as friends. The new registration of a friend is conducted by the above-described operation, and it is not required for the user and the friend of the user to perform a particular input operation.

When the friend of the user has touched his or her user card onto the touch unit **2004** of the kiosk terminal **2000**, the friend setting screen **4510** shown in FIG. **56** shifts to a friend setting screen **4510** shown in FIG. **57**.

Display contents on the friend setting screen **4510**, the header display part **4511**, the selection menu display part **4512**, and the friend setting display part **4513** of the friend setting screen **4510** shown in FIG. **57** are the same as those on the friend setting screen **4510**, the header display part **4511**, the selection menu display part **4512**, and the friend setting display part **4513** of the friend setting screen **4510** shown in FIG. **56**. However, in accordance with the new registration of the friend of the user, the friend new registration part **4514** shifts to a friend registration completion display part **4515**, and a name of the friend and a number of common friends are displayed and further, a guide display “Friend registration has been completed.” is shown.

Next, with reference to FIG. **58**, the processing of the above-described friend new registration in the game system **1** according to the present embodiment will be described. FIG. **58** is a flowchart showing processes performed on the kiosk terminal **2000**, a hall management server **10**, and a user management server **30** respectively in time series.

First, a user has logged in by touching a user card and inputting a Pincode, and thereafter, upon touching the “Friend setting” (the sub-menu of the “Friend service”) of the selection menu display part **4512** in order to display the friend setting screen **4510** shown in FIG. **56**, at step **S381**, the kiosk terminal **2000** controls the friend setting screen **4510** to display the friend new registration part **4514** shown in FIG. **56**.

Here, the kiosk terminal **2000** determines whether or not a friend of the user has touched his or her user card onto the touch unit **2004** of the kiosk terminal **2000** (step **S382**), and until this touching is conducted, said determination is repeated (NO at step **S382**).

When the friend of the user has touched his or her user card thereonto (YES at step **S382**), here, an identification ID of the user card of the friend is read (step **S383**), and an identification ID of a user card of the user, which has been

read upon logging in, and the identification ID of the user card of the friend read at step **S383** are transmitted via the hall management server **10** to the user management server **30** (step **S384**).

Upon receiving the two identification IDs, based on the identification ID of the user card of the friend, the user management server **30** references a user information table **321** and obtains a name of the friend (step **S385**). The information obtain as described above is finally displayed on the kiosk terminal **2000**, and when a nickname, sex, date of birth, and the like are to be displayed, these items can also be obtained.

Next, the user management server **30** associates the identification ID of the user card of the user with the identification ID of the user card of the friend and stores the two identification IDs in a friend information table **323** (step **S386**). Thus, the game system **1** recognizes that the user and this friend are in the relationship of friends.

Further, the user management server **30** references the friend information table **323**, extracts identification IDs associated with the identification ID of the user card of the user and identification IDs associated with the identification ID of the user card of the friend, and obtains a number of identification IDs among the extracted identification IDs, which are common therebetween (step **S387**). Through this processing, a number of friends who are common between the user and the friend is grasped.

Next, the user management server **30** transmits the name of the friend obtained at step **S385** and the number of common friends grasped at step **S387** via the hall management server **10** to the kiosk terminal **2000** (step **S388**).

Upon receiving the name of the friend and the number of common friends from the user management server **30** (step **S389**), the kiosk terminal **2000** displays the friend registration completion display part **4515** including these items on the friend setting screen **4510**. This display is, for example, a display shown in FIG. **57**, and in addition to the name of the friend and the number of common friends, a guide display “Friend registration has been completed.” is displayed. Through the above-mentioned display, the user recognizes that the friend has been correctly registered.

Next, with reference to FIG. **59** and FIG. **60**, processing in which in the game system **1** according to the present embodiment, a friend is notified of donation information will be described. It is to be noted that here, a user who has made a donation is simply referred to as a “user”, and a user who is a friend of the user and receives donation information notification is referred to as “other user”.

FIG. **59** shows an example of a menu screen displayed on a PTS terminal **1700** of a slot machine **1010** on which other user is playing games. FIG. **60** is a flowchart showing processes performed on the PTS terminal **1700**, the PTS terminal **1700** of the slot machine **1010** on which said other user is playing games, a donation management server **40**, the user management server **30**, and the hall management server **10** respectively in time series.

A user menu screen **4520** shown in FIG. **59** is the menu screen displayed on the PTS terminal (LCD **1719**) of the slot machine **1010** on which said other user is playing games. Through the operation on the friend setting screen **4510** shown in FIG. **56** and FIG. **57**, said other user has been newly registered as a friend of the user.

On the user menu screen **4520** shown in FIG. **59**, a user card of said other user is inserted into a card unit **1741** (in order to play games on the slot machine **1010**), and as a result, a name is obtained from the user information table **321** and the name of said other user is displayed on a header

display part **4521**. In addition, below the header display part **4521** a selection menu display part **4522** is displayed. Here, an important part is hidden and cannot be seen. Contents originally displayed are the same contents displayed on a selection menu display part **4092** shown in FIG. **41**, which includes displays of "USERS" and "INFORMATION".

On the user menu screen **4520** shown in FIG. **59**, further, a donation contents display part **4523** is displayed in a pop-up manner. On the donation contents display part **4523**, donation contents of the user are displayed, and said pop-up displaying is conducted at timing close to timing at which a donation of the user has been made (or at other predetermined timing).

As the donation contents displayed on the donation contents display part **4523**, for example, a display "Mr. (or Ms.) XXXX has made a donation!" indicating that the user has made a donation, a donation amount, a donation destination, and the like are included. When the donation contents display part **4523** is displayed, effect displaying such as displaying of the donation contents display part **4523** in a blinking manner and displaying thereof in a gradually enlarged manner is conducted, thereby also allowing attention of said other user to be attracted. Further, when the donation contents display part **4523** is displayed, LEDs such as full-color LEDs **1731** and **1733** of the PTS terminal **1700** can also be caused to emit light and sounds can also be outputted by using speakers **1707** and **1709**. In addition, the donation contents display part **4523** can be configured to be hidden through a predetermined operation of said other user or after a lapse of a fixed period of time.

Next, with reference to FIG. **60**, processing in which a friend (said other user) is notified of the above-described donation information will be described.

The processing shown in the flowchart in FIG. **60** can be conducted subsequently to the processing on the donation management server **40** shown in FIG. **47** (in other words, the processing in which the donation automatic collection for the user is conducted and the PTS terminal **1700** is instructed to display the donation result). In FIG. **60**, the description includes the processes at step **S315** and step **S316** on the donation management server **40** shown in FIG. **47** and the process at step **S318** on the PTS terminal **1700** of the user.

After the process at step **S316** on the donation management server **40**, at step **S401**, the identification ID of the user is transmitted to the user management server **30**.

Upon receiving the identification ID of the user from the donation management server **40**, the user management server **30** references the friend information table **323**, obtains the identification ID of said other user corresponding to the identification ID (in other words, the identification ID of said other user registered as a friend of the user), and transmits these identification IDs to the donation management server **40** (step **S402**).

Upon receiving the identification ID of said other user from the user management server **30**, the donation management server **40** references an item of donation notification in a donation setting information table **421**, determines whether or not respective other users have permitted the donation information notification to slot machines **1010** on which the respective other users are playing games, narrows down a target to said other user who has permitted said donation information notification (step **S403**), and requests the hall management server **10** to identify said other user who is currently playing games (step **S404**). At this time, the identification ID of said other user narrowed down by the donation management server **40** is transmitted to the user management server **30**.

Upon receiving the above-mentioned request from the donation management server **40**, the hall management server **10** references a game history management table **122**; determines whether or not said other user identified by the received identification ID is playing games; when said other user playing games is present; obtains a machine ID associated with the identification ID; and transmits the machine ID to the donation management server **40** (step **S405**). Whether said other user is playing games can be determined, for example, by extracting, among records in which the received identification ID is set in the game history management table **122**, a record in which the start date and time is set and the termination date and time is not set. In addition, although in this example, by referencing the game history management table **122**, said other user playing games is determined, a table or the like for managing only slot machines **1010** which are under operation may be prepared.

Upon receiving the machine ID corresponding to said other user playing games from the hall management server **10** (step **S406**), the donation management server **40** edits donation contents of the user, generates display data for displaying on other PTS terminal **1700** corresponding to the received machine ID of said other user, and instructs said other PTS terminal **1700** to display the display data (step **S407**).

The display data transmitted in response to the instruction issued from the donation management server **40** is received via the hall management server **10** by said other PTS terminal **1700** of the slot machine **1010** on which said other user is playing games, and based on the instruction from the donation management server **40**, said other PTS terminal **1700** displays the donation contents of the user on a LCD **1719** of said other PTS terminal **1700** by using the received display data (step **S408**).

The game system **1** according to the above-described embodiment is described using several specific configurations. However, these configurations are merely exemplifications, and other various configurations can realize a characteristic idea of the present invention. For example, the hall management server **10**, the user management server **30**, and the donation management server **40** according to the present embodiment are integrated or dispersed, and the present invention can also be realized by computers having different configurations. In addition, the respective tables are arranged so as to have other various configurations, and these tables can also be stored on other servers or other various computers.

The present invention discloses a plurality of problems which are solved by the above-described embodiment, a plurality of solutions thereto, and the like as below.

The present invention also discloses the invention according to the below-described aspect.

A game system is to control a donation made by a user using a gaming machine, the gaming machine enabling execution of a game played by the user in accordance with a value of game media, the gaming machine providing a value of game media for the user in accordance with an outcome of the game, the game system including:

a storage part for storing a value of game media associated with the user; and

a server for executing processing in which a donation associated with the game media required to play the game on the gaming machine is made based on a setting made by the user, the server including:

a hall management server for receiving user information of the user, setting information of said user, and identifica-

tion information of the gaming machine used by said user and for updating and managing the each information; and

a donation management server for obtaining donation automatic collection information and donation setting information from a stored donation setting information table based on the setting information of the user on the hall management server and when contents of the setting information of said user match a donation condition shown in the donation setting information and a money amount obtained in past games whose number is previously set as said donation automatic collection condition exceeds a reference value, for determining a donation amount from a fraction being less than a minimum unit of the game media required to play the game on the gaming machine.

The present invention also discloses the invention according to the below-described aspect.

A game system is to control a donation made by a user using a gaming machine, the gaming machine enabling execution of a game played by the user in accordance with a value of game media, the gaming machine providing a value of game media for the user in accordance with an outcome of the game, the game system including:

a storage part for storing a value of game media associated with the user; and

a server for executing processing in which a donation associated with the game media required to play the game on the gaming machine is made based on a setting made by the user, the server including:

a hall management server for receiving user information of the user, setting information of said user, and identification information of the gaming machine used by said user and for updating and managing the each information; and

a donation management server for obtaining donation automatic collection information and donation setting information from a stored donation setting information table based on the setting information of the user on the hall management server and when contents of the setting information of said user match a donation condition shown in the donation setting information and a money amount obtained in past games whose number is previously set as said donation automatic collection condition exceeds a reference value, for determining, based on said donation setting information and a point exchange rate management table, a donation amount from points provided for the user based on game states.

The present invention also discloses the invention according to the below-described aspect.

A game system is to control a donation made by a user using a gaming machine, the gaming machine enabling execution of a game played by the user in accordance with a value of game media, the gaming machine providing a value of game media for the user in accordance with an outcome of the game, the game system including:

a storage part for storing a value of game media associated with the user; and

a server for executing processing in which a donation associated with the game media required to play the game on the gaming machine is made based on a setting made by the user, the server including:

a hall management server for receiving user information of the user, setting information of said user, and identification information of the gaming machine used by said user and for updating and managing the each information; and

a donation management server for obtaining donation automatic collection information and donation setting information from a stored donation setting information table based on the setting information of the user on the hall

management server and when contents of the setting information of said user match a donation condition shown in the donation setting information and a money amount obtained in past games whose number is previously set as said donation automatic collection condition exceeds a reference value, further based on the donation setting information, for executing either of (A) processing in which a donation amount is determined from a fraction being less than a minimum unit of the game media required to play the game on the gaming machine or (B) processing in which a donation amount is determined, based on said donation setting information and a point exchange rate management table, from points provided for the user based on game states.

The present invention also discloses the invention according to the below-described aspect.

A game system is to control a donation made by a user using a gaming machine, the gaming machine enabling execution of a game played by the user in accordance with a value of game media, the gaming machine providing a value of game media for the user in accordance with an outcome of the game, the game system including:

a storage part for storing a value of game media associated with the user; and

a server for determining a rank promotion condition in accordance with a donation amount when the donation is made from the value of the game media associated with the user, the server including:

a donation management server for referencing a stored donation track record management table, determining donation points in accordance with said donation amount obtained by totalizing donation amounts of the user in a predetermined period of time, and determining said user rank promotion condition in accordance with said donation points; and

a hall management server for comparing a rank of the user and a rank of said user in a management table based on the rank promotion condition and updating the rank of said user.

The present invention also discloses the invention according to the below-described aspect.

A game system is to control a donation made by a user using a gaming machine, the gaming machine enabling execution of a game played by the user in accordance with a value of game media, the gaming machine providing a value of game media for the user in accordance with an outcome of the game, the game system including:

a storage part for storing a value of game media provided as a payout in accordance with the outcome of the game for each game;

a hall management server for receiving user information of the user, setting information of said user, and identification information of the gaming machine used by said user and for updating and managing said user information; and

a donation management server for obtaining donation automatic collection information and donation setting information from a stored donation setting information table based on the setting information of the user on the hall management server and when contents of the setting information of said user match a donation condition shown in the donation setting information and a money amount obtained in past games whose number is previously set as said donation automatic collection condition exceeds a reference value, for determining a donation amount which is a previously set percentage of a payout amount.

The present invention also discloses the invention according to the below-described aspect.

A game system is to control a donation made by a user using a gaming machine, the gaming machine being installed in a game facility, the gaming machine enabling execution of a game played by the user in accordance with a value of game media, the gaming machine providing a value of game media for the user in accordance with an outcome of the game, the game system including:

a storage part for storing a value of game media associated with the user;

a display device being operable to display information related to the gaming machine; and

a server for determining a rank promotion condition in accordance with a donation amount when the donation is made from the value of the game media associated with the user, the server including:

a user management server having a user management table for managing user information of the user; and

a donation management server for referencing a stored donation track record management table, determining ranking points in accordance with an amount of said donation obtained by totalizing donation amounts of the user in a predetermined period of time, generating ranking display data so as to associate said ranking points and information in the user management table on the user management server, and transmitting the ranking display data to the display device, and

the display device displays ranking of the user based on the ranking display data.

What is claimed is:

1. A game system connected to a communications network allowing a donation, the game system comprising:

a gaming machine capable of executing a game;

a display monitor including an interactive graphical user interface allowing a user of the game system to input donation information pertaining to user game media;

a server in electronic communication with the gaming machine and including a central processing unit (CPU) and a non-transitory computer readable storage medium storing computer readable instructions, and,

one or more databases comprising a non-transitory computer readable storage medium that stores user game media information, the user game media information including:

information pertaining to at least a user game media amount, and

donation information input via the interactive graphical user interface, the input donation information including information pertaining to at least a donation amount and a user predefinable condition upon which the donation amount is to be donated;

wherein, when the computer readable instructions are read by the CPU, the CPU:

displays the interactive graphical user interface on the display monitor, the interactive graphical user interface including:

one or more user interactive selection fields allowing input of the donation information by a user, the one or more user interactive fields including one or more donation destination fields and one or more donation prioritization fields allowing the prioritization of the one or more donation destinations;

upon receiving the input donation information from a user, updates and stores the input donation information to the one or more databases; and,

when the user predefinable condition under which the game media amount to be donated input by the user

is satisfied, subtracts the input donation amount from the user game media amount stored in the one or more databases and updates the one or more databases in accordance with the donation information input by the user.

2. The game system of claim 1, wherein the user game media information comprises a game media type, and the game media type comprises at least one a gaming machine medium required to execute the game at the gaming machine, a game medium obtained as a result of an outcome of a game executed on the gaming machine, a currency, or a user point.

3. The game system of claim 1, wherein the user donation information comprises a donation type, and the donation type comprises at least one of a gaming machine medium required to execute the game at the gaming machine, a game medium obtained as a result of an outcome of a game executed on the gaming machine, a currency, or a user point.

4. The game system of claim 1, wherein the user donation information comprises a donation recipient.

5. The game system of claim 4, wherein the user interactive graphical user interface is prepopulated with one or more donation recipients selectable by a user.

6. The game system of claim 5, wherein one or more donation recipients is manually imputable by a user.

7. The game system of claim 1, wherein the user predefinable condition comprises at least one of: a winloss threshold satisfying predetermined criteria, an occurrence of a payout, a user point value reaching a predetermined threshold, a preset timing, or performance of a cashing out operation.

8. The game system of claim 1, wherein the donation information comprises information pertaining as to whether a donation is to be made automatically upon the user predefinable condition being satisfied.

9. The game system of claim 1, wherein the user donation information comprises a donation type and a donation recipient, and upon the user predefinable condition being satisfied, the CPU subtracts the input donation amount from the user game media amount, and donates the game media amount to the donation recipient.

10. The game system of claim 9, wherein the user predefinable condition comprises at least one of: a winloss threshold satisfying predetermined criteria, an occurrence of a payout, a user point value reaching a predetermined threshold, a preset timing, or performance of a cashing out operation.

11. The game system of claim 10, wherein the donation information comprises information pertaining as to whether a donation is to be made automatically upon the user predefinable condition being satisfied.

12. The game system of claim 1, wherein the display including the interactive graphical user interface is a display monitor of the gaming machine, a display monitor of a kiosk terminal, or a display monitor of a player tracking system terminal.

13. A game system server that controls a donation of user game media at a gaming machine or kiosk terminal communicatively connected to the game system server, the gaming machine enabling execution of a game played by a user, the gaming machine capable of providing a value of game media to the user in accordance with an outcome of the game, wherein the server includes a central processing unit (CPU) that obtains computer readable instructions stored on a non-transitory computer readable storage medium so as to cause the CPU to:

access one or more databases of a non-transitory computer readable storage medium that stores information pertaining to the user game media and a user game media amount to be donated;

display on a display monitor, an interactive graphical user interface allowing the user of the gaming machine or kiosk terminal to input donation information pertaining to the user game media to be donated and predefinable conditions by which the user game media amount will be donated, the interactive graphical user interface including:

one or more user interactive selection fields allowing input of the donation information by a user, the one or more user interactive fields including one or more donation amount fields, one or more donation destination fields and one or more donation prioritization fields allowing the prioritization of the one or more donation destinations;

upon receiving the input donation information from a user, save to the one or more databases, the predefined conditions pertaining to the game media amount to be donated and input by the user; and,

when the predefined conditions under which the game media amount to be donated input by the user are satisfied, the CPU:

subtracts the predefined game media amount to be donated from available user game media stored in the one or more databases and updates the one or more databases in accordance with the donation information input by the user; and,

displays on the display monitor, information indicating whether the one or more databases were successfully updated.

14. The game system server of claim **13**, wherein the predefinable conditions include:

whether the user game media amount to be donated is to be manually donated or automatically donated, the amount of the user game media that is to be donated, one or more gaming machine or kiosk terminal operations that cause the user game media to be donated, and one or more recipients to whom the user game media amount is to be donated.

15. The game system server of claim **13**, wherein the one or more gaming machine operations or kiosk terminal operations that cause the user game media to be donated comprises at least one of the performance of a cashing out operation, a winloss threshold satisfying predetermined criteria, an occurrence of a payout, a user point value reaching a predetermined threshold, a manual input, or a preset timing.

16. The game system server of claim **13**, wherein the game media comprises at least one a gaming machine medium required to execute the game at the gaming machine; a game medium obtained as a result of an outcome of the game executed on the gaming machine, a currency, or a user point.

17. The game system server of claim **14**, wherein when the predefined conditions under which the game media amount to be donated are input by the user and satisfied the CPU:

subtracts the predefined game media amount to be donated from available user game media stored in the one or more databases and updates the one or more databases;

displays on the display monitor, information indicating whether the one or more databases and updates the one or more databases were successfully updated; and,

donates the game media amount to the one or more donation recipients.

18. The game system server of claim **14**, wherein the game media comprises at least one a gaming machine medium required to execute the game at the gaming machine; a game medium obtained as a result of an outcome of the game executed on the gaming machine, a currency, or a user point.

19. A game system donation control method that controls a donation of user game media at a kiosk terminal or a gaming machine enabling execution of a game playable by a user in accordance with a value of game media, the gaming machine capable of providing a value of game media to the user in accordance with an outcome of the game, the donation control method executable via a server including a central processing unit (CPU) that obtains computer readable instructions stored on a non-transitory computer readable storage medium so as to cause the CPU to perform the steps of:

accessing one or more databases comprising a non-transitory computer readable storage medium that stores information pertaining to the user game media and a user game media amount to be donated;

displaying, on a display monitor, an interactive graphical donation user interface that allows the user of the gaming machine or kiosk terminal to input information pertaining to the user game media to be donated and one or more predefinable conditions by which the user game media amount to be donated will be donated, the interactive graphical user interface including:

one or more user interactive selection fields allowing input of the donation information by the user, the one or more user interactive fields including one or more donation destination fields and one or more donation prioritization fields allowing the prioritization of the one or more donation destinations;

upon receiving the input donation information from the user, updating and storing the input donation information to the one or more databases; and,

when the predefined conditions under which the game media amount to be donated input by the user satisfied, the CPU:

subtracts the predefined game media amount to be donated from available user game media stored in the one or more databases and updates the one or more databases in accordance with the donation information input by the user; and,

displays information indicating whether the one or more databases were successfully updated.

20. The game system donation control method of claim **19**,

wherein the predefinable conditions include:

whether the user game media amount to be donated is to be manually donated or automatically donated, the amount of the user game media that is to be donated,

one or more gaming machine operations that cause the user game media to be donated, and

one or more recipients to whom the user game media amount is to be donated; and,

wherein, when the predefined conditions under which the game media amount to be donated are input by the user and satisfied, the CPU:

subtracts the predefined game media amount to be donated from available user game media stored in the one or more databases and updates the one or more databases;

81

displays information indicating whether the one or more databases were successfully updated; and, donates the game media amount to the one or more donation recipients.

21. The game system of claim 1, wherein the one or more user interactive selection fields includes one or more donation notification fields corresponding to one or more registered friends of the user, and wherein,

when the user predefinable condition under which the game media amount to be donated input by the user is satisfied and a donation is made, and the one or more registered friends is determined to be operating a second gaming machine, displaying a notification that the donation has been made to the display monitor of the second gaming machine.

22. The game system server that controls a donation of user game media at a gaming machine or kiosk terminal of claim 13, wherein

the one or more user interactive selection fields includes one or more donation notification fields corresponding to one or more registered friends of the user, and wherein,

82

when the user predefinable condition under which the game media amount to be donated input by the user is satisfied and a donation is made, and the one or more registered friends is determined to be operating a second gaming machine or second kiosk, displaying a notification that the donation has been made to the display monitor of the second gaming machine or second kiosk.

23. The game system donation control method of claim 19, wherein

the one or more user interactive selection fields includes one or more donation notification fields corresponding to one or more registered friends of the user, and wherein,

when the user predefinable condition under which the game media amount to be donated input by the user is satisfied and a donation is made, and the one or more registered friends is determined to be operating a second gaming machine or second kiosk, displaying a notification that the donation has been made to the display monitor of the second gaming machine or second kiosk.

* * * * *